



पर्वत जिल्लाको ज्यालादर
तथा
निर्माण सामग्रीको स्वीकृत जिल्ला दर(रिट)



आ.व. २०८३/०८४



जिल्ला दर(रिट) निर्धारण समिति


पर्वत

२०८३/०३/३०

लक्ष्मी प्रसाद पौडेल
प्रमुख जिल्ला अधिकारी


विषयसूची

क्र.स.	विवरण	सुरु हुने पृष्ठ
१	आवरण पृष्ठ	१
२	विषयसूची	२
३	ज्याला दर	४
४	ढुवानी दर	५
५	स्थानीय निर्माण सामग्री तथा मेसिन प्रयोग गरी गरिने कार्यको दर	७
६	कृषि, बन तथा बायो-इन्जिनियरिङको दर	१०
७	गैर स्थानीय निर्माण सामग्रीको दर	१६
८	क. फलामे डन्डी	१६
९	ख. जी.आई. तार	१६
१०	ग. Machine-made Gabion	१६
११	घ. Geotextile	१६
१२	ङ. जस्तापाता	१६
१३	च. सिमेन्ट	१७
१४	छ. सिमेन्ट कङ्क्रीट ब्लक र पोल	१७
१५	ज. सिमेन्ट टाइल	१८
१६	झ. भवन निर्माण सामग्री	१८
१७	ञ. सिसा तथा जाली	२१
१८	ट. बिजुलीको सामान	२१
१९	ठ. स्यानीटरी सामग्री	२४
२०	ड.	२७
२१	ढ. फलाम तथा बल्याक पाइप	२७
२२	ण. फलामको कार्य	२७
२३	त. तयारी दर(रेट) सम्बन्धी	२८
२४	थ. झोलुङ्गे पुल सम्बन्धी	२९
२५	द. तयारी आर.सी.सी. झ्याल, ढोका, भेन्टिलेसन	२९
२६	ध. एल्मुनिम फ्रेम	३०
२७	न. UPVC Profile Door and Window / Wall partition	३०
२८	प. Prefab Panel for wall Partition Everest solid wall panel (ESWP) or Equivalent	३२
२९	फ. बिटुमिन बाइन्डर	३२
३०	प. एच.डी.पी.इ. पाइप	३२
३१	Water Proofing Treatment, Construction Chemicals, Structural Strengthening & Retrofitting Work	३३
३२	Water Meter, HDP Saddles	३७
३३	3 Layer PPR Pipes and Fittings	३८
३४	Water Supply Tools etc.	४०



लक्ष्मी प्रसाद पौडेल
जिल्ला अधिकारी






३५	RCC Hume Pipes	४३
३६	Submersible Pumps	४४
३७	Concrete Bricks, Hollocon, Interlock Pavers, Matrix Slab / Tiles, Mixed Fusion Slab / Tiles, Kerb Stones, V-shaped Drain	५१
३८	GI Pipe, Fittings, Brass Fittings and Tools	५६
३९	HDPE Fittings	५८
४०	Double Wall Corrugated Pipes	६०
४१	Weight Chart of HDPE Pipes	६१
४२	समापन कैफियत	६२







लक्ष्मी प्रसाद पौडेल
प्रमुख जिल्ला अधिकारी

आज मिति २०८३।०३।३० गते सार्वजनिक खरिद नियमावली २०६४ को नियम १४८: (१) बमोजिम आ.व. २०८३।०८४ को लागि पर्वत जिल्लाभर कामदारको ज्याला दररेट, निर्माण सामग्री, ढुवानीको दररेट तथा मेसिनरी औजारको भाडादर निर्धारणका लागि दररेट निर्धारण समितिका अध्यक्ष प्रमुख जिल्ला अधिकारी श्री लक्ष्मी प्रसाद पौडेलको अध्यक्षतामा बसेको जिल्ला दररेट निर्धारण समितिको बैठकको उपस्थिति एवं निर्णय देहाय बमोजिम रह्यो ।

उपस्थिति :

क्र.स.	पद	नामथर	कार्यालय	जिम्मेवारी	हस्ताक्षर
१	प्र.जि.अ.	श्री लक्ष्मी प्रसाद पौडेल	जिल्ला प्रशासन कार्यालय, पर्वत	अध्यक्ष	
२	जि.स.स. सदस्य	श्री दर्शन सिंह घले	जिल्ला समन्वय समिति, पर्वत	सदस्य	
३	जि.स.अ.	श्री बद्री प्रसाद तिवारी	जिल्ला समन्वय समिति, पर्वत	सदस्य	
४	प्र.को.नि.	श्री ज्ञान प्रसाद अर्याल	कोष तथा लेखा नियन्त्रक कार्यालय	सदस्य	
५	अध्यक्ष कोषाध्यक्ष	श्री राम बहादुर मस्के कुल प्रसाद पौडेल	निर्माण व्यवसायी, संघ, पर्वत	सदस्य	
६	अध्यक्ष	श्री ठाकुर वि. पौडेल	पर्वत उद्योग वाणिज्य संघ, पर्वत	सदस्य	
७	का.प्र	श्री आशिष पोखरेल	पूर्वाधार विकास कार्यालय, पर्वत	सदस्य सचिव	


अन्य उपस्थिति:

क्र.स.	पद	नामथर	कार्यालय	हस्ताक्षर
१	स.प्र.जि.अ.	श्री गणेश प्रसाद पौडेल	जिल्ला प्रशासन कार्यालय, पर्वत	
२	डि.व.अ.	श्री हेमलाल चौधरी	डिभिजनल कार्यालय, पर्वत	
३	स.इन्जिनियर	रविन चौधरी	सूतधा जलाधार व्यवस्थापन कार्यालय	
४	कृषि अर्थ विज्ञ	प्रकाश चौधरी	कृषि विकास कार्यालय, पर्वत	
५	सि.ए.ओ.	लोकबहादुर खड्का	जलस्रोत तथा सिंचाइ विकास डि.का. पर्वत	
६	प्र.प्र.अ.	रविन्द्र घले	राष्ट्रिय प्रायुक्त्या जि.स. पर्वत	
७	इन्जिनियर	समुन्द्र पोखरेल	पूर्वाधार विकास कार्यालय, पर्वत	
८	का.उ.	जेविन्द प्रसाद पौडेल	सकीकृत सेवा कार्यालय, पर्वत	
९	स.प्र.अ.	शम्भु सापका	नेपाल विद्युत प्राधिकरण	
१०	स.प्र.उ.	श्री विजय क्षेत्री	समाप्त प्रहरी वल गण ई.स.वा.	
११	प्र.ता.उ.	श्री विजय थापा	नं.२५, चण्डीपुर, पर्वत	
१२	क.अ.	श्री भरत सापका	जिल्ला प्रशासन कार्यालय	

प्रस्ताव तथा निर्णयः

निर्णय नं. १ : जिल्ला दररेट निर्धारण सम्बन्धमा : आगामी आ.व. ०८३१०८४ का लागि सार्वजनिक खरिद नियमावली, २०६४ को नियम १४८ बमोजिम निर्माण सामाग्री र ढुवानीको दररेट, मेशिन तथा उपकरणको भाडा र कामदारको ज्याला तोक्न प्रचलित बजार भाउ, छिमेकी जिल्लाको दररेट, नेपाल राष्ट्र बैंकको National Wholesale Price Index र Salary and wage Index समेतको आधारमा आ.व. २०८३१०८४ को लागि तपशिल बमोजिम जिल्ला दररेट निर्धारण गर्ने निर्णय गरियो ।




लक्ष्मी प्रसाद पौडेल
प्रमुख जिल्ला अधिकारी

ज्याला दर

क्र.सं.	कामदारको किसिम	एकाई	आ.व २०८१/८२ (मू.अ.क. बाहेक)	आ.व २०८२/८३ (मू.अ.क. बाहेक)	आ.व २०८३/८४ (मू.अ.क. बाहेक)	कैफियत
क	दक्ष कामदार (Skilled Labour)					
१	सुपरभाइजर (इन्जिनियर सरह)	जवान/दिन	१५२५.००	१५६५.००	१७२५.००	महिनावारीका
२	सुपरभाइजर (सब इन्जिनियर सरह)	जवान/दिन	१२००.००	१२३०.००	१३५०.००	लागि यो दर
३	सुपरभाइजर (अ.सब इन्जिनियर सरह)	जवान/दिन	११००.००	११३०.००	१२४०.००	लागु हुने छैन
४	डकर्मी/सिकर्मी/नकर्मी/बज्रकर्मी/चित्रकारी/मेकानिक्स	जवान/दिन	११८०.००	१२००.००	१२५०.००	
५	रक ड्रिलर/ब्लाष्टर/ प्लम्बर/वेल्डर/ आरावाल	जवान/दिन	११८०.००	१२००.००	१२५०.००	
६	बृज फिटर/ डोजर अपरेटर	जवान/दिन	११८०.००	१२००.००	१२५०.००	
७	सुपरभाइजर (इलेक्ट्रिकल/मेकानिकल/सिभिल)	जवान/दिन	११८०.००	१२००.००	१२५०.००	
८	हेभी इक्युपमेण्ट ड्राइभर/अपरेटर	जवान/दिन	११८०.००	१२००.००	१२५०.००	
९	कम्प्युटर अपरेटर/बिद्युतिय सामग्री अपरेटर	जवान/दिन	११००.००	११५०.००	१२००.००	
ख	अर्धदक्ष कामदार (Semi-Skilled labour)					
१	सुपरभाइजर (खरिदार सरह)	जवान/दिन	९५०.००	९७५.००	१०७५.००	
२	ड्राईभर (लाईट)	जवान/दिन	९७५.००	१०२०.००	१०७०.००	
३	फोरमेन, सहायक कम्प्युटर अपरेटर	जवान/दिन	९५०.००	९७५.००	१०२५.००	
४	इलेक्ट्रिसियन	जवान/दिन	९७५.००	१०२०.००	१०७५.००	
ग	अदक्ष कामदार (Unskilled Labour)					
१	ज्यामी/भरिया	जवान/दिन	८७०.००	९००.००	९३५.००	
२	हेभी इक्युपमेण्ट हेल्पर/सर्भे हेल्पर/जुनियर हेल्पर	जवान/दिन	८७०.००	९००.००	९३५.००	
३	अवाले/ईडा बनाउने/क्याम्प वर्कर	जवान/दिन	८७०.००	९००.००	९३५.००	
४	साधारण हेल्पर/ल्याब ब्याइ	जवान/दिन	९००.००	९२५.००	९३५.००	
५	नर्सरी नाइके/हेरालो	जवान/महिन	१४५००.००	१७३००.००	१९५५०.००	
६	हेल्पर (इलेक्ट्रिकल)	जवान/दिन	९००.००	९२०.००	९३५.००	
७	सुपरभाइजर साधारण लेखपढ	जवान/दिन	८२५.००	८५०.००	९३५.००	
८	लेन्थ म्यान/टेप म्यान/ स्टाफ म्यान/चेन म्यान	जवान/दिन	८५०.००	८७०.००	८७०.००	
	सेफ्टी टंकी सफा गर्ने कामदारको लागि कामदारको रेटको २ ले गुणा गर्ने					
	सेनिटरी नाली सफा गर्ने कामदारको लागि कामदारको रेटको १.५ ले गुणा गर्ने					
घ	अन्य कामदार (Layman)					
१	माली/ढल्पा	जवान/दिन	६८०.००	६९५.००	७६५.००	
२	स्विपर	जवान/दिन	७५०.००	७६५.००	७६५.००	
३	चौकिदार/पाले/मेसेन्जर	जवान/दिन	७००.००	७१५.००	७६५.००	
४	रोड मेन्टेनेन्स सुपरभाइजर (T SLC वा सो सरह)	जवान/दिन	८७५.००	८९५.००	१०७५.००	
घ	श्रोत व्यक्ति (Resource Person)					
१	अधिकृत स्तर भन्दा मुनी सबै	जवान/दिन	१०२०.००	१०४५.००	११२०.००	
२	अधिकृत स्तर का सबै (सम्बन्धित क्षेत्रमा विज्ञता हाशिल गरेको)	जवान/दिन	१७८०.००	१८२०.००	१९५०.००	
३	अधिकृत स्तर भन्दा माथी सबै (सम्बन्धित क्षेत्रमा विशेष विज्ञता हाशिल गरेको)	जवान/दिन	२६७०.००	२७३५.००	२९५०.००	

नोट:- उपर्युक्त दर ८ घण्टा प्रतिदिन कार्य अवधिको हिसावले तय गरिएको छ । कार्यालयमा कार्यरत ज्यालादारी कर्मचारीको हकमा कार्यालय समयलाई कार्य अवधि मानिनेछ । एक महिना भन्दा बढी ज्यालादारी वा करारमा काम गराउँदा जुन पदमा काम लगाइने हो सो पदको नेपाल सरकारको सुरु तलब स्केल र भत्तालाई २६ ले भाग गर्दा आउने रकमलाई दैनिक ज्याला कायम गर्ने।

लक्ष्मी प्रसाद पौडेल
प्रमुख जिल्ला अधिकारी

ढुवानी दर

क्र.सं.	ढुवानीको किसिम	एकाई	आ.व २०८१/८२	आ.व २०८२/८३	आ.व २०८३/८४
क	भरियाद्वारा ढुवानी				
१	सजिलो सामान	के.जी./कोष	३.६८	३.६८	४.००
२	असजिलो सामान	के.जी./कोष	५.३४	५.३४	५.८०
ख	खच्चरद्वारा ढुवानी				
१	सजिलो सामान	के.जी./कोष	१.४५	१.४५	१.५५
२	असजिलो सामान	के.जी./कोष	२.०१	२.०१	२.२०
ग	यातायातका साधनबाट ढुवानी				
१	पक्की बाटोमा ट्रक द्वारा ढुवानी (लोड अनलोड वाहेक)	क्वी./ कि.मि.	३.७३	३.७३	४.००
२	कच्ची बाटोमा ट्रक द्वारा ढुवानी (लोड अनलोड वाहेक)	क्वी./ कि.मि.	१८.९८	१८.९८	२०.००
३	कच्ची बाटोमा ट्रयाक्टर द्वारा ढुवानी (लोड अनलोड वाहेक)	क्वी./ कि.मि.	२३.००	२३.००	२५.००
४	लोड अनलोड सजिलो सामान	क्वीन्टल	२९.२१	२९.२१	३०.५०
५	लोड अनलोड असजिलो सामान	क्वीन्टल	४६.४६	४६.४६	५०.००
घ	कृषि सामग्री तथा पशुपन्छी ढुवानी				
१	माछाको भुरा पैदल बाटो ढुवानी	२ प्याकेट/कोष	४०.२५	४०.२५	४२.००
२	कुखुराको चल्ला पैदल बाटो ढुवानी				
	३ हप्ता सम्मको	१०० गोटा/कोष	३४५.००	३४५.००	३६०.००
	३ हप्ता भन्दा माथिको	५० गोटा/कोष	३०२.४५	३०२.४५	३१५.००
३	फलफूल तथा डाले घाँसका विरुवा (प्रति ३५ विरुवा एकभारी) ढुवानी गर्न पैदल बाटो	भारी/कोष	१२०.७५	१२०.७५	१२५.००
४	नेपियर, अम्रीसो आदी घास प्रति १००० विरुवा (सेट्स) ढुवानी गर्न पैदल बाटो	भारी/कोष	१२०.७५	१२०.७५	१२५.००
५	घासको बिउ (प्रति ४० के.जी) एक भारी ढुवानी गर्न पैदल बाटो	भारी/कोष	१२०.७५	१२०.७५	१२५.००
६	हिउदे फलफूलको विरुवा (प्रति ५० विरुवा एकभारी) ढुवानी गर्न पैदल बाटो	भारी/कोष	१२०.७५	१२०.७५	१२५.००
७	वर्षे फलफूल आँप लिची (प्रति २५ विरुवा एक भारी) ढुवानी गर्न पैदल बाटो	भारी/कोष	१२०.७५	१२०.७५	१२५.००
८	पोलिथिन थैलाको विरुवा ढुवानी १० कि.मी.भन्दा बढी बन कृषि विरुवा	गोटा	६.०४	६.०४	६.३५

लक्ष्मी प्रसाद पौडेल
प्रमुख जिल्ला अधिकारी

दुवानी दर

क्र.सं.	विवरण	गुणाङ्क			
			२०८१/८२ (मू.अ.क. बाहेक)	२०८२/८३ (मू.अ.क. बाहेक)	आ.व २०८३/८४ (प्रस्तावित)
१	पोलिथिन पाईप				
१.१	१६ - ५० मी.मी. सम्म	१.५०	१.७३	१.७३	१.८२
१.२	६३ - १२५ मी.मी. सम्म	२.५०	२.८८	२.८८	३.०५
१.३	१४०- २८० मी.मी सम्म	३.००	३.४५	३.४५	३.६५
१.४	२८० मी. मी. देखि माथि	३.५०	४.०३	४.०३	४.२५
२	जि.आई. पाईप	२.५०	२.८८	२.८८	३.०५
३	पाईप फिटिङ्स, टुल्स एण्ड एक्सेसरिज	१.१०	१.२७	१.२७	१.३५
झ) ट्रक तथा ट्रयाक्टरबाट दुवानी गर्दा उल्लिखित दुवानी दरमा किलोमिटरको आधारमा निम्नानुसारको गुणाङ्कले गुणा गरी हुन आउने दर कायम गर्ने ।					
सि.नं.	सडक दुरी	गुणाङ्क			
१	५ कि.मी. सम्म	१.५०	१.७३	१.७३	१.८२
२	१० कि.मी सम्म	१.२५	१.४४	१.४४	१.५२
३	२० कि.मी सम्म	१.१०	१.२७	१.२७	१.३५
४	३० कि.मी सम्म	१.००	१.१५	१.१५	१.२२
५	३० कि.मी. भन्दा माथि	०.९०	१.०४	१.०४	१.१०
ज	ट्रकबाट जुनसुकै सामान दुवानी गर्दा स्वीकृत नर्म्स अनुसार तयार गरेको दर (रेट)लाई स्वीकृती लिई प्रयोग गर्ने ।				

नोट

क) दुवानीको साधन प्रयोग गर्दा उपलब्ध भए सम्म सस्तो साधनको प्रयोग गर्ने ।

ख) कच्ची बाटोमा ट्रक ट्रयाक्टरबाट हयूमपाईप दुवानी गर्दा वास्तविक तौललाई २.५ ले गुणन गरी जम्मा तौललाई कायम गर्ने र सोही अनुसार ट्रक र ट्रयाक्टर दुवानी भाडा कायम गर्ने ।

ग) कच्ची बाटोमा ट्रक ट्रयाक्टरबाट विद्युत ट्रान्सफर्मर तथा विजुलीको पोल दुवानी गर्दा वास्तविक तौललाई ३.० ले गुणन गरी जम्मा तौल कायम गर्ने र सोही अनुसार ट्रयाक्टरको दुवानी भाडा कायम गर्ने ।

घ) २६ मी.मी. भन्दा मुनीको झोलुङ्गे पुल लट्टा दुवानी गर्दा असजिलो सामान मानी सो अनुसार गर्ने र २६ मी मी वा सो भन्दा माथिको झोलुङ्गे पुलको लट्टा दुवानी गर्दा सम्बन्धित दररेटलाई ३.० ले गुणा गरी हुन आउने दुवानी दरले दुवानी गरिने जम्मा तौललाई गुणा गरी हुन आउने अङ्कलाई नै दुवानी भाडा कायम गर्ने ।

ङ) विभिन्न साईजको ग्याविन जाली दुवानी गर्दा सम्बन्धित दररेटलाई गुणाक २.० ले गुणा गरी हुन आउने दुवानी दरले दुवानी गरिने जम्मा तौललाई गुणा गरी हुन आउने अङ्कलाई नै दुवानी भाडा कायम गर्ने ।

च) विभिन्न साईजको शिशा तथा टुटुने फुट्ने सामग्री दुवानी गर्दा सम्बन्धित दररेटलाई गुणाङ्क ३.० ले गुणा गरी हुन आउने दुवानी दरले दुवानी गरिने जम्मा तौललाई गुणा गरी हुन आउने अङ्कलाई नै दुवानी भाडा कायम गर्ने ।

छ) असजिलो सामान भन्नाले कपडा बुन्ने तान सिलाई मेसिन चर्खा जस्ता पाता छड तार एच डि पी पाईप फिटिङ्स तथा औजारहरु विद्युतीकरणका सामग्रीहरु टेलिकमका सामग्रीहरु औषधी बन तथा कृषि सम्बन्धि वीउविजन मोलासेस फलफूल तथा घाँसका विरुवा मेटल वीन मुसाखोर रसायनिक मल कृषि उपकरण मौरीको घर विषादी आदीलाई जनाउनेछ ।

ज) पोलिथिन तथा जि.आई.पाईप एवम् फिटिङहरूको दुवानी गराउँदा पोलिथिन तथा जि.आई. पाईपको तौललाई माथि उल्लिखित गुणाङ्कले गुणा गरी हुने जम्मा तौल कायम गरी सोही अनुसार दुवानी भाडा कायम गर्ने ।

स्थानीय निर्माण सामग्री तथा मेशिन प्रयोग गरी गरिने कार्यको दर

क्र.सं.	विवरण	एकाई	आ.व २०८१/८२ (मू.अ.क. बाहेक)	आ.व २०८२ /८३ (मू.अ.क. बाहेक)	आ.व २०८३/८४ (मू.अ.क. बाहेक)
क	स्थानीय बालुवा				
१	खोलाको बालुवा	घ.मी.	१,७५०.००	१,७५०.००	१,८२०.००
२	स्क्रिन गरिएको तथा धोएको तयारी बालुवा (७५ माइक्रोन देखि ४.७५ मिमि सम्म)	घ.मी.	२,५००.००	२,५००.००	२,६००.००
३	प्लाष्टर बालुवा	घ.मी.	२,५००.००	२,५००.००	२,६००.००
ख	ढुङ्गा				
१	खोलाको बोल्डर ढुङ्गा	घ.मी.	१,७००.००	१,७००.००	१,७६५.००
२	फोरुवा ढुङ्गा	घ.मी.	१,७७५.००	१,७७५.००	१,८४५.००
३	कुदेको ढुङ्गा	घ.मी.	३,४००.००	३,४००.००	३,५३५.००
४	५ देखि ७.५ से.मी.को छपनी ढुङ्गा	ब.मी.	७७५.००	८५०.००	८९०.००
५	छाना छाउने स्लेट ढुङ्गा	ब.मी.	८५०.००	८७५.००	९१०.००
६	फ्लेगस्टोन ढुङ्गा ५० मी.मी.	ब.मि	१,३००.००	१,३००.००	१,३५०.००
७	फ्लेगस्टोन ढुङ्गा २५ मी.मी. (१ इ) सर्फेस डेस	ब.मि	९८०.००	१,०००.००	१,०४०.००
८	फ्लेगस्टोन ढुङ्गा २५ मी.मी. (१ इ) मेशिन कटिड	ब.मि	९८०.००	१,०००.००	१,०४०.००
९	फ्लेगस्टोन ढुङ्गा ६२.५ मी.मी. सर्फेस डेस	ब.मि	१,४००.००	१,४२५.००	१,५००.००
१०	फ्लेगस्टोन ढुङ्गा (७५ मी.मी.)	ब.मि	१,७००.००	१,७३५.००	१,८००.००
११	फ्लेगस्टोन ढुङ्गा ६२.५ (७५ मी.मी.) मेशिन कटिड	ब.मि	१,७००.००	१,७३५.००	१,८००.००
१२	फ्लेगस्टोन ढुङ्गा ३७.५ मी.मी.	ब.मि	१,१००.००	१,१२५.००	१,१७०.००
१३	क्लाडिड स्टोन	ब.मि	२,४५०.००	२,४५०.००	२,५५०.००
ग	ग्राभेल गिट्टी				
१	खोलाको ग्राभेल नछानेको	घ.मी.	१,४१८.००	१,४१८.००	१,४५०.००
२	खोलाको ग्राभेल छानेको	घ.मी.	१,८६२.००	१,८६२.००	१,९१०.००
३	फोरुवा गिट्टी २० मि.मि. भन्दा सानो	घ.मी.	२,९९९.००	२,९९९.००	३,०७५.००
४	फोरुवा गिट्टी २० देखि ४० मि.मि. साईजको	घ.मी.	२,८४१.००	२,८४१.००	२,९१५.००
५	फोरुवा गिट्टी ४० देखि ७० मि.मि. साईजको	घ.मी.	२,५२०.००	२,५२०.००	२,६२०.००
६	क्रसरको गिट्टी ४.७५ देखि २० मि.मि. साईजको	घ.मी.	२,१२२.००	२,१२२.००	२,२०५.००
७	क्रसरको गिट्टी २० देखि ४० मि.मि. साईजको	घ.मी.	२,०४०.००	२,०४०.००	२,१२०.००
८	क्रसरको गिट्टी ४० देखि ६३ मि.मि. साईजको	घ.मी.	१,८३६.००	१,८३६.००	१,९०५.००

लक्ष्मी प्रसाद पौडेल
प्रमुख जिल्ला अधिकारी

स्थानीय निर्माण सामग्री तथा मेशिन प्रयोग गरी गरिने कार्यको दर

क्र.सं.	विवरण	एकाई	आ.व २०८१/८२ (मू.अ.क. बाहेक)	आ.व २०८२ /८३ (मू.अ.क. बाहेक)	आ.व २०८३/८४ (मू.अ.क. बाहेक)
९	क्रसरको गिट्टी ६३ देखि ८० मि.मि. साईजको	घ.मी.	१,८३६.००	१,८३६.००	१,९०५.००
१०	लोकल स्टोन चिप्स (० देखि १९ मिमि), बेस डस्ट	घ.मी.	१,७३४.००	१,७३४.००	१,८००.००
११	लोकल स्टोन चिप्स (५ देखि १० मिमि)	घ.मी.	२,०४०.००	२,०४०.००	२,१२०.००
१२	लोकल स्टोन चिप्स (१० देखि १४ मिमि)	घ.मी.	२,०४०.००	२,०४०.००	२,१२०.००
१३	रोड बेस (० देखि ४० मिमि)	घ.मी.	१,८३६.००	१,८३६.००	१,९०५.००
१४	नदीको रिभरबेड मेटेरियल (River bed materials, Borrowed and Filling Materials)	घ.मी.	१,३२६.००	१,३२६.००	१,३७५.००
१५	खानीबाट निकालिएको ग्रावेल (Granular materials, Borrowed and Filling Materials)	घ.मी.	१,३२६.००	१,३२६.००	१,३७५.००
१६	स्टोन डस्ट	घ.मी.	१,३२६.००	१,३२६.००	१,३७५.००
१७	Ready mix Concrete with out transportation				
	M10	घ.मी.	११,२२०.००	११,२२०.००	११,६६५.००
	M15	घ.मी.	१२,८५२.००	१२,८५२.००	१३,३६५.००
	M20	घ.मी.	१३,९७४.००	१३,९७४.००	१४,५३०.००
	M25	घ.मी.	१६,३२०.००	१६,३२०.००	१६,९७०.००
घ	ईट्टा				
१	स्थानीय भट्टाको पाकेको ईट्टा	हजार	१५,०००.००	१५,०००.००	१५,६००.००
२	चिम्नी भट्टाको ईट्टा	हजार	१८,०००.००	१८,०००.००	१८,७२०.००
३	चाइनिज ईट्टा (१ नं.) (तेलीयाड)	हजार	१९,०००.००	१९,०००.००	१९,७६०.००
४	ईट्टाको टुक्रा	घ.मी.	३,११०.००	३,११०.००	३,२३०.००
५	ईट्टाको धुलो	घ.मी.	५३५.००	५३५.००	५५५.००
ङ	काठ				
१	साल काठ तराईको	घ.फी.	६,१००.००	६,१००.००	६,२२०.००
२	स्थानीय सुकेको साल काठ	घ.फी.	३,५००.००	३,५००.००	३,५७०.००
३	सल्ला	घ.फी.	१,५३०.००	१,५३०.००	१,५६०.००
४	टुनी	घ.फी.	१,२००.००	१,२००.००	१,२२५.००
५	बासको घना	गोटा	५२५.००	३५०.००	३५७.००
६	दाउरा	के.जी.	१२.००	१२.००	१२.२५
७	दाउराको कोईला	के.जी.	५०.००	५०.००	५१.००
८	सिसौ काठ कटानी, चिरानी सहित	घ.फी.	३,३६०.००	३,३६०.००	३,४२५.००

स्थानीय निर्माण सामग्री तथा मेशिन प्रयोग गरी गरिने कार्यको दर

क्र.सं.	विवरण	एकाई	आ.व २०८१/८२ (मू.अ.क. बाहेक)	आ.व २०८२ /८३ (मू.अ.क. बाहेक)	आ.व २०८३/८४ (मू.अ.क. बाहेक)
च	अन्य स्थानीय सामग्री			-	
१	गाह्रो लगाउन ढुवानी गरी ल्याउने साधारण माटो	घ.मी.	४८३.००	४८३.००	४८३.००
२	ढुवानी गरी ल्याउने रातो माटो	के.जी.	६.३०	६.३०	६.३०
३	कमेरो	के.जी.	६.३०	६.३०	६.३०
४	खर (१५ से.मी. डायमिटरको मुठा)	मुठा	२१.००	२१.००	२१.००
५	बावियाको डोरी	के.जी.	६९.३०	६९.३०	६९.३०
६	बाँसको मान्द्रो	ब.मी.	१८३.७५	१८३.७५	१८३.७५
७	गोबर	के.जी.	४.२०	४.२०	४.२०
८	धानको भुस	के.जी.	२.१०	२.१०	२.१०
९	सिमेन्टको खाली बोरा	गोटा	६.३०	६.३०	६.३०
१०	पानी	४००० लि.	१,०७१.००	१,०७१.००	१,०७१.००
११	धानको सुख्खा पराल (न्युनतम २५ के.जी.) ढुवानी सहित	भारी	४००.००	४००.००	४००.००
छ	मेशिन प्रयोग गरी गरिने कार्य			-	
१	डोजर लगाई माटो काट्ने पहिरो फाल्ने सहित(नरम माटो)	घ.मी.	८८.००	८८.००	९०.००
२	डोजर लगाई माटो काट्ने (कडा माटो)	घ.मी.	९८.००	९८.००	१००.००
३	डोजर लगाई माटो काट्ने (पानी जमेको स्थानमा)	घ.मी.	१२०.००	१२०.००	१३०.००
४	डोजर लगाई माटो काट्ने (नरम चट्टान)	घ.मी.	३००.००	३००.००	३१०.००
५	डोजर लगाई माटो काट्ने (मध्यम चट्टान)	घ.मी.	८००.००	८००.००	८२५.००
६	डोजर लगाई माटो काट्ने (कडा चट्टान)	घ.मी.	१,६५५.००	१,६५५.००	१,७००.००
७	डोजर लगाई पैहो सफा गर्ने कार्य	घ.मी.	-	-	-
८	ट्रेलर भाडा (१० कि.मि. सम्म आउने-जाने)	कि.मि.	१,५००.००	१,५००.००	१,५५०.००
९	ट्रेलर भाडा (१० देखि २० कि.मि. सम्म आउने-जाने)	कि.मि.	१,३००.००	१,३००.००	१,३३०.००
१०	ट्रेलर भाडा (२० कि.मि. भन्दा माथि आउने-जाने)	कि.मि.	१,०००.००	१,०००.००	१,०३०.००
११	रोलर (ईन्धन बाहेक)	घन्टा	९५०.००	९५०.००	९८०.००
१२	मेशिन प्रयोग गरि ठुला (Boulder Stacking) कार्य(ढुङ्गा ६० से .मि देखि ठुला साईजका)	घ.मी.	१,१००.००	१,१००.००	१,१४०.००

लक्ष्मी प्रसाद पौडेल
 प्रमुख जिल्ला अधिकारी

कृषि, वन तथा बायो-इन्जिनियरिङको दर

सि.न.	विवरण	एकाई	आ.व २०८१/८२ (मू.अ.क. बाहेक)	आ.व २०८२/८३ (मू.अ.क. बाहेक)	आ.व २०८३/८४ (मू.अ.क. बाहेक)
(क) विरुवा जाति					
१	लौठ सल्ला (एक बर्ष सम्मको)	गोटा	९०.००	९०.००	९०.००
२	खयर (एक बर्ष सम्मको)	गोटा	२५.००	२५.००	२५.००
३	चाँप (एक बर्ष सम्मको)	गोटा	३०.००	३०.००	३०.००
४	अशोका (एक बर्ष सम्मको)	गोटा	४००.००	४००.००	४००.००
५	अशोका (२ देखी ३ बर्ष सम्मको)	गोटा	७००.००	७००.००	७००.००
६	कल्की (एक बर्ष सम्मको)	गोटा	२५०.००	२५०.००	२५०.००
७	धुपी (एक बर्ष सम्मको)	गोटा	३००.००	३००.००	३००.००
८	धुपी (२ देखी ३ बर्ष सम्मको)	गोटा	७००.००	७००.००	७००.००
९	मयूरपंखी (एक बर्ष सम्मको)	गोटा	३००.००	३००.००	३००.००
१०	मसला (एक बर्ष सम्मको)	गोटा	३०.००	३०.००	३०.००
११	भोटेपिपल (एक बर्ष सम्मको) (घोचा साइज कटिड)	गोटा	१००.००	१००.००	१००.००
१२	वर (एक बर्ष सम्मको)	गोटा	२००.००	२००.००	२००.००
१३	पिपल (एक बर्ष सम्मको)	गोटा	२००.००	२००.००	२००.००
१४	समी (एक बर्ष सम्मको)	गोटा	२००.००	२००.००	२००.००
१५	जैतुन (एक बर्ष सम्मको)	गोटा	८०.००	८०.००	८०.००
१६	कुरिलो (एक बर्ष सम्मको)	गोटा	३०.००	३०.००	३०.००
१७	कुरिलो	गोटा	२५.००	२५.००	२५.००
१८	टिमुर (एक बर्ष सम्मको)	गोटा	६०.००	६०.००	६०.००
१९	टिमुर (२ बर्षिय)	गोटा	९०.००	९०.००	९०.००
२०	तेजपात (एक बर्ष सम्मको)	गोटा	५०.००	५०.००	५०.००
२१	गुलमोहर (एक बर्ष सम्मको)	गोटा	२५०.००	२५०.००	२५०.००
२२	गुलमोहर (२ देखी ३ बर्ष सम्मको)	गोटा	६००.००	६००.००	६००.००
२३	विरेन्द्र फुल (२ देखी ३ बर्ष सम्मको)	गोटा	६००.००	६००.००	६००.००
२४	बोधिचित्त (एक बर्ष सम्मको)	गोटा	८००.००	८००.००	८००.००
२५	रुद्राक्ष (एक बर्ष सम्मको)	गोटा	४००.००	४००.००	४००.००
२६	कपुर (एक बर्ष सम्मको)	गोटा	२००.००	२००.००	२००.००
२७	खोटेसल्ला (एक बर्ष सम्मको)	गोटा	३०.००	३०.००	३०.००
२८	अम्रिसो (१ सेटमा ३ स्लीप भएको)	सेट	८.००	८.००	८.००
२९	अम्रिसो (१ सेटमा १ स्लीप भएको)	सेट	४.००	४.००	४.००
३०	अम्रिसो राइजम (१ सेटमा ३ टिमर भएका)	गोटा	८.००	८.००	८.००
३१	बासको विरुवा (राइजम)	गोटा	२५०.००	२५०.००	२५०.००
३२	गानु सहितको सार्ने बासको विरुवा	गोटा	१५०.००	१५०.००	१५०.००
३३	बासको विरुवा पोलिथिनमा उमारेको	गोटा	२५.००	२५.००	२५.००
३४	बासको विरुवा कल्म कटिअ	गोटा	२००.००	२००.००	२००.००
३५	निमारो, कोइरालो र टाँकी	गोटा	२५.००	२५.००	२५.००

कृषि, वन तथा बायो-इन्जिनियरिङको दर

सि.न.	विवरण	एकाई	आ.व २०८१/८२ (मू.अ.क. बाहेक)	आ.व २०८२/८३ (मू.अ.क. बाहेक)	आ.व २०८३/८४ (मू.अ.क. बाहेक)
३६	बडहर, राईखनियो	गोटा	३०.००	३०.००	३०.००
३७	अग्रेली, लोक्ता	गोटा	३०.००	३०.००	३०.००
३८	अल्लो	गोटा	३०.००	३०.००	३०.००
३९	निगालो	गोटा	२५.००	२५.००	२५.००
४०	कोषे घास कुदुजु /भटमासको वेर्ना	गोटा	५.००	५.००	५.००
४१	सुन्तला बिजु पोलिपट (१ देखि १.५ वर्षको)	गोटा	४०.००	४०.००	४५.००
४२	सुन्तला बिजु साधारण (१.५ वर्षको)	गोटा	३५.००	३८.००	३९.००
४३	सुन्तला कलमी (१ देखि २ वर्षको)	गोटा			१५०.००
४४	अलेची (२.५ देखि ३ वर्षको)	गोटा	१०.००	१०.००	१०.००
४५	कफी पोलिपट (१ वर्ष सम्मको)	गोटा	३०.००	४०.००	४०.००
४६	केरा सकर	गोटा	३०.००	३०.००	३०.००
४७	कागती बिजु पोलिपट (१ देखि १.५ वर्षको)	गोटा	४५.००	५०.००	५०.००
४८	कागती बिजु साधारण (१.५ वर्षको)	गोटा	३५.००	४०.००	४०.००
४९	कागती कलमी (१ देखि २ वर्षको)	गोटा			१५०.००
५०	सुन कागती (१ देखि १.५ वर्षको)	गोटा	२००.००	२००.००	२००.००
५१	किवी कलमी (१ वर्षको)	गोटा	१५०.००	१५०.००	१५०.००
५२	किवी कटिग (१ वर्षको)	गोटा	८०.००	८०.००	८०.००
५३	बैश (घोचा साइज कटिड)	गोटा	१५०.००	१५०.००	१५०.००
५४	जै घासको विउ प्रति के.जी	के.जी.	८०.००	८०.००	८५.००
५५	सुडान घासको विउ	के.जी.	१५०.००	१५०.००	१५०.००
५६	टियोसेन्टी मकै चरी घाँसको विउ	के.जी.	१५०.००	१५०.००	१५०.००
५७	बजरा घाँसको विउ	के.जी.	१५०.००	१५०.००	१५०.००
५८	नेपियर Co4	प्रति सेट	२.५०	२.५०	२.५०
५९	सुपर नेपियर	प्रति सेट	३.००	३.००	३.००
६०	स्मार्ट नेपीयर	प्रति सेट	४.००	४.००	४.००
६१	रेड /स्याटे नेपीयर	प्रति सेट	५.००	५.००	५.००
६२	सेटेरिया, मोलाटो पास्पलम	प्रति सेट	१.५०	१.५०	१.५०
६३	नेपियर कटिड २ देखि ३ आँखला भएको	प्रति सेट	३.००	३.००	३.००
६४	सुपर नेपियर ३ देखि ५ आँखला भएको	प्रति गोटा	५.००	५.००	५.००

लक्ष्मी प्रसाद पौडेल
 प्रमुख जिल्ला अधिकारी

कृषि, वन तथा बायो-इन्जिनियरिङको दर

सि.न.	विवरण	एकाई	आ.व २०८१/८२ (मू.अ.क. बाहेक)	आ.व २०८२/८३ (मू.अ.क. बाहेक)	आ.व २०८३/८४ (मू.अ.क. बाहेक)
६५	वाँसको विरुवा पोलिथिन मा उमारेको	प्रति गोटा	१२०.००	१२०.००	१२०.००
६६	वाँसको विरुवा कलम कटिड	प्रति गोटा	१५०.००	१५०.००	१५०.००
६७	वासको राईजोम (प्रति राईजोम २ देखी ३ आँखला भएको)	प्रति गोटा	२२०.००	२४०.००	२४०.००
६८	पोलिथिन थैला २००ग्रेज (३"×७" साईजको)	प्रति के.जि.	३३०.००	३३०.००	३३०.००
६९	पोलिथिन थैला ३०० ग्रेजको	प्रति व.फि.	१७०.००	१७०.००	१७०.००
७०	दवदवेको हाँगा	प्रति गोटा	१०.००	१०.००	१०.००
७१	भुजेब्रोको विरुवा	प्रति गोटा	१२.००	१२.००	१२.००
७२	वाँसको विउँ	प्रति केजी	४,३३०.००	४,३३०.००	४,३३०.००
७३	हरियो नेट	प्रति मिटर	३५०.००	३५०.००	३५०.००
७४	सजिवन हाँगा	प्रति गोटा	८.००	८.००	८.००
७५	अन्य हाँगा सार्ने जात	प्रति गोटा	७.००	७.००	७.००
(ख) विउ (रुख, गैहकाष्ठ र जडिबुटी प्रजाति)					
१	चिराईतो	के.जी.	१६,५००.००	१६,५००.००	१६,५००.००
२	तेजपात	के.जी.	२,२००.००	२,२००.००	२,२००.००
३	लप्सी	के.जी.	५५०.००	५५०.००	५५०.००
४	बकाईनो	के.जी.	५५०.००	५५०.००	५५०.००
५	निमारो	के.जी.	११,०००.००	११,०००.००	११,०००.००
६	राईखन्यू	के.जी.	१३,५००.००	१३,५००.००	१३,५००.००
७	बडहर	के.जी.	५५०.००	५५०.००	५५०.००
८	टिमु	के.जी.	२,२००.००	२,२००.००	२,२००.००
९	रिट्ठा	के.जी.	५५०.००	५५०.००	५५०.००
१०	तेजपात लागायत गैरकाष्ठ वन पैदावारको विरुवा	प्रति गोटा	२५.००	२५.००	२५.००
११	डाले घाँस प्रजातिको विरुवा	प्रति गोटा	२५.००	२५.००	२५.००
१२	वर/ पिपल/ समि	प्रति गोटा	६०.००	६०.००	६०.००
१३	टिमुरे विरुवा	प्रति गोटा	५०.००	५०.००	५०.००
(ग) वन नर्सरी सामग्री					
१	रुटेक्स पाउडर	२०० ग्राम	३५०.००	३५०.००	३५०.००
२	सिकेचर	संख्या	१,२००.००	१,२००.००	१,२००.००

कृषि, वन तथा बायो-इन्जिनियरिङको दर

लक्ष्मी प्रसाद पौडेल
 प्रमुख जिल्ला अधिकारी

सि.न.	विवरण	एकाई	आ.व २०८१/८२ (मू.अ.क. बाहेक)	आ.व २०८२/८३ (मू.अ.क. बाहेक)	आ.व २०८३/८४ (मू.अ.क. बाहेक)
३	हजारी	५ लि.	८००.००	८००.००	८००.००
४	गोठे मल	के.जी.	९.००	९.००	९.००
५	कम्पोष्ट मल	के.जी.	१२.००	१२.००	१२.००
६	नर्सरीका लागि मलीलो माटो	घन फिट	३०.००	३०.००	३०.००
७	पोलिथिन थैला (२०० गेजको ४"× ७" साईजको)	के.जी.	३४०.००	३४०.००	३४०.००
८	पोलिथिन थैला (२०० गेजको ६"× ८" साईजको)	के.जी.	३८०.००	३८०.००	३८०.००
९	प्लाष्टिक सिट	मिटर	८०.००	८०.००	८०.००
१०	प्लाष्टिक सिट (प्लाष्टिक घर निर्माणको लागि) ९० (GSM)	व.मि	९०.००	९०.००	९०.००
११	प्लाष्टिक सिट (प्लाष्टिक घर निर्माणको लागि) १२०(GSM)	व.मि	१२०.००	१२०.००	१२०.००
१२	टनेल यू भी प्लास्टिक १०० माइक्रोन	व.मि	७६.००	७६.००	७६.००
१३	टनेल यू भी प्लास्टिक २०० माइक्रोन	व.मि	१४५.००	१४५.००	१४५.००
घ)	वन कार्य सम्बन्धी ज्याला, पारिश्रमिक तर्फ				
१	सुराकी भत्ता	महिना	८,०००.००	८,०००.००	८,०००.००
२	वृक्षारोपण हेरालु	महिना	८,५००.००	८,५००.००	८,५००.००
३	मृत वन्यजन्तु गाड्ने काम	गोटा			
	साना खालका (वन बिरालो, हुचिल, गिद्ध लगायतका)		३३०.००	३३०.००	३३०.००
	मझौला खालका (रतुवा, स्याल, सिमेट, ओद लगायतका)		५५०.००	५५०.००	५५०.००
	ठुला खालका (चितुवा, घोरल लगायतका)		७३०.००	७३०.००	७३०.००
ङ)	वन, वन पैदावार				
१	गोलिया कटान मुछान	घन फिट	२०.००	२०.००	२०.००
२	बोक्रा भिकने रिङ्ग काट्ने	घन फिट	५.००	५.००	५.००
३	जंगल यार्डिङ्ग	घन फिट	१८.००	१८.००	१८.००
४	गोलिया लोडिङ्ग	घन फिट	१८.००	१८.००	१८.००
५	गोलिया अनलोडिङ्ग	घन फिट	१०.००	१०.००	१०.००
६	पाईलिङ्ग	घन फिट	८.००	८.००	८.००
७	छपान खर्च	रुख	२५.००	२५.००	२५.००
८	नर्सरी लागि मलिलो माटो - ढुवानी बाहेक	घन फिट	५०.००	५०.००	५०.००
	गोलिया ढुवानी तर्फ				
१	०-५ कि.मी. सम्म	घन फिट	३५.००	३५.००	३५.००
२	५-१० कि.मी. सम्म	घन फिट	४५.००	४५.००	४५.००
३	१०-१५ कि.मी. सम्म	घन फिट	५५.००	५५.००	५५.००

लक्ष्मी प्रसाद पौडेल
 प्रमुख जिल्ला अधिकारी

कृषि, बन तथा बायो-इन्जिनियरिङको दर

सि.न.	विवरण	एकाई	आ.व २०८१/८२ (मू.अ.क. बाहेक)	आ.व २०८२/८३ (मू.अ.क. बाहेक)	आ.व २०८३/८४ (मू.अ.क. बाहेक)
४	१५-२० कि.मी. सम्म	घन फिट	६०.००	६०.००	६०.००
५	२० कि.मी. भन्दा माथि	घन फिट	६५.००	६५.००	६५.००
	दाउरा कटान मुखान तर्फ				
१	दाउरा कटान	चट्टा	४,०००.००	४,०००.००	४,०००.००
२	दाउरा लोडिङ	चट्टा	२,५००.००	२,५००.००	२,५००.००
३	दाउरा अनलोडिङ	चट्टा	८३०.००	८३०.००	८३०.००
४	दाउरा चट्टा निर्माण	चट्टा	१,२००.००	१,२००.००	१,२००.००
५	दाउरा ढुवानी				
	०-५ कि.मी. सम्म	चट्टा	२,५००.००	२,५००.००	२,५००.००
	५-१० कि.मी. सम्म	चट्टा	२,५५०.००	२,५५०.००	२,५५०.००
	१०-१५ कि.मी. सम्म	चट्टा	३,१००.००	३,१००.००	३,१००.००
	१५ कि.मी. भन्दा माथि	चट्टा	३,४००.००	३,४००.००	३,४००.००
६	चिरान उत्पादन (बाकल कटपिस) भुस फाल्ने आदि	क्विन्टल	७०.००	७०.००	७०.००
७	अनसाइज उत्पादन	क्विन्टल	९०.००	९०.००	९०.००
८	चिरान लोडिङ	घन फिट	१८.००	१८.००	१८.००
९	चिरान अनलोडिङ	घन फिट	१०.००	१०.००	१०.००
१०	बाकल लोडिङ	क्विन्टल	२५.००	२५.००	२५.००
११	बाकल अनलोडिङ	क्विन्टल	१०.००	१०.००	१०.००
१२	चिरान पाईलिङ	घन फिट	७.००	७.००	७.००
१३	१०० मिटर टाढाबाट मिल सम्म बोक्ने कामका लागि	घन फिट	१०.००	१०.००	१०.००
१४	मिलमा गोलिया सिमपेन्ट लोडिङ	घन फिट	३५.००	३५.००	३५.००
१५	मिलमा गोलिया सिमपेन्ट अनलोडिङ	घन फिट	१०.००	१०.००	१०.००
१६	चिरान काठ ढुवानी				
१७	०-५ कि.मी. सम्म	घन फिट	२२.००	२२.००	२२.००
१८	५-१० कि.मी. सम्म	घन फिट	२४.००	२४.००	२४.००
१९	१० कि.मी. भन्दा माथि	घन फिट	२८.००	२८.००	२८.००
२०	बाकल ढुवानी अनसाइज				
२१	०-५ कि.मी. सम्म	क्विन्टल	१००.००	१००.००	१००.००
२२	५-१० कि.मी. सम्म	क्विन्टल	१२०.००	१२०.००	१२०.००
२३	१० कि.मी. भन्दा माथि	क्विन्टल	१३०.००	१३०.००	१३०.००
च)	कृषि सम्बन्धी अन्य				
१	मांसी घर	गोटा	४,०००.००	४,०००.००	४,०००.००
२	मेटल बिन ए सेट	सेट	२२,६६६.००	२४,९००.००	२४,९००.००
३	मेटल बिन बि सेट	सेट	१९,०००.००	२०,९००.००	२०,९००.००

लक्ष्मी प्रसाद पौडेल
प्रमुख जिल्ला अधिकारी

लक्ष्मी प्रसाद पौडेल
प्रमुख जिल्ला अधिकारी

कृषि, बन तथा बायो-इन्जिनियरिङको दर

सि.न.	विवरण	एकाई	आ.व २०८१/८२ (मू.अ.क. बाहेक)	आ.व २०८२/८३ (मू.अ.क. बाहेक)	आ.व २०८३/८४ (मू.अ.क. बाहेक)
४	मेटल बिन सि सेट	सेट	१६,०००.००	१७,७००.००	१७,७००.००
५	इनसेक्ट नेट	वर्ग मि.	७५.००	७५.००	७५.००
६	मोरी गोला घर सहित	गोला घर	१०,०००.००	१०,०००.००	१०,०००.००
७	क्वीन गेट	गोटा	१००.००	१००.००	१००.००
८	धुँवादानी	गोटा	७५०.००	७५०.००	७५०.००
९	घुम्टी	गोटा	७००.००	७००.००	७००.००
१०	रानी छेक्ने पाता	गोटा	७००.००	७००.००	७००.००
११	मोरी छोप्ने झोला	गोटा	५००.००	५००.००	५००.००
१२	आधार चाका	के जि.	५००.००	५००.००	५००.००
१३	मोरी स्ट्याण्ड	गोटा	६००.००	६००.००	६००.००
१४	चक्रु	गोटा	३५०.००	३५०.००	३५०.००
१५	बी ब्रस	गोटा	१००.००	१००.००	१००.००
१६	पन्जा	जोर	४००.००	४००.००	४००.००
१७	श्रीखण्ड (१ देखि १.५ वर्ष)	गोटा	३००.००	३००.००	३००.००
१८	सतुवा	गोटा	५०.००	५०.००	५०.००
१९	एभोकाडो विजु (१ देखि १.५ वर्ष)	गोटा	१००.००	१००.००	१००.००
२०	एभोकाडो कलमी (१ देखि १.५ वर्ष)	गोटा	२२०.००	२२०.००	२००.००
२१	पोलिथिन थैला (२०० गेजको ८"×१०" साईजको)	के जि.	४००.००	४००.००	४००.००
२२	अगर उड (१ देखि १.५ वर्ष)	के जि.	१३०.००	१३०.००	१३०.००
२३	दाते ओखर (१ देखि १.५ वर्ष)	गोटा	१००.००	१००.००	१००.००
२४	हाडे ओखर (१ देखि १.५ वर्ष)	गोटा	४०.००	४०.००	४०.००
२५	अम्वा (१ देखि १.५ वर्ष)	गोटा	३५.००	३५.००	३५.००
२६	रुख कटहर विजु (१ देखि १.५ वर्ष)	गोटा	४०.००	४०.००	४०.००
२७	चिराईतो	गोटा	१५.००	१५.००	१५.००
२८	हर्रो (१ देखि १.५ वर्ष)	गोटा	४०.००	४०.००	४०.००
२९	वर्रो (१ देखि १.५ वर्ष)	गोटा	३५.००	३५.००	३५.००
३०	अमला (१ देखि १.५ वर्ष)	गोटा	४५.००	४५.००	४५.००
३१	लप्सी (१ देखि १.५ वर्ष)	गोटा	३०.००	३०.००	३०.००
३२	पाखनवेद (१ वर्ष सम्मको)	गोटा	१५.००	१५.००	१५.००
३३	सुगन्धवाल (१ वर्ष सम्मको)	गोटा	१०.००	१०.००	१०.००
छ	अन्य				
१	गोबर/कम्पोस्ट मल	के.जी.	१०.००	१०.००	१०.००
२	कुखुराको सुली	के.जी.	१०.००	१०.००	१०.००
३	हली सहित हलगोरु	दिन	३,०००.००	३,०००.००	३,०००.००

यहाँ उल्लेख नभएका कृषिजन्य विरुवाको हकमा प्रदेश राजपत्रमा उल्लेख भए बमोजिम हुनेछ।

१५

लक्ष्मी प्रसाद पौडेल
प्रमुख जिल्ला अधिकारी

गैर स्थानीय निर्माण सामग्रीको दर

लक्ष्मी प्रसाद पांडे
प्रमुख जिल्ला अधिकारी

क्र.सं.	विवरण	एकाई	आ.व २०८१/८२ (मू.अ.क. बाहेक)	आ.व २०८२/८३ (मू.अ.क. बाहेक)	आ.व २०८३/८४ (मू.अ.क. बाहेक)
क	फलामे डण्डी				
१	वायन्डिङ वायर	के.जी.	१३०.००	१३५.००	१४०.००
२	टि.एम.टि./टोरकारी ४.७५ मि.मि.	के.जी.	१०२.००	१०५.००	११०.००
३	टि.एम.टि./टोरकारी ७ मि.मि.	के.जी.	१०२.००	१०५.००	११०.००
४	टि.एम.टि./टोरस्टील ८ मि.मि.	के.जी.	१०२.००	१०५.००	११०.५०
५	टि.एम.टि./टोरस्टील (१०-१६) मि.मि.	के.जी.	१०२.००	१०५.००	११०.००
६	टि.एम.टि./टोरस्टील (१६-३२) मि.मि.	के.जी.	१०२.००	१०५.००	११०.००
७	किला, काटी	के.जी.	१२५.००	१३०.००	१३५.००
ख	जि.आई.तार				
१	जि.आई.तार हेभि कोटिङ ८ गेज	के.जी.	१४०.००	१४०.००	१५०.००
२	जि.आई.हेभि कोटिङ १० गेज	के.जी.	१४०.००	१४०.००	१५०.००
३	जि.आई.हेभि कोटिङ १२ गेज	के.जी.	१४०.००	१४०.००	१५०.००
४	जि.आई.मिडियम कोटिङ ८ गेज	के.जी.	१३३.००	१३३.००	१४०.००
५	जि.आई.मिडियम कोटिङ १० गेज	के.जी.	१३३.००	१३३.००	१४०.००
६	जि.आई.मिडियम कोटिङ १२ गेज	के.जी.	१३३.००	१३३.००	१४०.००
७	जि.आई. कमर्सियल कोटिङ ८ गेज	के.जी.	१३३.००	१३३.००	१४०.००
८	जि.आई. कमर्सियल कोटिङ १० गेज	के.जी.	१२५.००	१२५.००	१३०.००
९	जि.आई. कमर्सियल कोटिङ १२ गेज	के.जी.	१३०.००	१३०.००	१३५.००
१०	जि.आई. काँडेतार	के.जी.	१४०.००	१४०.००	१४५.००
ग	Machine made and mechanically selvedged double twist hexagonal mesh products Wire Mesh Netting				
१	6*8/2.2/2.7/ZN	sq.m.	२९०.००	२९०.००	३००.००
२	10*12/2.7/3.4/ZN	sq.m.	२९०.००	२९०.००	३००.००
३	10*12/3.0/3.9/ZN	sq.m.	३१०.००	३१०.००	३२०.००
४	6*8/2.2/2.7/PVC	sq.m.	५७५.००	५७५.००	५९५.००
५	10*12/2.7/3.4/PVC	sq.m.	४००.००	४००.००	४१५.००
६	Note:-ZN=Heavy Galvanized,PVC=PVC Coated				
घ	Note:-10*12/3.0/3.9/2.4/ZN=Mesh Type/Mesh wire Dia./Selvedge Wire Dia./Lacing Wire Dia./Type of Coating				
	Geo-Textile				
	Geo-Textile MxC 20 grade	sq.m.	८५.००	८५.००	८८.००
	Geo-Textile MxC 30 grade	sq.m.	९०.००	९०.००	९५.००
ड	जस्ता पाता				
१	जस्ता पाता २४ गेज (0.50 mm) 79 kg.	वण्डल	१३,७५०.००	१४,०००.००	१४,५६०.००
२	जस्ता पाता २६ गेज (0.41mm) 65 kg.	वण्डल	१०,८१५.००	११,०००.००	११,४४०.००
३	जस्ता पाता २६ गेज (0.38 mm) 61 kg.	वण्डल	१०,३५०.००	१०,५००.००	१०,९२०.००



गैर स्थानीय निर्माण सामग्रीको दर

क्र.सं.	विवरण	एकाई	आ.व २०८१/८२ (मू.अ.क. बाहेक)	आ.व २०८२/८३ (मू.अ.क. बाहेक)	आ.व २०८३/८४ (मू.अ.क. बाहेक)
४	जस्ता पाता २८ गेज (Medium) non roofing proposed	वण्डल	७,८५०.००	८,०००.००	८,३२०.००
५	जस्ता पाता रंगिन २४ गेज (0.50 mm) 79 kg.	वण्डल	१५,५००.००	१६,०००.००	१६,६४०.००
६	जस्ता पाता रंगिन २६ गेज (0.41mm) 65 kg.	वण्डल	१३,५५०.००	१४,०००.००	१४,५६०.००
७	जस्ता पाता रंगिन २६ गेज (0.38 mm) 61 kg.	वण्डल	१३,५५०.००	१३,५५०.००	१४,०९०.००
८	फाइबर सिट (पारदर्शी पाता) १.२ mm Heavy	ब.मि.	३,५५०.००	३,६००.००	३,७४०.००
९	प्लेनसिट पाता सादा २६ गेज (0.41mm)	ब.मि.	५२५.००	५३५.००	५५५.००
१०	प्लेनसिट पाता रंगिन ०.२ मीमी	ब.मि.	६७५.००	७००.००	७२५.००
११	एल्मोनियम पाता २४ गेज	ब.मि.	५२५.००	५४५.००	५६५.००
१२	UPVC Roofing Sheet 3 mm	ब.मि.	१,२५१.००	१,३००.००	१,३५०.००
१३	Power Coating Fixer	वटा	१०.००	१०.००	१०.५०
१४	Self Tapping Screw 3"	वटा	१०.००	१०.००	१०.५०
१५	Self Tapping Screw 2.5"	वटा	९.००	९.००	९.५०
१६	Self Tapping Screw 2"	वटा	८.००	८.००	८.५०
१७	Self Tapping Screw 1.5"	वटा	७.००	७.००	७.५०
१८	Self Tapping Screw 1"	वटा	६.००	६.००	६.५०
१९	UPVC Ridge Cover 3'7" * 2'	वटा	१,००४.००	१,०२५.००	१,०६५.००
च	सिमेन्ट				
१	क) नेपाली सिमेन्ट (५० के.जी) PPC	व्याग	६५०.००	६७५.००	७००.००
२	क) नेपाली सिमेन्ट (५० के.जी) OPC	व्याग	७५०.००	७७५.००	८००.००
३	सिमेन्ट (५० के.जी.) इण्डियन	व्याग	८८०.००	८८०.००	९१५.००
४	सेतो सिमेन्ट (५० के.जी.)	व्याग	१,५००.००	१,५५०.००	१,६१०.००
छ	सिमेन्ट कन्क्रिट ब्लक र पोल				
१	सिमेन्ट कन्क्रिट ब्लक (४"X८"X १६")	गोटा	६०.००	६२.००	६५.००
२	सिमेन्ट कन्क्रिट ब्लक (६"X८"X १६")	गोटा	६५.००	६७.००	७०.००
३	सिमेन्ट कन्क्रिट ब्लक (८"X८"X १६")	गोटा	७५.००	७७.००	८०.००
४	सिमेन्ट कन्क्रिट ब्लक (८"X८"X ८")	गोटा	६५.००	६७.००	७०.००
५	सिमेन्ट कन्क्रिट ब्लक (१९"X७"X ७")	गोटा	६५.००	६७.००	७०.००
६	सिमेन्टको बुट्टेदार स्क्रिनजाली भ्याल (१२"X१२"X ४")	गोटा	७०.००	७२.००	७५.००
७	आर.सि.सि.त्रिकोस (६'X३')	गोटा	१,६७५.००	१,७००.००	१,७६५.००
८	भूईँ टाईल १२"X१२"	गोटा	१००.००	१०३.००	१०७.००
९	बार्दलीको रेलिड १२"	गोटा	११५.००	१२०.००	१२५.००
१०	बार्दलीको रेलिड १८"	गोटा	१२०.००	१२५.००	१३०.००
११	बार्दलीको रेलिड २४"	गोटा	१२५.००	१३०.००	१३५.००

96

लक्ष्मी प्रसाद पौडेल
प्रमुख जिल्ला अधिकारी

गैर स्थानीय निर्माण सामग्रीको दर

क्र.सं.	विवरण	एकाई	आ.व २०८१/८२ (मू.अ.क. बाहेक)	आ.व २०८२/८३ (मू.अ.क. बाहेक)	आ.व २०८३/८४ (मू.अ.क. बाहेक)
ज	सिमेन्ट टायल				
१	१" मोटाई इन्टरलकिड टाइल	ब.फि.	५५.००	५७.००	६०.००
२	२" मोटाई इन्टरलकिड टाइल	ब.फि.	६५.००	६७.००	७०.००
३	२ १/२" मोटाई इन्टरलकिड टाइल	ब.फि.	८०.००	८३.००	८७.००
४	कलर टाइलको लागि थप	ब.फि.	७.००	७.००	७.३५
५	२ १/२" मोटाई मिडियम डिउटी हेग्जागनल (४"साईड)	गोटा	२८.००	२९.००	३०.००
६	३" मोटाई हेवि डिउटी हेग्जागनल (४" साईड)	गोटा	२८.००	२९.००	३०.००
झ	भवन निर्माण सामग्री				
१	खाक्सी (१०"×१२")	सिट	९.००	९.००	९.५०
२	गम (सिमेन्ट सोलुसन)	के.जी.	२४२.००	२४२.००	२५०.००
३	रेशलिन पेन्ट	के.जी.	२०३.००	२०३.००	२१०.००
४	अस्तर प्राईमर पेन्ट	लिट्र	३७१.००	३७१.००	३८५.००
५	इनामेल पेन्ट	लिट्र	७२९.००	७२९.००	७६०.००
६	स्नोसेम (वाटर प्रूफ सिमेन्ट पेन्ट)	के.जी.	८६.००	८६.००	८९.००
७	एलुमिनियम पेन्ट	लिट्र	७७०.००	७७०.००	८००.००
८	जिंक रेड अक्साइड	लिट्र	३१२.००	३१२.००	३२०.००
९	डिस्टेम्पर	के.जी.	२९०.००	२९०.००	३००.००
१०	लिनसिड आयल	लिट्र	१४५.००	१४५.००	१५०.००
११	तारपिन तेल (Turpentine)	लिट्र	१६२.००	१६२.००	१७०.००
१२	वार्नेस (सिन्थेटिक)	लिट्र	३५४.००	३५४.००	३६५.००
१३	प्लास्टिक इमल्सन	लिट्र	१,३८०.००	१,३८०.००	१,४२५.००
१४	जिंक पेन्ट	लिट्र	२३१.००	२३१.००	२४०.००
१५	रेड अक्साइड, साधारण	लिट्र	२०४.००	२०४.००	२१०.००
१६	रेड अक्साइड राम्रो (नेपाल रेड)	लिट्र	५३६.००	५३६.००	५५५.००
१७	सरेस (रलू)	लिट्र	२१५.००	२१५.००	२२५.००
१८	रबर पेन्ट	के.जी.	१९९.००	१९९.००	२१०.००
१९	अलकत्रा पेन्ट (Black Japan Paints)	के.जी.	२६९.००	२६९.००	२८०.००
२०	अल्कालिक एसिड	लिट्र	२८२.००	२८२.००	२९५.००
२१	मैन पालिस	के.जी.	४७२.००	४७२.००	४९०.००
२२	गेरू (राम्रो)	के.जी.	१५९.००	१५९.००	१६५.००
२३	चपरा पालिस (राम्रो)	के.जी.	१,०७५.००	१,०७५.००	१,११८.००
२४	उड प्रिजरभेटिब पेन्ट	लिट्र	९२.००	९२.००	९५.००
२५	उडन पुटिङ	के.जी.	९७.००	९७.००	१००.००
२६	मेटल पुटिङ	के.जी.	१२५.००	१२५.००	१३०.००
२७	स्पिट	लिट्र	११४.००	११४.००	११८.००
२८	प्लाइउड साधारण ३ मि.मि.	व.मि.	२७९.००	२७९.००	२९०.००
२९	प्लाइउड साधारण ४ मि.मि.	व.मि.	३९७.००	३९७.००	४१२.००








 लक्ष्मी प्रसाद पौडेल
 प्रमुख जिल्ला अधिकारी

गैर स्थानीय निर्माण सामग्रीको दर

क्र.सं.	विवरण	एकाई	आ.व २०८१/८२ (मू.अ.क. बाहेक)	आ.व २०८२/८३ (मू.अ.क. बाहेक)	आ.व २०८३/८४ (मू.अ.क. बाहेक)
३०	प्लाइउड साधारण ६ मि.मि.	व.मि.	५३६.००	५३६.००	५५५.००
३१	प्लाइउड साधारण १० मि.मि.	व.मि.	७५०.००	७५०.००	७८०.००
३२	सनमाइका	व.मि.	६९७.००	६९७.००	७२५.००
३३	टिक प्लाउड ३ मि.मि.	व.मि.	५५७.००	५५७.००	५८०.००
३४	टिक प्लाउड ४ मि.मि.	व.मि.	८०४.००	८०४.००	८३५.००
३५	वाटरपुफ प्लाईउड ४ मि.मि.	व.मि.	४०७.००	४०७.००	४२५.००
३६	वाटरपुफ प्लाईउड ६ मि.मि.	व.मि.	६९७.००	६९७.००	७२५.००
३७	वाटरपुफ प्लाईउड ९ मि.मि.	व.मि.	८५७.००	८५७.००	८९०.००
३८	वाटरपुफ प्लाईउड १२ मि.मि.	व.मि.	१,०४०.००	१,०४०.००	१,०८०.००
३९	वाटरपुफ प्लाईउड १८ मि.मि.	व.मि.	१,६९८.००	१,६९८.००	१,६८०.००
४०	रबर सिल २२५१२३०	के.जी	२२६.००	२२६.००	२३५.००
४१	सालको काठ लिस्टी (१/२"-१ १/२")	र.मि.	३८.००	३८.००	४०.००
४२	साइनबोर्ड लेखाई, सालकाठको फेममा	व.मि.	१,७३६.००	१,७३६.००	१,८१०.००
४३	कार्भिङ्ग स्ट्याण्डर्ड ढोका	व.मि.	२४,२८१.००	२४,२८१.००	२५,२६०.००
४४	सिसौकाठ (३"×५") रेलिङ्ग, भरेङ्ग	र.मि.	४६२.००	४६२.००	४८०.००
४५	सिसौकाठ २ १/२" कुदेको Ballustrate ठाडो काठ (फिटिङ्ग सहित)	गोटा	७३५.००	७३५.००	७६५.००
४६	रोड पेन्ट	ली.	६४३.००	६४३.००	६७०.००
४७	साल काठको लिष्टी १/२"×१"	र.मि.	१०.००	१०.००	१०.५०
४८	काँडे तार (बाबर्ड वायर) (१२×१२×८ मि.मि.)	के.जी.	१७२.००	१७२.००	१८०.००
४९	काँडे तार (बाबर्ड वायर) (१४×१४×८ मि.मि.)	के.जी.	१७२.००	१७२.००	१८०.००
५०	काँडे तारको हुक/आइ वोल्ट	गोटा	१०.००	१०.००	१०.५०
५१	सफेद ईण्डियन वाल टाइल (सामान्य)	व.मि.	७८८.००	७८८.००	८२०.००
५२	सफेद ईण्डियन वाल टाइल राम्रो (कलर ६० प्रतिशत)	व.मि.	९००.००	९००.००	९३५.००
५३	सफेद ईण्डियन फलोर टाइल (सामान्य)	व.मि.	७८८.००	७८८.००	८२०.००
५४	सफेद ईण्डियन फलोर टाइल राम्रो (कलर ८०)	व.मि.	९५४.००	९५४.००	९९५.००
५५	फ्लोरिङ्ग मार्बल	व.मि.	२,२५०.००	२,२५०.००	२,३४०.००
५६	ग्रेनाइट मार्बल	व.मि.	४,३९२.००	४,३९२.००	४,५७०.००
५७	प्रोजेक्सन स्ल्यावमा स्लोप बनाई बुझा काट्ने काम सामान्य (फिलिङ्ग, पि.सि.सि.र प्लाष्टर समेत)	व.मि.	३,१०६.००	३,१०६.००	३,२३५.००
५८	मार्बल चिप्स ३ मि.मि.	के.जी.	२८.००	२८.००	२९.००
५९	रंगिन चिप्स ३ मि.मि.	के.जी.	२८.००	२८.००	२९.००
६०	कार्वारेण्डम ढुङ्गा	गोटा	२६०.००	२६०.००	२७०.००
६१	पि.भि.सी.टाइल (फिटिङ्ग सहित)	व.मि.	९८६.००	९८६.००	१,०३०.००
६२	वाटर पुफ कम्पाउण्ड पाउडरमा	के.जी.	१०८.००	१०८.००	११२.००
६३	वाटर पुफ कम्पाउण्ड भोलमा	लिटर	२८२.००	२८२.००	२९३.००
६४	ढोका स्प्रिङ्ग साधारण	गोटा	१७८.००	१७८.००	१८५.००

गैर स्थानीय निर्माण सामग्रीको दर

क्र.सं	विवरण	एकाई	आ.व २०८१/८२ (मू.अ.क. बाहेक)	आ.व २०८२/८३ (मू.अ.क. बाहेक)	आ.व २०८३/८४ (मू.अ.क. बाहेक)
६५	ढोका स्प्रिङ्ग स्टान्डर	गोटा	१,३५०.००	१,३५०.००	१,४१०.००
६६	जि.आई. नट वोल्ट वासर सहित	गोटा	१८.००	१८.००	१९.००
६७	होल्ड फास्ट ९" साधारण	गोटा	१८.००	१८.००	१९.००
६८	४" कब्जा	गोटा	३१.००	३१.००	३२.००
६९	३" कब्जा	गोटा	१८.००	१८.००	१९.००
७०	४" छेस्कनी	गोटा	५३.००	५३.००	५५.००
७१	६" छेस्कनी	गोटा	७६.००	७६.००	७८.००
७२	१२" छेस्कनी	गोटा	१२९.००	१२९.००	१३३.००
७३	४" हेण्डल	गोटा	७१.००	७१.००	७४.००
७४	१०" लकिङ्ग सेट	गोटा	३७६.००	३७६.००	३८५.००
७५	मार्टिस लकिङ्ग सेट (साधारण)	गोटा	५६४.००	५६४.००	५८०.००
७६	मार्टिस लकिङ्ग सेट (ब्रास राम्रो खालको)	गोटा	१,६८८.००	१,६८८.००	१,७४०.००
७७	टेबल घर्को लकिङ्ग सेट	गोटा	९१.००	९१.००	९३.००
७८	पर्दाको रेलिङ्ग पाइप ३/४"	र.मि.	३०.००	३०.००	३१.००
७९	पर्दाको रेलिङ्ग पाइप १"	र.मि.	३०.००	३०.००	३१.००
८०	पर्दाको रेलिङ्ग पाइप ब्राकेट	गोटा	८४.००	८४.००	८६.००
८१	वाटर पुफीङ्ग पेन्ट	लिटर	६८१.००	६८१.००	७००.००
८२	विटुमिन वासर	गोटा	३.००	३.००	३.२०
८३	जे हुक/एल हुक ८ मि.मि.	गोटा	२२.००	२२.००	२३.००
८४	टारफेल्ड विटुमिन (१×२० मि.) बाक्लो	वण्डल	१,६८८.००	१,६८८.००	१,७२५.००
८५	टारफेल्ड विटुमिन (१×२० मि.) पातलो	वण्डल	१,१२६.००	१,१२६.००	१,१५०.००
८६	ग्लास पुटिन	के.जी.	९७.००	९७.००	१००.००
८७	जुट रेसा खस्रो	के.जी.	९७.००	९७.००	१००.००
८८	जुट रेसा मसिनो	के.जी.	९७.००	९७.००	१००.००
८९	वेदर कोट	के.जी.	१,०७१.००	१,०७१.००	१,१००.००
९०	फल्याग स्टोन पेभिड (Flag Stone Paving)	व.मि.	१,१४२.००	१,१४२.००	१,२००.००
९१	Concrete Admixture (sikament)	के.जी.	२७९.००	२७९.००	२८५.००
९२	Water Proofing Chemical Acrylic polymer (sika latex power)	के.जी.	८७९.००	८७९.००	९००.००
९३	For water tank and Basement Crystalization system (sika107)	के.जी.	४५०.००	४५०.००	४६०.००
९४	For expansion joint Treatment polysulfide	के.जी.	१,८५९.००	१,८५९.००	१,९००.००
९५	Water Stopper-6"	र.मी	३९०.००	३९०.००	४००.००
९६	Rubber Seal 150/230 For Use in Irrigation Gate.	र.मी	८५७.००	८५७.००	८७५.००
९७	चुना नं १	के.जी.	४३.००	४३.००	४४.००
९८	चुना नं. २	के.जी.	३८.००	३८.००	३९.००
९९	Gypsum Board	वर्ग फिट		१३१.००	१३३.००
१००	Gypsum Board (Water Proof)	वर्ग फिट		१४०.००	१४२.००

लक्ष्मी प्रसाद पौडेल
 प्रमुख जिल्ला अधिकारी

गैर स्थानीय निर्माण सामग्रीको दर

क्र.सं.	विवरण	एकाई	आ.व २०८१/८२ (मू.अ.क. बाहेक)	आ.व २०८२/८३ (मू.अ.क. बाहेक)	आ.व २०८३/८४ (मू.अ.क. बाहेक)
अ	शिसा तथा जाली			-	
१	३ मि.मि. ऐना/शिसा (सादा)	व.मि.	७००.००	७००.००	७२०.००
२	३.५ मि.मि. ऐना/शिसा (सादा)	व.मि.	१,०७५.००	१,०७५.००	१,१००.००
३	४ मि.मि.ऐना/शिसा (सादा)	व.मि.	१,०५०.००	१,०५०.००	१,०९०.००
४	५ मि.मि.ऐना/शिसा (सादा)	व.मि.	२,०७५.००	२,०७५.००	२,११०.००
५	६ मि.मि. शिसा (सादा)	व.मि.	२,५००.००	२,५००.००	२,५५०.००
६	३ मि.मि.ऐना/शिसा (रंगिन)	व.मि.	१,२००.००	१,२००.००	१,२३०.००
७	४ मि.मि.ऐना/शिसा (रंगिन)	व.मि.	१,३२५.००	१,३२५.००	१,३६०.००
८	बर्फि जाली	व.मि.	१७०.००	१७०.००	१७४.००
९	(क) स्टेनलेस स्टील जाली (३५)	व.मि.	७५०.००	७५०.००	७६५.००
१०	(ख) स्टेनलेस स्टील जाली (४५)	व.मि.	५००.००	५००.००	५१०.००
११	चिकेन वायर मेस, २० गेज (९०/७५ सेमी)	व.मि.	१३३.००	१३३.००	१३६.००
१२	मस्क्यूटो पुफ जाली	व.मि.	४१४.००	४१४.००	४२५.००
१३	१० गेजको GI तार (५०×५० मि.मि.) फेन्सीङ्ग जाली	व.मि.	६३५.००	६३५.००	६५०.००
१४	१० गेजको GI तार (७५×७५ मि.मि.) फेन्सीङ्ग जाली	व.मि.	५००.००	५००.००	५१५.००
१५	६०×६० मि.मि.१० गेज वाटर मेस (२ १/२" × २ १/२")	व.मि.	४०९.००	४०९.००	४२०.००
१६	एक्स्प्याण्डेड जाली (गोल्डेन)	व.मि.	१८२.००	१८२.००	१८८.००
१७	३२ मि.मि.फल्स प्लाइउड बोर्ड (एकातर्फ वाटर फुफ टिक)	व.मि.	२,१०७.००	२,१०७.००	२,१६०.००
१८	३८ मि.मि. फल्स बोर्ड प्लाईउड लगाई	व.मि.	१,९८०.००	१,९८०.००	२,०२०.००
१९	३२ मि.मि. बोर्ड प्लाई सादा	व.मि.	१,५२२.००	१,५२२.००	१,५६०.००
२०	३८ मि.मि.बोर्ड प्लाई सादा	व.मि.	१,७२०.००	१,७२०.००	१,७५५.००
ट	विजुलीको सामान			-	
१	१/२" प्लास्टिक लिस्टी	र.मी.	३०.००	३३.००	३४.००
२	३/४" प्लास्टिक लिस्टी	र.मी.	३५.००	३८.००	३९.००
३	एक्जस्ट फेन (८ ईन्च फेम सहित)	गोटा	२,६२१.००	२,६२१.००	२,६८०.००
४	१/२ एच.पि. इलेक्ट्रीक मोटर (इण्डियन)	गोटा	७,७४१.००	७,७४१.००	८,०००.००
५	१ एच.पि. इलेक्ट्रीक मोटर (इण्डियन)	गोटा	१३,०४१.००	१३,०४१.००	१३,२००.००
६	८ एम.एम. केवल तार	मिटर	४६.००	५०.००	५२.००
७	पम्प लगाई Dewatering गर्ने	घण्टा	४१५.००	४१५.००	४२५.००
८	रेसमी तार (१४/६०)	क्वायल	६३६.००	६३६.००	६५०.००
९	रेसमी तार (२३/६०)	क्वायल	१,१९२.००	१,१९२.००	१,२२५.००
१०	कपर तार ३२०	क्वायल	२,१५५.००	२,१५५.००	२,२००.००
११	कपर तार ३२२	क्वायल	१,४७५.००	१,४७५.००	१,५००.००

गैर स्थानीय निर्माण सामग्रीको दर

क्र.सं.	विवरण	एकाई	आ.व २०८१/८२ (मू.अ.क. बाहेक)	आ.व २०८२/८३ (मू.अ.क. बाहेक)	आ.व २०८३/८४ (मू.अ.क. बाहेक)
१२	कपर तार ७२०	क्वायल	५,४४४.००	५,४४४.००	५,५००.००
१३	कपर तार ७२२	क्वायल	३,२८९.००	५,५००.००	५,५५०.००
१४	कपर तार ११८	क्वायल	१,३०५.००	१,३०५.००	१,३३०.००
१५	कन्सेटिक लाइन तार -६ मि.मि.	मी.	३५.००	३५.००	३६.००
१६	कन्सेटिक लाइन तार -१० मि.मि.	मी.	३५.००	३५.००	३६.००
१७	कन्सेटिक लाइन तार -२५ मि.मि.	मी.	९८.००	९८.००	१००.००
१८	वन वे फल्स ग्याङ्ग स्विच	गोटा	९१.००	१००.००	१०२.००
१९	टु वे फल्स ग्याङ्ग स्विच	गोटा	९८.००	१०८.००	११०.००
२०	बेल पुस (Bell push)	गोटा	९१.००	१००.००	१०२.००
२१	इन्डिकेटर लेम्प	गोटा	३३.००	३६.००	३७.००
२२	टु पिन सकेट	गोटा	३१.००	३४.००	३४.५०
२३	थ्रि पिन सकेट	गोटा	४३.००	५०.००	५२.००
२४	यूनिभर्सल सकेट	गोटा	४३.००	५०.००	५२.००
२५	कन्भर्सन सकेट १० एम्पियर किटकाट फ्यूज	गोटा	८०.००	८५.००	८५.००
२६	टेलिफोन सकेट (CPL or equivalent)	गोटा	९१.००	९१.००	९३.००
२७	६० AMP मेन स्विच साधारण	गोटा	३,१७६.००	३,१७६.००	३,२२०.००
२८	६० AMP मेन स्विच हेभि मेटल	गोटा	६,२३७.००	६,२३७.००	६,४००.००
२९	एम.सि.वि.डिष्ट्रीब्यूसन बोर्ड-१० वे साधारण	गोटा	१,३०५.००	१,४३५.००	१,४३५.००
३०	एम.सि.वि.डिष्ट्रीब्यूसन बोर्ड-१० वे हेभि मेटल	गोटा	१,९२८.००	२,१००.००	२,१००.००
३१	मेन स्विच वक्स ६० AMP	गोटा	४,१९६.००	४,१९६.००	४,२५०.००
३२	एम.सि.वि.डिष्ट्रीब्यूसन बोर्ड-८ वे	गोटा	१,३०५.००	१,४३५.००	१,४३५.००
३३	म्यूजिकल कल बेल ISI	गोटा	५१०.००	५१०.००	५२०.००
३४	९" डोम लाइट साधारण डिस डोम	गोटा	१७१.००	१८५.००	१९०.००
३५	९" डोम लाइट रामो	गोटा	४५४.००	४५४.००	४६५.००
३६	वकेट लाईट	गोटा	३८६.००	४२०.००	४२५.००
३७	६" राउण्ड लाईट	गोटा	६२५.००	६५०.००	६७०.००
३८	सि.पि.एल कम्बिनेसन स्विच सकेट ५×१५ एम्पीयर	गोटा	३१८.००	३५०.००	३५५.००
३९	४ फिट लामो ट्यूब लाइट रामो	गोटा	५६७.००	५६७.००	५८५.००
४०	१ फिट लामो मिरर लाइट	गोटा	५११.००	५११.००	५२५.००
४१	सिलिङ्ग रोज	गोटा	४०.००	४०.००	४१.००
४२	बेल्लियम वाल फेन्सी लाइट	गोटा	९०८.००	९०८.००	९३०.००
४३	होल्डर बोर्ड	गोटा	३५.००	३५.००	३६.००
४४	क्लव (सबै वाटका)	गोटा	३०.००	३३.००	३३.५०
४५	पावर सकेट सि.पि.एल.	गोटा	३४१.००	३७०.००	३७५.००
४६	४"×४" जक्सन पि.भि.सि.	गोटा	३०.००	३३.००	३३.५०

गैर स्थानीय निर्माण सामग्रीको दर

क्र.सं.	विवरण	एकाई	आ.व २०८१/८२ (मू.अ.क. बाहेक)	आ.व २०८२/८३ (मू.अ.क. बाहेक)	आ.व २०८३/८४ (मू.अ.क. बाहेक)
४७	८"X१०" सनमाइका	गोटा	५१.००	५६.००	५६.००
४८	१ वे ग्याङ्ग स्विच	गोटा	१०३.००	१०५.००	१०६.००
४९	२ ग्याङ्ग वनवे स्विच	गोटा	१५४.००	१५५.००	१५८.००
५०	१ ग्याङ्ग व पुस	गोटा	१२६.००	१२६.००	१२८.००
५१	२ ग्याङ्ग व पुस	गोटा	१५९.००	१५९.००	१६२.००
५२	३ ग्याङ्ग व पुस	गोटा	२०५.००	२०५.००	२१०.००
५३	४ ग्याङ्ग वे पुस	गोटा	२७३.००	२८०.००	२८५.००
५४	इलेक्ट्रीकल फिटिङ चार्ज	प्वाइण्ट	९१.००	९१.००	९२.००
५५	रिपेयर सकेट ७५ मि.मि.	गोटा	१५९.००	१६५.००	१६८.००
५६	रिपेयर सकेट ११० मि.मि.	गोटा	१६२.००	१७०.००	१७३.००
५७	२X३/२०, ३/२२, १/१८ कपर तार तथा पि.भि.सि.लिस्टी, स्विच वक्स आदि प्वाइण्ट समेत वायरिङ्ग	प्वाइण्ट	८५२.००	८५२.००	८६५.००
५८	२X७/२०, ७/२२, कपरतार, पि.भि.सी.लिस्टी स्विच वक्स आदि समेत प्वाइण्ट वायरिङ्ग	प्वाइण्ट	९६५.००	९६५.००	९८०.००
५९	पंखा सिलिङ्ग ४८" (ISI/NS)	गोटा	३,५१६.००	३,५१६.००	३,६००.००
६०	स्ट्याण्ड पंखा साधारण	गोटा	३,७४३.००	३,७४३.००	३,८००.००
६१	स्ट्याण्ड पंखा स्ट्याण्डर (ISI)	गोटा	५,८९७.००	५,८९७.००	६,०००.००
६२	पंखा भित्ते साधारण (ISI/NS)	गोटा	३,७४३.००	३,७४३.००	३,८००.००
६३	पंखा भित्ते स्ट्याण्डर	गोटा	४,८७७.००	४,८७७.००	४,९७५.००
६४	पंखा टेबल साधारण	गोटा	३,१७६.००	३,१७६.००	३,२५०.००
६५	पंखा टेबल स्ट्याण्डर (ISI/NS)	गोटा	३,६२९.००	३,६२९.००	३,७१०.००
६६	२X७/२०, ७/२२, ३/२२ को मेन लाइन पि.भि.सी च्यानल लिस्टी समेत (डिष्टिब्यूसान बोर्ड देखि जक्सन वक्स सम्म)	मी.	३१३.००	३१३.००	३२०.००
६७	30 sqmm ACSR Conductor	कि.मी	४१,७९४.००	४१,७९४.००	४२,५००.००
६८	50 sqmm ACSR Conductor	कि.मी	६२,०९८.००	६२,०९८.००	६३,०००.००
६९	100 sqmm ACSR Conductor	कि.मी	१०६,०७०.००	१०६,०७०.००	१०८,७२२.००
७०	Disc Insulator Set	सेट	१,९२८.००	१,९२८.००	१,९७६.००
७१	Pin Insulator Set	सेट	७७८.००	७७८.००	७९७.००
७२	Pin Insulator Tie	सेट	६३.००	६३.००	६५.००
७३	Channel of different size with febration & hole with all complet	के.जी.	२४५.००	२४५.००	२५१.००
७४	D Iron Shackle Set	सेट	२३९.००	२३९.००	२४५.००
७५	Stay set	सेट	१,७८७.००	१,७८७.००	१,८३२.००
७६	Stay wire	के.जी.	२३९.००	२३९.००	२४५.००
७७	Stay Insulator (HT)	गोटा	२३९.००	२३९.००	२४५.००
७८	Stay Insulator (LT)	गोटा	१९२.००	१९२.००	१९७.००
७९	Brassing Plate	के.जी.	२४५.००	२४५.००	२५१.००

गैर स्थानीय निर्माण सामग्रीको दर

क्र.सं.	विवरण	एकाई	आ.व २०८१/८२ (मू.अ.क. बाहेक)	आ.व २०८२/८३ (मू.अ.क. बाहेक)	आ.व २०८३/८४ (मू.अ.क. बाहेक)
८०	Nut Bolt (2", 7", 8", 10")	कै.जी.	२७९.००	२७९.००	२८६.००
८१	D O Fuse set 11KV	सेट	१९,५४०.००	१९,५४०.००	२०,०२९.००
८२	Lighting Arestor Set 9 KV	सेट	१५,२४९.००	१५,२४९.००	१५,६२२.००
८३	Cable Shoes (95 or 120)	गोटा	२५९.००	२५९.००	२५७.००
८४	Earthing Set	सेट	८,९३९.००	८,९३९.००	९,१५४.००
८५	Earthing Pipe	मी.	९९.००	९९.००	९३.००
८६	Transformer Mounting Set	सेट	८०९.००	८०९.००	८२९.००
८७	4 Core Insulation Cable(70 mm)	मी.	८०६.००	८०६.००	८२६.००
८८	75 A MCCB	गोटा	६,९४९.००	६,९४९.००	७,११५.००
८९	Copper Wire	कै.जी.	१,७०९.००	१,७०९.००	१,७४४.००
९०	Aluminium Binding Wire	कै.जी.	१,४४९.००	१,४४९.००	१,४७७.००
९१	ABC Cable (25 sq mm)	मिटर	२९६.००	२९६.००	२२९.००
९२	ABC Cable (50 sq mm)	मिटर	३९८.००	३९८.००	४०८.००
९३	ABC Cable (95 sq mm)	मिटर	५७४.००	५७४.००	५८८.००
९४	Armoured cable, 95 sq mm, LT	मिटर	५,२५३.००	५,२५३.००	५,३८४.००
९५	XLPE 11 KV 95 sq mm Cable	मिटर	४,९९६.००	४,९९६.००	४,३०९.००
९६	XLPE 11 KV 70 sq mm Cable	मिटर	२,६२९.००	२,६२९.००	२,६८७.००
९७	XLPE 11 KV 35 sq mm Cable	मिटर	१,९६३.००	१,९६३.००	२,०१२.००
९८	PSC Pole 8 M	गोटा	७,५०२.००	७,५०२.००	७,६९०.००
९९	PSC Pole 9 M	गोटा	९,१७०.००	९,१७०.००	९,३९९.००
१००	PSC Pole 10.4 M	गोटा	१६,६७०.००	१६,६७०.००	१७,०८७.००
१०१	Earthing Rod	Nos	१,९२८.००	१,९२८.००	१,९७६.००
१०२	Fully Galvanized steel tubular pole 8 meter	गोटा	१६,३८९.००	१६,३८९.००	१६,७९९.००
१०३	Fully Galvanized steel tubular pole 9 meter	गोटा	२०,८९०.००	२०,८९०.००	२१,४१२.००
१०४	Fully Galvanized steel tubular pole 11 meter	गोटा	३३,६५३.००	३३,६५३.००	३४,४९४.००
१०५	10 Core Insulation Cable(70 mm)	मि.	१,६३८.५०	१,६३८.५०	१,६७९.००
१०६	30 A MCCB	गोटा	१,५५३.००	१,५५३.००	१,५९२.००
१०७	40 A MCCB	गोटा	४,५००.००	४,५००.००	४,६१३.००
१०८	80 A MCCB	गोटा	५,८००.००	५,८००.००	५,९४५.००
१०९	100 A MCCB	गोटा	७,५००.००	७,५००.००	७,६८८.००
११०	160 A MCCB	गोटा	१५,०००.००	१५,०००.००	१५,३७५.००
१११	300 A MCCB	गोटा	१८,०००.००	१८,०००.००	१८,४५०.००
११२	315 A MCCB	गोटा	४९,७२०.००	४९,७२०.००	५०,९६३.००
११३	XLPE Covered Conductor 11 KV 95 sq mm	मिटर	१५६.३०	१५६.३०	१६०.००
११४	XLPE Covered Conductor 11 KV 70 sq mm	मिटर	२,३१०.००	२,३१०.००	२,३६८.००
११५	XLPE Covered Conductor 11 KV 50 sq mm	मिटर	१४८.२२	१४८.२२	१५२.००
ठ	स्थानीय सामग्री			-	-
१	ब्रास सोप केस (सावुन दानी)	गोटा	४८३.००	४८३.००	४९५.००
२	सि.पि.विप कक धारा १/२"	गोटा	१,२८६.००	१,२८६.००	१,३१८.००

गैर स्थानीय निर्माण सामग्रीको दर

क्र.सं.	विवरण	एकाई	आ.व २०८१/८२ (मू.अ.क. बाहेक)	आ.व २०८२/८३ (मू.अ.क. बाहेक)	आ.व २०८३/८४ (मू.अ.क. बाहेक)
३	सि.पि.स्टप कक धारा $1\frac{1}{2}$ "	गोटा	१,३४०.००	१,३४०.००	१,३७४.००
४	कन्सील्ट स्टप कक $1\frac{1}{2}$ " डबल	गोटा	१,४४७.००	१,४४७.००	१,४८३.००
५	ट्वाइलेट पेपर होल्डर	गोटा	५३६.००	५३६.००	५४९.००
६	टावेल रड $1\frac{1}{2}$ "x१८"	गोटा	६९७.००	६९७.००	७१४.००
७	टावेल रड $1\frac{1}{2}$ "x२४"	गोटा	८०४.००	८०४.००	८२४.००
८	पि.भि.सि.पाइप ५० मि.मि.	मिटर	१६४.००	१६४.००	१६८.००
९	पि.भि.सि.पाइप ७५ मि.मि.	मिटर	२३६.००	२३६.००	२४२.००
१०	पि.भि.सि.पाइप-११० मि.मि.	मिटर	४५०.००	४५०.००	४६१.००
११	पि.भि.सि.सकेट-७५ मि.मि.	गोटा	३१०.००	३१०.००	३१८.००
१२	पि.भि.सि.सकेट-११० मि.मि.	गोटा	४५७.००	४५७.००	४६८.००
१३	पि.भि.सि.रिड्युसर -(११०x७५) मि.मि	गोटा	५३६.००	५३६.००	५४९.००
१४	पि.भि.सि.प्लेन टि-७५ मि.मि.	गोटा	३००.००	३००.००	३०८.००
१५	पि.भि.सि.प्लेन टि-११० मि.मि.	गोटा	५५७.००	५५७.००	५७१.००
१६	११०x११० प्लेन ट्रेप	गोटा	१,२६४.००	१,२६४.००	१,२९६.००
१७	११०x११० प्लेन /मल्टी फ्लोर मि.मि.	गोटा	८५७.००	८५७.००	८७८.००
१८	फ्लसिङ्ग सिस्टम प्लाष्टिक १० लिटरसम्मको फ्लसिङ्ग पाइप लगायत पुरा सेट साधारण	गोटा	३,७४९.००	३,७४९.००	३,८४३.००
१९	फ्लसिङ्ग सिस्टम प्लाष्टिक १० लिटरसम्मको फ्लसिङ्ग पाइप लगायत पुरा सेट रंगिन	गोटा	४,४९९.००	४,४९९.००	४,६११.००
२०	जि.आई.गेटभल्व ISI $1\frac{1}{2}$ "फ हेभी	गोटा	९१६.००	९१६.००	९३९.००
२१	जि.आई.गेटभल्व ISI $1\frac{1}{2}$ "फ कमरसियल	गोटा	७२९.००	७२९.००	७४७.००
२२	जि.आई.चेक भल्व ISI $1\frac{1}{2}$ "फ हेभी	गोटा	५२६.००	५२६.००	५३९.००
२३	ब्रास फेरल $1\frac{1}{2}$ "फ हेभी	गोटा	९६४.००	९६४.००	९८८.००
२४	बल कक $1\frac{1}{2}$ "फ (Float valve)	गोटा	६९७.००	६९७.००	७१४.००
२५	बिब कक ४०० ग्राम $1\frac{1}{2}$ "फ सिपी राम्रो	गोटा	७५०.००	७५०.००	७६९.००
२६	बिब कक २०० ग्राम $1\frac{1}{2}$ "फ सिपी	गोटा	३२२.००	३२२.००	३३०.००
२७	नोजल कक $1\frac{1}{2}$ "फ	गोटा	४०५.००	४०५.००	४१५.००
२८	नोजल $1\frac{1}{2}$ "फ	गोटा	१२९.००	१२९.००	१३२.००
२९	यमसिल पुटिङ्ग ५० ग्राम	बट्टा	१०८.००	१०८.००	१११.००
३०	पित्तल धाराको टुटी साधारण	गोटा	३७६.००	३७६.००	३८५.००
३१	पित्तल धाराको टुटी (४०० ग्राम)	गोटा	७६५.००	७६५.००	७८४.००
३२	फेविकोल ५०० ग्रा.	गोटा	१५०.००	१५०.००	१५४.००
३३	सि.पि.सावर (साधारण) रिभल्वीङ्ग सावर	गोटा	९११.००	९११.००	९३४.००
३४	ओभरहेड पानी टंकी (साधारण Poli Tank)	लिटर	१४.००	१४.००	१४.००
३५	ओभरहेड पानी टंकी (N/S Poli Tank)	लिटर	१५.००	१५.००	१५.००
३६	सि.पि. फ्लसिङ्ग पाइप $1\frac{1}{4}$ "x२४"-३६"	गोटा	५६४.००	५६४.००	५७८.००
३७	पि.भि.सि. पाइप कनेक्टर $1\frac{1}{2}$ "x१८"	गोटा	१८१.००	१८१.००	१८६.००



गैर स्थानीय निर्माण सामग्रीको दर

क्र.सं	विवरण	एकाई	आ.व २०८१/८२ (मू.अ.क. बाहेक)	आ.व २०८२/८३ (मू.अ.क. बाहेक)	आ.व २०८३/८४ (मू.अ.क. बाहेक)
३८	कमोड कभर सिट सहित	सेट	९,१०४.००	९,१०४.००	९,३३२.००
३९	वास वेसिन बोत्तल ट्रेप १ ^१ / _४ " (पि.भि.सी.)	सेट	१,०७१.००	१,०७१.००	१,०९८.००
४०	वास वेसिन बोत्तल ट्रेप १ ^१ / _४ " (सिपी)	सेट	१,६०७.००	१,६०७.००	१,६४७.००
४१	लेबोरेटरी सिङ्क १८"×१२"×६"	गोटा	२,३५७.००	२,३५७.००	२,४१६.००
४२	लेबोरेटरी सिङ्क २१"×१७"×७"	गोटा	२,६७८.००	२,६७८.००	२,७४५.००
४३	किचिन सिङ्क २४"×१८"×८"	गोटा	२,४७५.००	२,४७५.००	२,५३७.००
४४	किचिन सिङ्क २४"×१८"×१०"	गोटा	२,८१३.००	२,८१३.००	२,८८३.००
४५	वेस्ट कप्लीन १ ^१ / _४ "	गोटा	३०४.००	३०४.००	३१२.००
४६	रेगुलर कमोड "P" Trap सेतो	गोटा	१,८००.००	१,८००.००	१,८४५.००
४७	रेगुलर कमोड "S" Trap सेतो	गोटा	१,९१३.००	१,९१३.००	१,९६१.००
४८	सिफोनिक कमोड "P" Trap सेतो क्यासकेटसेट	गोटा	९,८९७.००	९,८९७.००	१०,१४४.००
४९	इण्डियन प्यान १८"	सेट	१,६५०.००	१,६५०.००	१,६९१.००
५०	इण्डियन प्यान २०"	सेट	१,८२१.००	१,८२१.००	१,८६७.००
५१	इण्डियन प्यान २३"	सेट	२,५७१.००	२,५७१.००	२,६३५.००
५२	उडिसा प्यान १८", २०" Normal	सेट	८५७.००	८५७.००	८७८.००
५३	उडिसा प्यान २०", Polarized	सेट	१,६५०.००	१,६५०.००	१,६९१.००
५४	उडिसा प्यान २०", Color	सेट	२,३५७.००	२,३५७.००	२,४१६.००
५५	उडिसा प्यान २३"	सेट	२,००४.००	२,००४.००	२,०५४.००
५६	वास वेसिन १८"×१२"	सेट	१,२३३.००	१,२३३.००	१,२६४.००
५७	वास वेसिन २०"×१६"	सेट	१,९२८.००	१,९२८.००	१,९७६.००
५८	वास वेसिन २२"×१६"	सेट	२,०१४.००	२,०१४.००	२,०६४.००
५९	प्यानको लागि 'P' Trap सिफन (पि.भि.सी.)	गोटा	८५७.००	८५७.००	८७८.००
६०	सिस्टर्नको लिड	गोटा	९५९.००	९५९.००	९८३.००
६१	सिस्टर्नको सिफन	गोटा	७८८.००	७८८.००	८०८.००
६२	सिस्टर्नको प्लङ्गर प्लेट	गोटा	१५०.००	१५०.००	१५४.००
६३	प्लेट व्याक यूरिनल १८"×१४"×१० ^१ / _२ "	गोटा	१,७१४.००	१,७१४.००	१,७५७.००
६४	एङ्गल व्याक यूरिनल १७"×१४ ^१ / _२ "×१३"	गोटा	१,०१८.००	१,०१८.००	१,०४३.००
६५	स्क्वारिङ्ग प्लेट २३ ^१ / _२ "×१३ ^१ / _२ "	गोटा	१,०१३.००	१,०१३.००	१,०३८.००
६६	१० लिखलो लेभल फ्लसिङ्ग सिस्टर्न	गोटा	२,६७८.००	२,६७८.००	२,७४५.००
६७	रेगुलर पेडेस्टल	गोटा	२,३६३.००	२,३६३.००	२,४२२.००
६८	पि.भि.सि.जाली ३" गोलाकार	गोटा	३८.००	३८.००	३९.००
६९	पि.भि.सि.जाली ४" गोलाकार	गोटा	६०.००	६०.००	६२.००
७०	पि.भि.सि.जाली ४" आयतकार	गोटा	४३.००	४३.००	४४.००
७१	पि.भि.सि.जाली ६" आयतकार	गोटा	१४०.००	१४०.००	१४४.००
७२	स्वायल कास्ट आइरन पाइप D/S २"φ	गोटा	१,५६८.००	१,५६८.००	१,६०७.००
७३	स्वायल कास्ट आइरन पाइप D/S ३"φ	गोटा	२,१२१.००	२,१२१.००	२,१७४.००
७४	स्वायल कास्ट आइरन पाइप D/S ४"φ	गोटा	२,४७५.००	२,४७५.००	२,५३७.००

गैर स्थानीय निर्माण सामग्रीको दर

क्र.सं.	विवरण	एकाई	आ.व २०८१/८२ (मू.अ.क. बाहेक)	आ.व २०८२/८३ (मू.अ.क. बाहेक)	आ.व २०८३/८४ (मू.अ.क. बाहेक)
७५	स्वायल कास्ट आइरन पाइप D/S ६"φ	गोटा	४,८३१.००	४,८३१.००	४,९५२.००
७६	रेन वाटर कास्ट आइरन पाइप S/S २"φ	गोटा	१,४९९.००	१,४९९.००	१,५३६.००
७७	रेन वाटर कास्ट आइरन पाइप S/S ३"φ	गोटा	२,०६३.००	२,०६३.००	२,११५.००
७८	रेन वाटर कास्ट आइरन पाइप S/S ४"φ	गोटा	२,३१६.००	२,३१६.००	२,३७४.००
७९	रेन वाटर कास्ट आइरन पाइप S/S ६"φ	गोटा	४,०८४.००	४,०८४.००	४,१८६.००
८०	जि.आई.ओभरहेड टंकी २०० ग्यालन (२० गेज)	गोटा	७,६०५.००	७,६०५.००	७,७९५.००
८१	जि.आई.ओभरहेड टंकी ३०० ग्यालन (१८ गेज)	गोटा	१०,५००.००	१०,५००.००	१०,७६३.००
८२	जि.आई.ओभरहेड टंकी ४०० ग्यालन (१६ गेज)	गोटा	१९,०००.००	१९,०००.००	१९,४७५.००
८३	वाल मिक्सर	गोटा	५,५१७.००	५,५१७.००	५,६५५.००
८४	कमोड स्त्रे	गोटा	९०६.००	९०६.००	९२९.००
८५	ऐना १६"×२०" फ्रम सहित	गोटा	६४३.००	६४३.००	६५९.००
८६	४"φ स्टोन केयर पाईप	गोटा	४५६.००	४५६.००	४६७.००
८७	४"φ स्टोन केयर टि	गोटा	५१९.००	५१९.००	५३२.००
८८	४"φ स्टोन केयर एल्बो	गोटा	४५३.००	४५३.००	४६४.००
ड	पाईप तथा फिटिङसहरूको हकमा संलग्न पाना अनुसार हुने छ ।				
ढ	फलाम तथा ब्याक पाईप				
१	ब्याक पाईप रेलिङ १½" टप १" (6" c/c)	के.जी.	१७७.००	१७७.००	१८१.००
२	ब्याकपाइप स्क्वायर र गोलो ३/४"	के.जी.	१७७.००	१७७.००	१८१.००
३	ब्याकपाइप स्क्वायर र गोलो १"	के.जी.	१७७.००	१७७.००	१८१.००
४	ब्याकपाइप स्क्वायर र गोलो १½"	के.जी.	१७७.००	१७७.००	१८१.००
५	ब्याकपाइप स्क्वायर र गोलो २"	के.जी.	१७७.००	१७७.००	१८१.००
६	फलामे एङ्गल तयारी	के.जी.	१७७.००	१७७.००	१८१.००
७	फलामे पाता (Iron Plate)	के.जी.	१७७.००	१७७.००	१८१.००
८	ग्रीलगेट	के.जी.	१६७.००	१६७.००	१७१.००
ण	फलामको कार्य				
१	ट्रस पाइप वेल्डिङ सहित (कालो मिडियम पाइप (१"-४" φ) (मोटाई १.८ मि.मि.))	के.जी.	२१६.००	२१६.००	२२१.००
२	ट्रस पाइप फोल्डिङ (कालो मिडियम पाइप (१"-४" φ) (मोटाई १.८ मि.मि.))	के.जी.	२३३.००	२३३.००	२३९.००
३	जि.आई.पाइप द्वारा भ्याङ्गको रेलिङ फिटिङ सहित १½" टप, ठाडो ब्याक पाइप १" स्क्वायर पाइप (6" c/c)	के.जी.	३२४.००	३२४.००	३३२.००

गैर स्थानीय निर्माण सामग्रीको दर

क्र.सं.	विवरण	एकाई	आ.व २०८१/८२ (मू.अ.क. बाहेक)	आ.व २०८२/८३ (मू.अ.क. बाहेक)	आ.व २०८३/८४ (मू.अ.क. बाहेक)
४	गोलो स्पाइरल भन्याङ्ग प्रति खुटकीलो ४" ब्याक पाइप पुरा काम समेत	स्टेप	२,७२२.००	२,७२२.००	२,७९०.००
५	Black Pipe Railing (25x25x1.8)	र.मी.	३२४.००	३२४.००	३३२.००
६	Black Pipe Railing (35x38x2.5)	र.मी.	४३२.००	४३२.००	४४३.००
७	Black Pipe Railing (50x50x2.5)	र.मी.	५६२.००	५६२.००	५७६.००
८	चेनल गेट/कोल्याप्सीवल गेट	के.जी.	२१६.००	२१६.००	२२१.००
९	ट्रस फ्रेविकेसन इरेक्सन पाइप समेत (सर्वे किसिमको)	के.जी.	२१६.००	२१६.००	२२१.००
१०	रोलिङ्ग सटर कालो (१८-२० गेज)	के.जी.	२२७.००	२२७.००	२३३.००
११	रोलिङ्ग सटर जि. आई. (१८-२० गेज)	के.जी.	२७०.००	२७०.००	२७७.००
१२	ग्रिल ३x२० मि.मि.	के.जी.	१९५.००	१९५.००	२००.००
१३	स्क्वायर पाईपमा गोलो पाईप र २" x २" एङ्गलमा १६ गेजको पाता राखी गेट तयार गर्ने	के.जी.	५३०.००	५३०.००	३३२.००
१४	फलामे डेक्स, वेन्च फिलर बक्स तैयारी	के.जी.	२२७.००	२२७.००	२३३.००
१५	एङ्गल/पाइप/ट्रस/भ्याल ढोका	के.जी.	२०६.००	२०६.००	२११.००
१६	साईनबोर्ड लेखाई, २५x२५x३ मि.मि. साइजको एङ्गल फ्रेममा	व.मी.	१,४७१.००	१,४७१.००	१,५०८.००
१७	सिंचाई गेट साधारण किसिमको	के.जी.	२८६.००	२८६.००	२९३.००
१८	सिंचाई गेट स्ट्याण्डर्ड किसिमको	के.जी.	३९६.००	३९६.००	४०६.००
त	तयारी दररेट सम्बन्धी				

भवन निर्माण संग सम्बन्धित तपशिल बमोजिमका विशेष प्रकृतीका वर्क आइटमहरूको लागि निम्नानसारको तयारी दररेट कायम गरी कार्य गर्ने ।

१	Anti-termite treatmnet	Sqm	३५७.००	३५७.००	३६६.००
२	Water-proof Seal Coating (Perma-seal)	Sqm	३७५.००	३७५.००	३८४.००
३	Water Repellent Paint	Sqm	४७३.००	४७३.००	४८५.००
४	Plaster of Paris (Normal)	Sqm	१९४.००	१९४.००	१९९.००
५	Plaster of Paris (Corner Butta)	Nos	७१४.००	७१४.००	७३२.००
६	Plaster of Paris (Centre Butta)	Nos	१,६०२.००	१,६०२.००	१,६४२.००
७	Plaster of Paris (Cornice)	RM	७४.००	७४.००	७६.००
८	Staricase Railing (2" Square Pipe Balustrade, 5" x 3" Hand Railing, 4" x 4" x 3'6" Newel post)	RM	२,३६३.००	२,३६३.००	२,४२२.००
९	Decorative Wooden Newel post (4" x 4" x 3'6")	Nos	३,३०८.००	३,३०८.००	३,३९१.००
१०	Decorative Cement Sand Plaster (1:3)	Sqm	२६५.००	२६५.००	२७२.००
११	Cement Sand pani Patti	RM	१११.००	१११.००	११४.००
१२	High Build Epoxy Coating 400 micron on Floor	Sqm	१,७१२.००	१,७१२.००	१,७५५.००
१३	High Build Epoxy Coating 400 micron on Wall	Sqm	१,४९१.००	१,४९१.००	१,५२८.००

गैर स्थानीय निर्माण सामग्रीको दर

क्र.सं	विवरण	एकाई	आ.व २०८१/८२ (मू.अ.क. बाहेक)	आ.व २०८२/८३ (मू.अ.क. बाहेक)	आ.व २०८३/८४ (मू.अ.क. बाहेक)
१४	Machine made Hexagonal Concrete block 3" thick	Sqm	३३१.००	३३१.००	३३९.००
१५	Wall Putting	kg	७४.००	७४.००	७६.००
१६	Silica Cement Admixture (20kg packet)	packet	३३१.००	३४५.००	३५४.००
थ	झोलुङ्गे पुल सम्बन्धी				
१	ब्रिज पार्टस फेब्रिकेसन तथा स्टक्चरल स्टील				स्थानीय पूर्वाधार विकास बिभागको website मा प्रकाशित दर अनुसार
२	रेन्सफोर्ड पार्टस				
३	ग्याल्भनाइजिज				
४	Thimbles				
५	i) Φ 13 mm thimble	पिस			
६	ii) Φ 26 mm thimble	पिस			
७	iii) Φ 32 mm thimble	पिस			
८	vi) Φ 36 mm thimble	पिस			
९	v) Φ 40 mm thimble	पिस			
१०	Bolts, Nuts & Washers (Galvanised 4.6 grade)	के.जी.			
११	Sign Board with Fittings (Size - 30cm X 60cm)	पिस			
१२	Galvanization				
१३	Zinc Above 98.5% purity	के.जी.			
१४	Premix of Zinc amonium chloride	के.जी.			
१५	हाइड्रोक्लोरिक एसिड	लिट्र			
द	तयारी आ.सि.सि.झ्याल, ढोका, भेन्टीलेसन आर्क				
१	Ready made RCC Door and window frame of section 4"X2.75" with concrete mix design of 1:1:1 proportionation and 2 Nos 7m dia.rebar including arrangement of necessary holes and safety plate all complete.	र.फी.	२२२.००	२२२.००	२२८.००
२	Ready made RCC ventilation frame of section 4"X2.75" with concrete mix design of 1:1:1 proportionation and 2 Nos 7m dia.rebar including arrangement of necessary holes and safety plate all complete.	र.फी.	२२२.००	२२२.००	२२८.००

गैर स्थानीय निर्माण सामग्रीको दर

क्र.सं	विवरण	एकाई	आ.व २०८१/८२ (मू.अ.क. बाहेक)	आ.व २०८२/८३ (मू.अ.क. बाहेक)	आ.व २०८३/८४ (मू.अ.क. बाहेक)
३	Ready made RCC Door and window arc frame (Semi-circular) frame of section 4"X2.75" with concrete mix design of 1:1:1 proportion and 2 Nos 7m dia.rebar including arrangement of necessary holes and safety plate all complete.	र.फी.	४४२.००	४४२.००	४५३.००
ध	एलुमिनियम फ्रेम				
१	Sliding window fitted with 5mm clear glass, auto lock roller/gasket with net all compete Size: 4' x 5'	वर्ग फिट	७४९.००	७४९.००	७६८.००
२	Sliding window fitted with 5mm clear glass with net all compete Size: 5' x 4'	वर्ग फिट	७५५.००	७५५.००	७७४.००
३	Sliding window fitted with 5mm clear glass with net all compete Size: 9' x 5'	वर्ग फिट	७३८.००	७३८.००	७५६.००
४	Sliding window fitted with 5mm clear glass with net all compete Size: 7' x 5'	वर्ग फिट	७१५.००	७१५.००	७३३.००
५	Sliding window with ventillation at top and bottom w/o net all compete Size: 6' x 7'	वर्ग फिट	६९३.००	६९३.००	७१०.००
६	Fix window and hinged door fitted with 5mm glass.	वर्ग फिट	८१२.००	८१२.००	८३२.००
७	Fix window fitted with 5mm glass. Size: 6' x 3'	वर्ग फिट	५६७.००	५६७.००	५८१.००
८	Glass door fitted with 12mm glass GD	वर्ग फिट	१,६७९.००	१,६७९.००	१,७२१.००
९	Glazed window (Curtain Wall) with 5mm reflective glass	वर्ग फिट	१,१५७.००	१,१५७.००	१,१८६.००
१०	Stainless steel railing on varandah and staircase. Size: 2" x 1" x 1" x 1"	वर्ग फिट	२,०९९.००	१,४४५.००	१,५००.००
११	Aluminium Partition (partition 9mm thick) 5mm glass, 9mm Nepal board including silicon, gasket etc.	वर्ग फिट	४८३.००	४८३.००	४९५.००
१२	Aluminium fix panel at sliding windows of section (88 x 38 x 1.1)	वर्ग फिट	४४०.००	४४०.००	४५१.००
न	UPVC Profile Door and Window / Wall partition				
	Supplying and installation of UPVC Profile: Sliding window frame 50*80 mm; sash 58*36 mm, Sliding Door frame 52*88; sash 80*42, Casement window frame 60*60 mm, sash 60*78 mm, Casement Door frame 60*60; sash 60*104 mm, white colour with reinforcement, 5 mm thick clear float glass, insect net, patented standard hardware like: rollers, gaskets, brush seal, moon locks, push locks, drainage cover, etc.				

गैर स्थानीय निर्माण सामग्रीको दर

क्र.सं.	विवरण	एकाई	आ.व २०८१/८२ (मू.अ.क. बाहेक)	आ.व २०८२/८३ (मू.अ.क. बाहेक)	आ.व २०८३/८४ (मू.अ.क. बाहेक)
	i) Single glazing				
१	UPVC sliding window with net (frame 50*80 mm, sash 58*36 mm, white colour with 5 mm glass)	वर्ग मिटर		८,८००.००	९,०१५.००
२	UPVC sliding window without net (frame 60*60 mm, sash 66*42 mm, white colour with 5 mm glass)	वर्ग मिटर		८,२००.००	८,४००.००
३	UPVC top hung window (frame 60*60 mm, sash 60*78 mm, white colour with 5 mm glass)	वर्ग मिटर		९,२००.००	९,४२५.००
४	UPVC casement window (frame 60*60 mm, sash 60*78 mm, white colour with 5 mm glass)	वर्ग मिटर		९,२००.००	९,४२५.००
५	UPVC single door with half panel, half glass (frame 60*60 mm, sash 60*104 mm, white colour with 5 mm glass)	वर्ग मिटर		१०,०००.००	१०,२४५.००
६	UPVC single door with full panel (frame 60*60 mm, sash 60*104 mm, white colour)	वर्ग मिटर		१०,२००.००	१०,४५०.००
७	UPVC double door (frame 60*60 mm, sash 60*104 mm, white colour with 5 mm glass)	वर्ग मिटर		१०,९००.००	११,१७०.००
८	UPVC sliding door with net (frame 52*88 mm, sash 88*42 mm, white colour with 5 mm glass)	वर्ग मिटर		१०,९००.००	११,१७०.००
९	UPVC sliding door without net (frame 60*60 mm, sash 88*42 mm, white colour with 5 mm glass)	वर्ग मिटर		१०,६००.००	१०,८६०.००
१०	UPVC swing door with half glass half UPVC panel (frame 60*60 mm)	वर्ग मिटर		१२,२००.००	१२,५००.००
११	UPVC 88x60 mm sliding white colour window with 5 mm glass panel	वर्ग मिटर		१०,५००.००	१०,७६०.००
१२	UPVC 60x64 mm white colour casement window with 5 mm glass panel	वर्ग मिटर		१२,०००.००	१२,२९५.००
१३	UPVC 110x64 mm, 9 mm thick board and 5 mm thick glass panel white colour	वर्ग मिटर		१२,६००.००	१२,९१०.००
१४	UPVC 60x60mmx9 mm thick white colour partition board with 5 mm glass	वर्ग मिटर		१३,०००.००	१३,३२०.००
१५	UPVC 60x60 mm white colour swing door with 5 mm glass panel	वर्ग मिटर		८,२००.००	८,४००.००
१६	UPVC sliding window with net (frame 50*80 mm, sash 58*36 mm, white colour with 5 mm double glass)	वर्ग मिटर		११,५००.००	११,७८५.००
१७	UPVC sliding window without net (frame 60*60 mm, sash 66*42 mm, white colour with 5 mm double glass)	वर्ग मिटर		१०,९००.००	११,१७०.००
१८	UPVC top hung window (frame 60*60 mm, sash 60*78 mm, white colour with 5 mm double glass)	वर्ग मिटर		११,९००.००	१२,१९५.००

गैर स्थानीय निर्माण सामग्रीको दर

क्र.सं.	विवरण	एकाई	आ.व २०८१/८२ (मू.अ.क. बाहेक)	आ.व २०८२/८३ (मू.अ.क. बाहेक)	आ.व २०८३/८४ (मू.अ.क. बाहेक)
१९	UPVC casement window (frame 60*60 mm, sash 60*78 mm, white colour with 5 mm double glass)	वर्ग मिटर		११,९००.००	१२,१९५.००
२०	UPVC single door with half panel, half glass (frame 60*60 mm, sash 60*104 mm, white colour with 5 mm double glass)	वर्ग मिटर		१२,८००.००	१३,११५.००
२१	UPVC double door (frame 60*60 mm, sash 60*104 mm, white colour with 5 mm double glass)	वर्ग मिटर		१३,०००.००	१३,३२०.००
२२	UPVC sliding door with net (frame 52*88 mm, sash 88*42 mm, white colour with 5 mm double glass)	वर्ग मिटर		१३,५००.००	१३,८३५.००
२३	UPVC sliding door without net (frame 60*60 mm, sash 88*42 mm, white colour with 5 mm double glass)	वर्ग मिटर		१३,२००.००	१३,५२५.००
२४	Supply & fixing of 80*50 mm white colour casement window	वर्ग मिटर		११,८००.००	१२,०९०.००
प	Prefab Panel for wall Partition Everest solid wall panel (ESWP) or Equivalent				
	Supply and erection of different mm thick cement base prefabricated Everest solid wall panel (RAPION) non-asbestos including 1.1 mm thick GI channel 50*25*20 mm with necessary accessories and fittings charge in partition wall all complete				
१	a) 75 mm thick	वर्ग फिट		३१०.००	३१५.००
२	b) 50 mm thick	वर्ग फिट		२४५.००	२५०.००
३	c) 40 mm thick	वर्ग फिट		२१०.००	२१५.००
४	6 mm thick Flex-O- Board (Water proof cement board) for false ceiling	वर्ग फिट		४६.००	४७.००
फ	बिटुमिन बाइन्डर (ढुवानी बाहेकको कारखानाद्वारा मूल्य)				
१	Bitumen 80/100 grade (New MS Drum Packed Indian)	Kg	१२०.००	१२०.००	१३०.००
ब	एच.डी.पी.ई. पाइप				
१	नेपाल गुणस्तर प्राप्त वा सो सरहको एचडिपिड पाइप (विभिन्न साइज र सेरिजको)	के.जी.	३००.००	३००.००	३३०.००

Water Proofing Treatment, Construction Chemicals, Structural Strengthening & Retrofitting
works को दर

क्र.सं.	कामको विवरण	एकाई	आ.व २०८१/८२ (मू.अ.क. बाहेक)	आ.व २०८२/८३ (मू.अ.क. बाहेक)	आ.व २०८३/८४ (मू.अ.क. बाहेक)
1	Waterproofing Treatment				
1.1	Supply & applying two pack polymer modified cementitious in roof slab, basement, shear wall, toilet etc. using Zentrifix elastic of MC Bauchemie or equivalent or superior including surface preparation. Application protection & flood testing all complete	sq.ft.	76.00	76.00	78.00
1.2	Supplying & applying two pack Crystallization waterproofing system coating in roof slabs, parapet, toilet, basement raft slab, shear wall etc. using Dichtament DS mixed with Nafufill BB2 & Nafufill SBR of MC - Bauchemie or equivalent or superior including surface preparation, application, protection & flood testing all complete as per manufacture's instruction & recommendation	sq.ft.	42.00	42.00	43.00
1.3	Supplying & applying single component Crystallization waterproofing system coating using Dichtament DS2 of MC- Bauchemie or equivalent or superior including surface preparation, application, protection & flood testing all complete as per manufacture's instruction & recommendation	sq.ft.	39.00	39.00	40.00
1.4	Supplying & applying Roofex 2000 single component elastomeric membrane forming compound for waterproofing & protection system for roof terrace gardens, swimming pools, basement, etc. using the product of MC- Bauchemie or equivalent or superior including surface preparation, application, protection & flood testing all complete.	sq.ft.	342.00	342.00	350.00
1.5	20 mm thick protective Layer over waterproofing coating in 1:4 cement sand mortar with MC - special DM of MC Bauchemie of equivalent or superior including the cost of materials & labours all complete.	sq.ft.	39.00	39.00	40.00
2	Water Repellent Coating				
2.1	Providing & applying colourless hydrophobic impregnation water repellent over brick or other masonry surface having deep penetrating property, Like Nisiwa - SH of MC- Bauchemie or equivalent or superior including the cost of chemical cleaning of masonry surface, applying chemical as per manufacture's instructions all complete.	sq.ft.	51.00	51.00	52.00

Water Proofing Treatment, Construction Chemicals, Structural Strengthening & Retrofitting
works को दर

क्र.सं.	कामको विवरण	एकाई	आ.व २०८१/८२ (मू.अ.क. बाहेक)	आ.व २०८२/८३ (मू.अ.क. बाहेक)	आ.व २०८३/८४ (मू.अ.क. बाहेक)
3	Structural strengthening & Retrofitting works.				
3.1	Structural strengthening & Retrofitting works for columns, beams, slab, wall etc. for seismic restrengthening using FYFE wrap carbon fiber including the cost of materials, labours & installation all complete as per manufacture's & recommendation.	sq.ft.	1733.00	1733.00	1775.00
4	Cementitious Injection				
4.1	Supplying & applying ready to use hydraulically setting polymer modified waterproof grout for injectuion & filling cracks & cavities/honey-comb in masonry & concrete using MC-Bauchemie centricrate or equivalent or soperior, including the cost of materials, labours, etc.all complete.	kg	195.00	195.00	200.00
5	Epoxy injection				
5.1	Supply & applying epoxy based rigid injection resin for rigid filling of cracks, joints & voids MC Bachemie 1264 KF-TR (Resin & Hardener) or equivalent or superior, including the cost of materials.	kg	9765.00	9765.00	10000.00
6	PU injection				
6.1	Supplying & applying flexible injection resin for flexible seating & filling cracks, joints & voids, for injection jel/epoxy grouting using MC-Bauchemie MC-injekt 2300 NV (Resin +Hardner) or equivalent or supreior including the cost of materials, inlection packers, labours, etc.all complete.	kg	12390.00	12390.00	12695.00
6.2	Supplying & applying rigid injection resin for rigid sealing & filling cracks, joints & voids, for injection gel grouting using MC- Bauchemie MC-injekt 2700 (Resin +Hardner) or equivalent or supreior including the cost of materials, inlection packers, labours, etc. all complete.	kg	13125.00	13125.00	13450.00
6.3	Supplying & applying flexible injection resin for flexible sealing & filling cracks, joints & voids, for injection gel/ epoxy grouting using MC-Bauchemie MC-injekt 2300 plus (Resin +Hardner) or equivalent or supreior including the cost of materials, inlection packers, labours, etc. all complete.	kg	13125.00	13125.00	13450.00



**Water Proofing Treatment, Construction Chemicals, Structural Strengthening & Retrofitting
works को दर**

क्र.सं.	कामको विवरण	एकाई	आ.व २०८१/८२ (मू.अ.क. बाहेक)	आ.व २०८२/८३ (मू.अ.क. बाहेक)	आ.व २०८३/८४ (मू.अ.क. बाहेक)
7	Concrete Admixtures				
7.1	Supplying chloride free concrete Admixtures like water reduction, retarding, accelerating as per the requirement.				
a	MC-Zentriment F BV- high early strenght superplasticizer.	kg	131.00	131.00	134.00
b	MC-Zentriment super BV-super plasticizer & water reducing agent .	kg	131.00	131.00	134.00
c	MC-powerflow 2239- high range water reducer.	kg	431.00	431.00	440.00
8	Waterproofing membrane				
8.1	Supplying & applying permium, heat weldable, thermoplastic olefin (TPO) membrane for roofing & waterproofing application based on advanced polymerization technology using Hi-Tuff TPO membrane) 1.5 mm thicknesss) of lexcan or equivalent or superior including the cost of materials, labours & installation all complete as per manufacture;s instruction & recommendation .(30 years of warranty will be given for the completed works.	sq.m.	1029.00	1029.00	1050.00
9	Waterproofing Treatment				
9.1	Water repellent on exposed bricks & stones	kg	24.00	24.00	24.50
10	Waterproofing Treatment (From venus)				
	Slope, flat roof, sunken slab / basement मा पानी चुहिएको स्थानमा प्रयोग हुन निमाण सामग्रीहरू				
	Mentioned rates are including supplying of necessary chemicals, labours & applying as per manufacturer				
10.1	Injection & pressure grouting system using perma grout 500 with mixing fresh gray cement slurry all complete. (slope roof, sunk, slab, basement)	sq.ft.	57.00	57.00	58.00
10.2	Water proofing treatment by perma guard coating (Elastomeric polymer coating) all complete. (roof top, sunken slab, basement, terrace	sq.ft.	63.00	63.00	65.00
10.3	Water proofing treatment by using perma shield/ AR coating (Semi Flexible polymer coating system) all complete. (roof top, sunken slab,basement)	sq.ft.	60.00	60.00	62.00
10.4	Waterproofing treatment by crystallization process by applying two coats of perma seal all complete. (watertank basement)	sq.ft.	63.00	63.00	65.00
10.5	Minor Crack Treatment providing & applying SBR motar on the RCC slab minor crack with making V shaped groove cutting & polymer coating of 1 ft wide area from groove all complete.	r.ft.	242.00	242.00	250.00
10.6	Major crack treatment on RCC slab by Perma polyseal.	r.ft.	483.00	483.00	495.00

तस्मी प्रसाद
प्रमुख जिल्ला अधिकारी

Water Proofing Treatment, Construction Chemicals, Structural Strengthening & Retrofitting
works को दर

क्र.सं.	कामको विवरण	एकाई	आ.व २०८१/८२ (मू.अ.क. बाहेक)	आ.व २०८२/८३ (मू.अ.क. बाहेक)	आ.व २०८३/८४ (मू.अ.क. बाहेक)
10.7	Providing & applying perma treat or perma clear seal (colorless solvent silicon based liquid) ofr water repellant on bricks,tiles from fungus & algac growth (exposed surface)	sq.ft.	27.00	27.00	27.50
10.8	Wall puffy providing & applying 1.5 mm thickness of perma plaster putty on plaster RCC brick or Block all complete work	r.ft.	23.00	23.00	23.50
11	Expansion Joint Works.				
11.1	Providing & chipping and plaster with mixing perma bond SBR modified mortar up to 40 mm wide on levelling all complete providing masking tape on on thermacol in the hole, applying scalent primer, 40 mm * 25mm polyseal filling on joints with fixing 8" wide 18 guage Aluminum sheets fixing from top & bottom all complete	r.ft.	2295.00	2295.00	2350.00
12	Epoxy Coating				
12.1	Supplying & applying perma or beck brand self leveling Epoxy coating on floor 2mm thick as per specification all complete. (for pharmaceutical & hospital floor)	sq.ft.	410.00	410.00	420.00
12.2	Functional & high builds epoxy coating on floor 400 micron (for pharmaceutical & hospitals floor)	sq.ft.	184.00	184.00	188.00
12.3	Decorative epoxy coating with perma plaster putty on celing & wall all complete 200 micron (for pharmaceutical & hospital floor)	sq.ft.	163.00	163.00	167.00
12.4	Epoxy Coving floor to wall ceiling wall, wall to wall (for pharmaceutical & hospital floor)	sq.ft.	141.00	141.00	144.00
12.5	Providing & applying Distban/permise chemicals for Anti Termite Treatment all complete.	sq.ft.	50.00	50.00	51.00
12.6	Providing & applying of perma wall Guard coating (for colorful flexi exterior waterproof coating) all complete.	sq.ft.	50.00	50.00	51.00
12.7	Providing & applying water proofing membrane with mixing of bonding agent (perma bond SRB) fresh grey cement & fine sand paste for basement floor & wall rooftop waterproofing as per specifications all complete.	sq.ft.	141.00	141.00	144.00
13	Tile laying with adeshive (Perma bond SBR)	sq.ft.	147.00	147.00	150.00
14	Bitu Tape laying (in roof CGI sheet)	r.ft.	17.00	17.00	17.50
15	Tile Joints fitting	r.ft.	38.00	38.00	39.00

Rate of WATER METER, HDP SADDLE
(ISI, NS, ISO BRAND)

S. N.	Name of Fittings	Unit	आ.व २०८१ / ८२ (मू.अ.क. बाहेक)	आ.व २०८२ / ८३ (मू.अ.क. बाहेक)	आ.व २०८३/८४ (मू.अ.क. बाहेक)
1	Water meter CI body	no.	1365.00	1365.00	1365.00
2	Water meter Brass body	no.	1680.00	1680.00	1680.00
3	HDP Saddle 25*20 mm	no.	221.00	221.00	221.00
4	HDP Saddle 32*20 mm	no.	247.00	247.00	247.00
5	HDP Saddle 40*20 mm	no.	258.00	258.00	258.00
6	HDP Saddle 50*20 mm	no.	268.00	268.00	268.00
7	HDP Saddle 63*20 mm	no.	326.00	326.00	326.00
8	HDP Saddle 75*20 mm	no.	399.00	399.00	399.00
9	HDP Saddle 90*20 mm	no.	441.00	441.00	441.00
10	HDP Saddle 110*20 mm	no.	473.00	473.00	473.00
11	HDP Saddle 125*20 mm	no.	504.00	504.00	504.00

लक्ष्मी प्रसाद चौडाले
प्रमुख जिल्ला अधिकारी

Rate of 3 LAYER PPR PIPES AND FITTINGS Excluding VAT (2083/84)
(ISI, NS, ISO BRAND)

S. No.	Description of Goods	Unit	Size										
				1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"	
			16mm	20 mm	25 mm	32mm	40mm	50mm	63mm	75mm	90mm	110mm	
1	Pipe (PN 4/SDR 26)-3 Layer	r.m.					61	87	137	197	285	397	
2	Pipe (PN6/SDR 17.6)-3 Layer	r.m.				52	82	127	198	281	399	597	
3	Pipe (PN 10/SDR11)-3 Layer	r.m.		31	48	76	119	185	308	416	599	888	
4	Pipe (PN16/SDR 7.4)-3 Layer	r.m.	29	42	69	111	173	269	423	603	861	1290	
5	Pipe (PN 20/SDR 6)-3 Layer	r.m.	30	52	80	130	201	312	495	702	1008	1503	
6	PLASTIC BALL VALVE	no.		78	111	176	426	570	542				
7	STOP VALVE	no.		204	271	326	536	780	1040				
8	CONCEALED STOP VALVE	no.		527	585	683							
9	ELBOW 90	no.		9	16	29	59	99	192	339	564	1012	
10	ELBOW 45	no.		10	18	27	53	94	151	344	546	953	
11	SOCKET	no.		7	11	17	32	51	96	164	277	489	
12	TEE	no.		11	19	34	69	114	212	404	665	1150	
13	CROSS TEE	no.		20	28	51	96						
14	CROSSOVER	no.		58	80	118							
15	WALL CLAMP	no.		8	9	11	14	22	29				
16	END CAP	no.		11	16	25	42	70	136	202	221	451	
17	UNION	no.		40	71	114	197	325	425				
18	FLANGE	no.					210						
19	SHOT PLUG	no.		6	8	11							
20	LONG PLUG	no.		11									
21	TANK NIPPLE	no.		43	68	78							
	DESCRIPTION OF GOODS		20mm *1/2	25mm*1/ 2	25mm*3/ 4	32mm*1 /2	32mm*3 /4	32mm*1	40mm*5 /4	50mm*3 /4	63mm*2	75*2.5	90*3
22	FEMALE THREADED SOCKET	no.	82	93	103	98	105	230	395	508	750	1518	2025



लक्ष्मी प्रसाद पौडेल
प्रमुख जिल्ला अधिकारी

Rate of 3 LAYER PPR PIPES AND FITTINGS Excluding VAT (2083/84)

(ISI, NS, ISO BRAND)

S. No.	Description of Goods	Unit	Size										
				1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"	
			16mm	20 mm	25 mm	32mm	40mm	50mm	63mm	75mm	90mm	110mm	
23	MALE THREADED SOCKET	no.	109	105	133	150	156	296	445	670	970	2325	3350
24	FEMALE THREADED ELBOW	no.	84	119	124	163	184	230					
25	MALE THREADED ELBOW	no.	112	119	140	225	173	317					
26	FEMALE THREADED TEE	no.	86	100	128	148	163	258					
27	MALE THREADED TEE	no.	117	116	142	178	183	325					
28	MALE THREADED ELBOW WITH DISK	no.	119	152	176								
29	FEMALE THREADED ELBOW WITH DISK	no.	96	160	196								
30	MALE UNION	no.	196		284								
31	FEMALE UNION	no.	190		280								
32	REDUCTION SOCKET			25-20	32-20	32-25	40-20	40-25	40-32	50-20	50-25	50-32	50-40
		no.		13	17	18	26	29	35	45	50	53	63
				63-25	63-32	63-40	63-50						
		no.		93	95	96	99						
33	REDUCTION TEE			25-20-25	32-20-32	32-25-32	40-20-40	40-25-40	40-32-40	50-25-50	50-32-50	50-40-50	63-25-63
		no.		22	34	38	53	58	61	121	124	132	158
				63-32-63	63-40-63	63-50-63							
		no.		159	160	175							
34	REDUCING ELBOW			25-20	32-20	32-25	40-32	50-40					
				17	25	33	81	90					
35	WELDING KIT	no.		2600		3120							



लक्ष्मी प्रसाद पौडेल
प्रमुख जिल्ला अधिकारी

Rate of WATER SUPPLY TOOLS and others

S. N.	Particulars	Unit	आ.व २०८१ /८२ (मू.अ.क. बाहेक)	आ.व २०८२/८३ (मू.अ.क. बाहेक)	आ.व २०८३/८४ (मू.अ.क. बाहेक)
1	Adjustable wrench 10 "	no.	७८३.००	७८३.००	७९५.००
2	Adjustable wrench 12 "	no.	९३०.००	९३०.००	९४५.००
3	Adjustable wrench 15 "	no.	१,९४३.००	१,९४३.००	१,९८०.००
4	Adjustable wrench 18 "	no.	२,८८८.००	२,८८८.००	२,९४५.००
5	Blow Lamp	no.	१,९६६.००	१,९६६.००	२,०००.००
6	आँसी (हसिया) ०.५ के.जी.	no.	९३५.००	९३५.००	९५०.००
7	Chain Wrench 3 no.	no.	४,०१०.००	४,०१०.००	४,०९०.००
8	Chain Wrench 4 no.	no.	४,५९६.००	४,५९६.००	४,६८५.००
9	Chain Wrench 6 no.	no.	५,२४२.००	५,२४२.००	५,३४५.००
10	Chain pulley up to 2 tonne	no.	२,८८८.००	२,८८८.००	२,९४५.००
11	Chisel -12"	no.	६८३.००	६८३.००	६९५.००
12	Chisel -8"	no.	४४१.००	४४१.००	४४५.००
13	कर्नी	no.	६३०.००	६३०.००	६४०.००
14	Crowbar -1.2m	no.	१,५०२.००	१,५०२.००	१,५३०.००
15	Crowbar -1.5m	no.	२,२५८.००	२,२५८.००	२,३००.००
16	Die teeth 1"	set	१,८३१.००	१,८३१.००	१,८६५.००
17	Die teeth 1/2	set	१,४०१.००	१,४०१.००	१,४२५.००
18	Die teeth 1-1/2"	set	२,२३४.००	२,२३४.००	२,२७५.००
19	Die teeth 1-1/4 "	set	२,०२७.००	२,०२७.००	२,०६५.००
20	Die teeth 2 "	set	२,३७०.००	२,३७०.००	२,४१५.००
21	Die teeth 2-1/2 "	set	२,८५९.००	२,८५९.००	२,९१५.००
22	Die teeth 3 "	set	३,३७१.००	३,३७१.००	३,४३५.००
23	Die teeth 3/4	set	१,६२९.००	१,६२९.००	१,६६०.००
24	Die teeth 4"	set	४,०४०.००	४,०४०.००	४,१२०.००
25	Hack Saw Blade	no.	४२.००	४२.००	४३.००
26	Hack Saw Frame	no.	३३१.००	३३१.००	३३५.००
27	Half Round File 10"	no.	८५५.००	८५५.००	८७०.००
28	Heating Plate 10"	no.	७,३५०.००	७,३५०.००	७,४९५.००
29	Heating Plate 12"	no.	८,७८१.००	८,७८१.००	८,९५५.००
30	Heating Plate 3"	no.	१,५४८.००	१,५४८.००	१,५७५.००
31	Heating Plate 4"	no.	१,५४८.००	१,५४८.००	१,५७५.००
32	Heating Plate 5"	no.	२,३३७.००	२,३३७.००	२,३८०.००
33	Heating Plate 6"	no.	२,८३८.००	२,८३८.००	२,८९०.००
34	Heating Plate 8"	no.	४,४०७.००	४,४०७.००	४,४९५.००
35	Mason Square 12 "	no.	४८३.००	४८३.००	४९०.००
36	Mason Square 18 "	no.	६६२.००	६६२.००	६७५.००
37	Measuring Tape 100m	no.	३,४०५.००	३,४०५.००	३,४७०.००
38	Measuring Tape 30m	no.	१,७६४.००	१,७६४.००	१,७९५.००

४०

लक्ष्मी प्रसाद पौडेल
प्रमुख जिल्ला अधिकारी

Rate of WATER SUPPLY TOOLS and others

S. N.	Particulars	Unit	आ.व २०८१ /८२ (मू.अ.क. बाहेक)	आ.व २०८२/८३ (मू.अ.क. बाहेक)	आ.व २०८३/८४ (मू.अ.क. बाहेक)
39	Measuring Tape 3m	no.	१०५.००	१०५.००	१०७.००
40	Measuring Tape 50m	no.	२,५५२.००	२,५५२.००	२,६००.००
41	Measuring Tape 5m	no.	२२१.००	२२१.००	२२५.००
42	Nail hammer	no.	९९३.००	९९३.००	१,०१०.००
43	Oil Can	no.	७६७.००	७६७.००	७८०.००
44	Pick axe	no.	६३०.००	६३०.००	६४०.००
45	Pipe cutter 1 no.	no.	२,१२१.००	२,१२१.००	२,१६०.००
46	Pipe cutter 2 no.	no.	३,०५०.००	३,०५०.००	३,११०.००
47	Pipe cutter 3 no.	no.	४,०९४.००	४,०९४.००	४,१७५.००
48	Pipe cutter 4 no.	no.	६,६६०.००	६,६६०.००	६,७९०.००
49	Pipe vice 2 no.	no.	२,८८८.००	२,८८८.००	२,९४५.००
50	Pipe vice 3 no.	no.	४,०४३.००	४,०४३.००	४,१२०.००
51	Pipe vice 4 no.	no.	५,५१३.००	५,५१३.००	५,६२०.००
52	Pipe Wrench 10"	no.	१,०११.००	१,०११.००	१,०३०.००
53	Pipe Wrench 12"	no.	१,०४०.००	१,०४०.००	१,०६०.००
54	Pipe Wrench 14"	no.	१,५२५.००	१,५२५.००	१,५५५.००
55	Pipe Wrench 18"	no.	२,०७८.००	२,०७८.००	२,११५.००
56	Pipe Wrench 24"	no.	३,१३२.००	३,१३२.००	३,१९०.००
57	Pipe Wrench 36"	no.	५,८८०.००	५,८८०.००	५,९९५.००
58	Pipe Wrench 48"	no.	७,१२३.००	७,१२३.००	७,२६५.००
59	Ratchet Threader 1/2 To 1"	set	९,६२६.००	९,६२६.००	९,८१५.००
60	Ratchet Threader 1-1/4 To 2"	set	११,९२६.००	११,९२६.००	१२,१६०.००
61	Ratchet Threader 2-1/2 To 3"	set	१५,६०१.००	१५,६०१.००	१५,९१०.००
62	Ratchet Threader 4 "	set	१५,६९१.००	१५,६९१.००	१६,०००.००
63	Rubber Gasket	m	४,४१०.००	४,४१०.००	४,४९५.००
64	Pan (PVC) -कराही	no.	४२०.००	४२०.००	४२५.००
65	Pan (Steel) (कराही)	no.	५७८.००	५७८.००	५८५.००
66	कोदालो (Spade 0.5 kg)	no.	५७८.००	५७८.००	५८५.००
67	Shovel	set	६९३.००	६९३.००	७०५.००
68	Sledge Hammer 10 lbs	no.	१,६८०.००	१,६८०.००	१,७१०.००
69	Sledge Hammer -3 kg	no.	७५१.००	७५१.००	७६५.००
70	Sledge Hammer -5 kg	no.	१,१२९.००	१,१२९.००	१,१५०.००
71	Sledge Hammer -8 kg	no.	१,७२२.००	१,७२२.००	१,७५५.००
72	Smooth File 12 "	no.	९५५.००	९५५.००	९७०.००
73	Spirit level 18"	no.	७०६.००	७०६.००	७२०.००
74	Steel Brush	no.	६३.००	६३.००	६४.००
75	Stone chisel 1*12	no.	६२५.००	६२५.००	६३५.००
76	Stone chisel 1*6	no.	५१५.००	५१५.००	५२५.००

लक्ष्मी प्रसाद पौडेल
प्रमुख जिल्ला अधिकारी

Rate of WATER SUPPLY TOOLS and others

S. N.	Particulars	Unit	आ.व २०८१ /८२ (मू.अ.क. बाहेक)	आ.व २०८२/८३ (मू.अ.क. बाहेक)	आ.व २०८३/८४ (मू.अ.क. बाहेक)
77	Stone cutting hammer (0.5 kg)	no.	४४१.००	४४१.००	४४५.००
78	Stone cutting hammer (1.2 kg)	no.	६३०.००	६३०.००	६४०.००
79	Teflon Cloth	m	३,५५४.००	३,५५४.००	३,६२५.००
80	Teflon Tape	no.	३९.००	३९.००	४०.००
81	Thermocrome Chalk (Germany Made)	no.	२,३९४.००	२,३९४.००	२,४४०.००
82	Thermocrome Chalk (India Made)	no.	१,१९५.००	१,१९५.००	१,२१५.००
83	Tool Box with Key	no.	२,३२४.००	२,३२४.००	२,३७०.००
84	Wheel Barrow	set	९,७६५.००	९,७६५.००	९,९६०.००
Protective & Safety Equipment					
1	1m length flag	no.	९५.००	९५.००	९७.००
2	Bag (Standard)	no.	९१४.००	९१४.००	९३०.००
3	Cap (Standard)	no.	४८६.००	४८६.००	४९५.००
4	Full body harness	no.	६,६६८.००	६,६६८.००	६,८००.००
5	Gloves	no.	४८६.००	४८६.००	४९५.००
6	Goggles	no.	३६८.००	३६८.००	३७५.००
7	Half Harness	no.	४,८५१.००	४,८५१.००	४,९४५.००
8	Helmet	no.	७८८.००	७८८.००	८००.००
9	Mask	no.	१२१.००	१२१.००	१२२.००
10	Protective Gumboot (Standard)	no.	१,२१३.००	१,२१३.००	१,२३५.००
11	Protective shining & work man jacket (Standard)	no.	१,०९२.००	१,०९२.००	१,११०.००
12	Protective work wear (jacket)	no.	७२८.००	७२८.००	७४०.००
13	Rain coat	no.	१,८२२.००	१,८२२.००	१,८५५.००
14	Safety Belt	no.	२,२०५.००	२,२०५.००	२,२४५.००
15	DI K9/CI pipe both side Flanged				
	6 inch(150mm dia)	m	७,३५०.००	७,३५०.००	७,४९५.००
	8 inch(150mm dia)	m	९,४५०.००	९,४५०.००	९,६३५.००
	10 inch(150mm dia)	m	१२,०७५.००	१२,०७५.००	१२,३१५.००
16	MS housing Pipe				
	200mm dia 6mm thick ERW ms Housing pipe	m	४,७२५.००	४,७२५.००	४,८१५.००
	250mm dia 6mm thick ERW ms Housing pipe	m	७,३५०.००	७,३५०.००	७,४९५.००
	300mm dia 6mm thick ERW ms Housing pipe	m	८,९२५.००	८,९२५.००	९,१००.००
17	14 mm thick surface plate of suitable hole and MS or seamless bend for 6 inch and 12 inch housing pipe	nos	३१,५००.००	३१,५००.००	३२,१३०.००

Rate of RCC HUME PIPES NP3

S. N.	RCC Hume pipe NP3	Unit	आ.व २०८१/८२ (मू.अ.क. बाहेक)	आ.व २०८२/८३ (मू.अ.क. बाहेक)	आ.व २०८३/८४ (मू.अ.क. बाहेक)
1	150 mm	piece	३,७८२.००	३,७८२.००	३,९३३.००
2	200 mm	piece	५,०४५.००	५,०४५.००	५,२४७.००
3	250 mm	piece	६,०५२.००	६,०५२.००	६,२९४.००
4	300 mm	piece	८,८२६.००	८,८२६.००	९,१७९.००
5	350 mm	piece	९,५११.००	९,५११.००	९,८९१.००
6	400 mm	piece	११,३२१.००	११,३२१.००	११,७७४.००
7	450 mm	piece	१२,६१७.००	१२,६१७.००	१३,१२२.००
8	500 mm	piece	१४,१५९.००	१४,१५९.००	१४,७२५.००
9	600 mm	piece	१८,६६९.००	१८,६६९.००	१९,४१६.००
10	700 mm	piece	२१,१३२.००	२१,१३२.००	२१,९७७.००
11	800 mm	piece	२६,४९७.००	२६,४९७.००	२७,५५७.००
12	900 mm	piece	३४,०५८.००	३४,०५८.००	३५,४२०.००
13	1200 mm	piece	४५,४११.००	४५,४११.००	४७,२२७.००

Note: Above mentioned rate is for a piece of hume pipe having length 2.5m. If length is shorter, the rate should be adjusted accordingly.

लक्ष्मी प्रसाद मण्डल
प्रमुख जिल्ला अधिकारी


Rate of SUBMERSIBLE PUMP

S.N.	Description	Power	आ.व २०८१/८२ (मू.अ.क. बाहेक)	आ.व २०८२/८३ (मू.अ.क. बाहेक)	आ.व २०८३/८४ (मू.अ.क. बाहेक)
A	KSB or equivalent Submersible water pump set without Panel for 100 mm (4") Bore well (Single Phase), NRV size= 32 mm				
1	CORA 2AH/11 + XUMA (S) 100 – 0.75/22	1HP	90,185.00	90,185.00	90,185.00
B	KSB or equivalent Submersible water pump set without Panel for 100 mm (4") Bore well (Single Phase), NRV size= 40mm				
1	CORA 3AH/9 + XUMA (S) 100 – 0.75/22	1 HP	89,854.00	89,854.00	89,854.00
2	CORA 3AH/12 + XUMA (S) 100 – 1.1/22	1.5HP	93,603.00	93,603.00	93,603.00
C	KSB or equivalent Submersible water pump set with Panel for 100 mm (4") Bore well (Single Phase), NRV Size= 32mm				
1	CORA 1C/21 + XUMA (S) 100 – 0.75/22	1 HP	77,616.00	77,616.00	77,616.00
2	CORA 1C/21 + UMAI (T) 100 – 0.75/22	1 HP	77,616.00	77,616.00	77,616.00
3	CORA 1C/25 + XUMA (S) 100 – 0.75/22	1 HP	83,438.00	83,438.00	83,438.00
4	CORA 1C/25 + UMAI (T) 100 – 0.75/22	1 HP	83,438.00	83,438.00	83,438.00
5	CORA 1C/30 + XUMA (S) 100 – 1.1/22	1.5 HP	109,391.00	109,391.00	109,391.00
6	CORA 1C/30 + UMAI (T) 100 – 1.1/22	1.5 HP	109,391.00	109,391.00	109,391.00
7	CORA 1C/35 + XUMA (S) 100 – 1.1/22	1.5 HP	123,216.00	123,216.00	123,216.00
8	CORA 1C/35 + UMAI (T) 100 – 1.1/22	1.5 HP	123,216.00	123,216.00	123,216.00
9	CORA 1C/45 + XUMA (S) 100 – 2.2/22	2 HP	151,837.00	151,837.00	151,837.00
10	CORA 1C/45 + UMAI (T) 100 – 1.5/22	2 HP	151,837.00	151,837.00	151,837.00
	CORA 1C/50 + XUMA (S) 100 – 2.2/22	2 HP	157,658.00	157,658.00	157,658.00
	CORA 1C/50 + UMAI (T) 100 – 1.5/22	2 HP	157,658.00	157,658.00	157,658.00
D	KSB or equivalent Submersible water pump set without Panel for 100 mm (4") Bore well NRV Size = 32 mm.				
1	CORA 2C/11 + XUMA (S) 100 – 0.55/22	0.75HP	82,710.00	82,710.00	82,710.00
2	CORA 2C/11 + UMAI (T) 100 – 0.55/22	0.75HP	82,710.00	82,710.00	82,710.00
3	CORA 2C/13 + XUMA (S) 100 – 0.75/22	1 HP	91,442.00	91,442.00	91,442.00
4	CORA 2C/13 + UMAI (T) 100 – 0.75/22	1 HP	91,442.00	91,442.00	91,442.00
5	CORA 2C/15 + XUMA (S) 100 – 0.75/22	1 HP	95,323.00	95,323.00	95,323.00
6	CORA 2C/15 + UMAI (T) 100 – 0.75/22	1 HP	95,323.00	95,323.00	95,323.00
7	CORA 2C/18 + XUMA (S) 100 – 1.1/22	1.5 HP	102,357.00	102,357.00	102,357.00
8	CORA 2C/18 + UMAI (T) 100 – 1.1/22	1.5 HP	102,357.00	102,357.00	102,357.00
9	CORA 2C/21 + XUMA (S) 100 – 1.1/22	1.5 HP	105,995.00	105,995.00	105,995.00
10	CORA 2C/21 + UMAI (T) 100 – 1.1/22	1.5 HP	105,995.00	105,995.00	105,995.00
11	CORA 2C/23 + XUMA (S) 100 – 1.1/22	1.5 HP	109,633.00	109,633.00	109,633.00
12	CORA 2C/23 + UMAI (T) 100 – 1.1/22	1.5 HP	109,633.00	109,633.00	109,633.00
13	CORA 2C/25 + XUMA (S) 100 – 1.5/22	1.5 HP	111,573.00	111,573.00	111,573.00
14	CORA 2C/25 + UMAI (T) 100 – 1.5/22	1.5 HP	111,573.00	111,573.00	111,573.00
15	CORA 2C/30 + XUMA (S) 100 – 1.5/22	2 HP	127,339.00	127,339.00	127,339.00
16	CORA 2C/30 + UMAI (T) 100 – 1.5/22	2 HP	127,339.00	127,339.00	127,339.00
17	CORA 2C/38 + XUMA (S) 100 – 2.2/23	3 HP	145,530.00	145,530.00	145,530.00
18	CORA 2C/38 + UMAI (T) 100 – 2.2/22	3HP	145,530.00	145,530.00	145,530.00
19	CORA 2C/45 + XUMA (S) 100 – 2.2/22	3 HP	152,079.00	152,079.00	152,079.00
20	CORA 2C/45 + UMAI (T) 100 – 2.2/22	3HP	152,079.00	152,079.00	152,079.00
21	CORA 2C/50 + UMAI (T) 100 – 3/23	4 HP	169,300.00	169,300.00	169,300.00

लक्ष्मी प्रसाद पौडेल
प्रमुख जिल्ला अधिकारी

Rate of SUBMERSIBLE PUMP

S.N.	Description	Power	आ.व २०८१/८२ (मू.अ.क. बाहेक)	आ.व २०८२/८३ (मू.अ.क. बाहेक)	आ.व २०८३/८४ (मू.अ.क. बाहेक)
E	KSB or equivalent Submersible water pump set without Panel for 100 mm (4") Bore well NRV Size = 40 mm.				
1	CORA 4C/15 + XUMA (S) 100 - 1.5/22	2 HP	106,480.00	106,480.00	106,480.00
2	CORA 4C/15 + UMAI (T) 100 - 1.5/22	2 HP	106,480.00	106,480.00	106,480.00
3	CORA 4C/17 + XUMA (S) 100 - 2.2/22	3 HP	113,999.00	113,999.00	113,999.00
4	CORA 4C/17 + UMAI (T) 100 - 2.2/22	3 HP	113,999.00	113,999.00	113,999.00
5	CORA 4C/19 + XUMA (S) 100 - 2.2/22	3 HP	119,578.00	119,578.00	119,578.00
6	CORA 4C/19 + UMAI (T) 100 - 2.2/22	3 HP	119,578.00	119,578.00	119,578.00
7	CORA 4C/23 + XUMA (S) 100 - 2.2/22	3 HP	125,641.00	125,641.00	125,641.00
8	CORA 4C/23 + UMAI (T) 100 - 2.2/22	3 HP	125,641.00	125,641.00	125,641.00
9	CORA 4C/25 + UMAI (T) 100 - 3/22	4 HP	150,867.00	150,867.00	150,867.00
10	CORA 4C/30 + UMAI (T) 100 - 3/22	4 HP	162,509.00	162,509.00	162,509.00
11	CORA 4C/35 + UMAI (T) 100 - 3.7/22	5 HP	183,611.00	183,611.00	183,611.00
12	CORA 4C/40 + UMAI (T) 100 - 3.7/22	5 HP	200,832.00	200,832.00	200,832.00
13	CORA 4C/50 + UMAI (T) 100 - 4.5/22	6 HP	219,266.00	219,266.00	219,266.00
14	CORA 4C/60 + UMAI (T) 100 - 4.5/22	7.5 HP	231,151.00	231,151.00	231,151.00
F	KSB or equivalent Submersible water pump set without Panel for 100 mm (4") Bore well NRV Size = 40 mm.				
1	CORA 7C/10 + XUMA (S) 100 - 1.5/22	2 HP	103,084.00	103,084.00	103,084.00
2	CORA 7C/10 + UMAI (T) 100 - 1.5/22	2 HP	103,084.00	103,084.00	103,084.00
3	CORA 7C/13 + XUMA (S) 100 - 2.2/22	3 HP	107,693.00	107,693.00	107,693.00
4	CORA 7C/15 + UMAI (T) 100 - 2.2/22	3 HP	122,973.00	122,973.00	122,973.00
5	CORA 7C/19 + UMAI (T) 100 - 3/22	4 HP	140,679.00	140,679.00	140,679.00
6	CORA 7C/22 + UMAI (T) 100 - 3.7/22	5 HP	151,109.00	151,109.00	151,109.00
7	CORA 7C/25 + UMAI (T) 100 - 3.7/22	5 HP	160,811.00	160,811.00	160,811.00
8	CORA 7C/31 + UMAI (T) 100 - 4.5/22	6 HP	183,368.00	183,368.00	183,368.00
9	CORA 7C/35 + UMAI (T) 100 - 5.5/22	7.5 HP	208,836.00	208,836.00	208,836.00
G	KSB or equivalent Submersible water pump set without Panel for 100 mm (4") Bore well NRV Size = 50 mm.				
1	CORA 12C/7 + XUMA (S) 100 - 1.5/22	2 HP	106,722.00	106,722.00	106,722.00
2	CORA 12C/10 + XUMA (S) 100 - 2.2/22	3 HP	123,944.00	123,944.00	123,944.00
3	CORA 12C/10 + UMAI (T) 100 - 2.2/22	3 HP	123,944.00	123,944.00	123,944.00
4	CORA 12C/13 + UMAI (T) 100 - 3/22	4 HP	143,348.00	143,348.00	143,348.00
5	CORA 12C/17 + UMAI (T) 100 - 3.7/22	5 HP	162,752.00	162,752.00	162,752.00
6	CORA 12C/21 + UMAI (T) 100 - 4.5/22	6 HP	192,828.00	192,828.00	192,828.00
7	CORA 12C/27 + UMAI (T) 100 - 5.5/22	7.5 HP	219,993.00	219,993.00	219,993.00
H	KSB or equivalent Submersible water pump set without Panel for 100 mm (4") Bore well NRV Size = 65mm				
1	CORA 18C/5 + XUMA(S) 100 - 1.5/22	2 HP	103,084.00	103,084.00	103,084.00
2	CORA 18C/5 + UMAI (T) 100 - 1.5/22	2 HP	103,084.00	103,084.00	103,084.00
3	CORA 18C/8 + XUMA (S) 100 - 2.2/22	3 HP	113,514.00	113,514.00	113,514.00
4	CORA 18C/8 + UMAI (T) 100 - 2.2/22	3 HP	113,514.00	113,514.00	113,514.00
5	CORA 18C/10 + UMAI (T) 100 - 3.0/22	4 HP	131,463.00	131,463.00	131,463.00
6	CORA 18C/11 + UMAI (T) 100 - 3.0/22	4 HP	137,526.00	137,526.00	137,526.00
7	CORA 18C/12 + UMAI (T) 100 - 3.7/22	5 HP	147,471.00	147,471.00	147,471.00



Rate of SUBMERSIBLE PUMP

S.N.	Description	Power	आ.व २०८१/८२ (मू.अ.क. बाहेक)	आ.व २०८२/८३ (मू.अ.क. बाहेक)	आ.व २०८३/८४ (मू.अ.क. बाहेक)
8	CORA 18C/14 + UMAI (T) 100 – 3.7/22	5 HP	156,688.00	156,688.00	156,688.00
9	CORA 18C/17 + UMAI (T) 100 – 4.5/22	6 HP	176,092.00	176,092.00	176,092.00
10	CORA 18C/20 + UMAI (T) 100 – 5.5/22	7.5 HP	193,313.00	193,313.00	193,313.00
I	KSB or equivalent Submersible water pump set without Panel for 150 mm (6") Bore well NRV Size= 50mm				
1	UQD 112/15 + UMAI 150 – 3/22	5 HP	162,994.00	162,994.00	162,994.00
2	UQD 112/18 + UMAI 150 – 4/22	6 HP	187,007.00	187,007.00	187,007.00
3	UQD 112/20 + UMAI 150 – 6/22	7.5 HP	206,896.00	206,896.00	206,896.00
4	UQD 112/23 + UMAI 150 – 6/22	7.5HP	220,236.00	220,236.00	220,236.00
5	UQD 112/25 + UMAI 150 – 8/22	10 HP	249,827.00	249,827.00	249,827.00
6	UQD 112/28 + UMAI 150 – 8/22	10 HP	262,682.00	262,682.00	262,682.00
7	UQD 112/30 + UMAI 150 – 8/22	10 HP	274,810.00	274,810.00	274,810.00
8	UQD 112/34 + UMAI 150 – 9/22	12.5 HP	309,737.00	309,737.00	309,737.00
	UQD 112/36 + UMAI 150 – 9/22	12.5 HP	315,558.00	315,558.00	315,558.00
J	KSB or equivalent Submersible water pump set without Panel for 150 mm (6") Bore well NRV Size= 50mm				
1	UQD 152/10 + UMAI 150 – 3/22	5 HP	158,143.00	158,143.00	158,143.00
2	UQD 152/15 + UMAI 150 – 6/22	7.5 HP	194,526.00	194,526.00	194,526.00
3	UQD 152/17 + UMAI 150 – 6/22	7.5 HP	202,530.00	202,530.00	202,530.00
4	UQD 152/20 + UMAI 150 – 8/22	10 HP	242,065.00	242,065.00	242,065.00
5	UQD 152/22 + UMAI 150 – 8/22	10 HP	246,916.00	246,916.00	246,916.00
6	UQD 152/26 + UMAI 150 – 9/22	12.5 HP	288,150.00	288,150.00	288,150.00
7	UQD 152/30 + UMAI 150 – 13/22	15 HP	323,320.00	323,320.00	323,320.00
8	UQD 152/35 + UMAH 150 – 16/22	17.5 HP	324,775.00	324,775.00	324,775.00
K	KSB or equivalent Submersible water pump set without Panel for 150 mm (6") Bore well NRV Size =50mm.				
1	UQD 182/10 + UMAI 150 - 6/22	7.5 HP	175,122.00	175,122.00	175,122.00
2	UQD 182/13 + UMAI 150 - 8/22	10 HP	202,045.00	202,045.00	202,045.00
3	UQD 182/16 + UMAI 150 - 9/22	12.5 HP	225,572.00	225,572.00	225,572.00
4	UQD 182/20 + UMAI 150 - 13/22	15 HP	264,380.00	264,380.00	264,380.00
5	UQD 182/23 + UMAH 150 - 16/22	17.5 HP	276,265.00	276,265.00	276,265.00
6	UQD 182/26 + UMAH 150 - 21/22	20 HP	314,830.00	314,830.00	314,830.00
7	UQD 182/32 + UMAH 150 - 24/22	25 HP	365,523.00	365,523.00	365,523.00
L	KSB or equivalent Submersible water pump set without Panel for 150 mm (6") Bore well NRV Size =50mm.				
1	UQD 212/5 + UMAI 150 – 3/22	5 HP	138,122.00	138,122.00	138,122.00
2	UQD 212/7 + UMAI 150 – 6/22	7.5 HP	182,905.00	182,905.00	182,905.00
3	UQD 212/10 + UMAI 150 – 8/22	10 HP	202,287.00	202,287.00	202,287.00
4	UQD 212/12 + UMAI 150 – 9/22	12.5 HP	236,244.00	236,244.00	236,244.00
5	UQD 212/14 + UMAI 150 – 13/22	15 HP	272,869.00	272,869.00	272,869.00
6	UQD 212/18 + UMAH 150 – 16/22	17.5 HP	285,967.00	285,967.00	285,967.00
7	UQD 212/20 + UMAH 150 – 21/22	20 HP	330,839.00	330,839.00	330,839.00
8	UQD 212/24 + UMAH 150 – 24/22	25 HP	387,353.00	387,353.00	387,353.00

(Handwritten signature)

(Handwritten signature)

(Handwritten signature)

४६

(Handwritten signature)
 लक्ष्मी प्रसाद पाण्डे
 प्रमुख जिल्ला अधिकारी

Rate of SUBMERSIBLE PUMP

S.N.	Description	Power	आ.व २०८१/८२ (मू.अ.क. बाहेक)	आ.व २०८२/८३ (मू.अ.क. बाहेक)	आ.व २०८३/८४ (मू.अ.क. बाहेक)
M	KSB or equivalent Submersible water pump set without Panel for 150 mm (6") Bore well NRV Size = 65 mm.				
1	BPD 242/4A + UMAI 150 - 3/22	5 HP	147,713.00	147,713.00	147,713.00
2	BPD 242/6A + UMAI 150 - 6/22	7.5 HP	177,790.00	177,790.00	177,790.00
3	BPD 242/8A + UMAI 150 - 8/22	10 HP	201,802.00	201,802.00	201,802.00
4	BPD 242/10A + UMAI 150 - 9/22	12.5 HP	248,372.00	248,372.00	248,372.00
5	BPD 242/12A + UMAI 150 - 13/22	15 HP	282,329.00	282,329.00	282,329.00
6	BPD 242/14A + UMAH 150 - 16/22	17.5 HP	338,115.00	338,115.00	338,115.00
7	BPD 242/15A + UMAH 150 - 21/22	20 HP	374,983.00	374,983.00	374,983.00
8	BPD 242/18A + UMAH 150 - 24/22	25 HP	422,037.00	422,037.00	422,037.00
N	KSB or equivalent Submersible water pump set without Panel for 150 mm (6") Bore well NRV Size = 75/100 mm.				
1	BPD 273/3 + UMAI 150 - 3/22	5 HP	147,956.00	147,956.00	147,956.00
2	BPD 273/4 + UMAI 150 - 6/22	7.5 HP	171,968.00	171,968.00	171,968.00
3	BPD 273/5A + UMAI 150 - 6/22	7.5 HP	182,156.00	182,156.00	182,156.00
4	BPD 273/6 + UMAI 150 - 8/22	10 HP	218,538.00	218,538.00	218,538.00
5	BPD 273/7A + UMAI 150 - 8/22	10 HP	229,695.00	229,695.00	229,695.00
6	BPD 273/8A + UMAI 150 - 9/22	12.5 HP	265,108.00	265,108.00	265,108.00
7	BPD 273/10A + UMAI 150 - 13/22	15 HP	298,094.00	298,094.00	298,094.00
8	BPD 273/10 + UMAH 150 - 16/22	17.5 HP	296,397.00	296,397.00	296,397.00
9	BPD 273/12 + UMAH 150 - 21/22	20 HP	340,541.00	340,541.00	340,541.00
O	KSB or equivalent Submersible water pump set without Panel for 150 mm (6") Bore well NRV Size = 75/100 mm.				
1	BPD 302/3 + UMAI 150 - 6/22	7.5 HP	175,276.00	175,276.00	175,276.00
2	BPD 302/4 + UMAI 150 - 6/22	7.5 HP	178,628.00	178,628.00	178,628.00
3	BPD 302/5 + UMAI 150 - 8/22	10 HP	210,534.00	210,534.00	210,534.00
4	BPD 302/6 + UMAI 150 - 9/22	12.5 HP	239,640.00	239,640.00	239,640.00
5	BPD 302/6 + UMAI 150 - 13/22	15 HP	265,350.00	265,350.00	265,350.00
6	BPD 302/7 + UMAI 150 - 13/22	15 HP	276,993.00	276,993.00	276,993.00
7	BPD 302/8 + UMAH 150 - 16/22	17.5 HP	301,975.00	301,975.00	301,975.00
8	BPD 302/8 + UMAH 150 - 21/22	20 HP	307,796.00	307,796.00	307,796.00
9	BPD 302/9 + UMAH 150 - 21/22	20 HP	318,469.00	318,469.00	318,469.00
10	BPD 302/10 + UMAH 150 - 24/22	25 HP	375,468.00	375,468.00	375,468.00
11	BPD 302/12 + UMAH 150 - 24/22	25 HP	396,570.00	396,570.00	396,570.00
P	KSB or equivalent Submersible water pump set without Panel for 150 mm (6") Bore well NRV Size = 50 mm. (Stainless Steel constructionM: Impller/ Diffusers /bowl)				
1	UPF 60/23 + UMAI 150 - 13/22	15 HP	348,280.00	348,280.00	348,280.00
2	UPF 60/30 + UMAH 150 - 21/22	20 HP	435,863.00	435,863.00	435,863.00
3	UPF 80/30 + UMAH 150 - 24/22	25 HP	464,726.00	464,726.00	464,726.00
4	UPF 100/25 + UMAH 150 - 24/22	25 HP	430,042.00	430,042.00	430,042.00

Rate of SUBMERSIBLE PUMP

S.N.	Description	Power	आ.व २०८१/८२ (मू.अ.क. बाहेक)	आ.व २०८२/८३ (मू.अ.क. बाहेक)	आ.व २०८३/८४ (मू.अ.क. बाहेक)
Q	KSB or equivalent Submersible water pump set without Panel for 150 mm (6") Bore well NRV Size = 65 mm. (Stainless Steel constructionM: Impller/ Diffusers /bowl)				
1	UPF 125/20 + UMAH 150 - 24/22	25 HP	415,489.00	415,489.00	415,489.00
R	KSB or equivalent Submersible water pump set without Panel for 175mm+150mm (7") Bore well NRV Size = 100 mm				
1	BPI 322/3A + UMAI 150 - 8/22	10 HP	197,194.00	197,194.00	197,194.00
2	BPI 322/3C + UMAI 150 - 9/22	12.5 HP	225,087.00	225,087.00	225,087.00
3	BPI 322/4B + UMAI 150 - 13/22	15 HP	252,980.00	252,980.00	252,980.00
	BPI 322/4C + UMAG 150 - 16/22	17.5 HP	295,911.00	295,911.00	295,911.00
4	BPI 322/5C + UMAG 150 - 21/22	20 HP	298,094.00	298,094.00	298,094.00
5	BPI 322/6C + UMAG 150 - 24/22	25 HP	357,034.00	357,034.00	357,034.00
S	KSB or equivalent Submersible water pump set without Panel for 200mm+150mm (8") Bore well NRV Size = 100 mm				
1	BPHA 333/3B + UMAI 150 - 9/22	12.5 HP	245,219.00	245,219.00	245,219.00
2	BPHA 333/3D + UMAI 150 - 13/22	15 HP	258,316.00	258,316.00	258,316.00
3	BPHA 333/3C + UMAH150 - 21/21	20 HP	290,090.00	290,090.00	290,090.00
4	BPHA 333/4F + UMAH 150 - 24/21	25 HP	328,171.00	328,171.00	328,171.00
T	KSB or equivalent Submersible water pump set without Panel for 200mm +150MM.(8") Bore well NRV Size = 125 mm				
1	BPHA 384/2F + UMAI 150 - 13/22	15 HP	239,155.00	239,155.00	239,155.00
2	BPHA 384/2D + UMAH 150 - 21/22	20 HP	282,086.00	282,086.00	282,086.00
3	BPHA 384/3G + UMAH 150 - 24/22	25 HP	337,145.00	337,145.00	337,145.00
U	KSB or equivalent Submersible water pump set without Panel for 200mm (8") Bore well NRV Size = 75 mm				
1	UPHA 233/14 + HBC 333	33 HP	550,832.00	550,832.00	550,832.00
2	UPHA 233/16 + HBC 413	41 HP	635,481.00	635,481.00	635,481.00
V	KSB or equivalent Submersible water pump set without Panel for 200mm (8") Bore well NRV Size = 75 mm				
1	UPHA 263/8 + HBC 253	25 HP	431,739.00	431,739.00	431,739.00
2	UPHA 263/10 + HBC 303	30 HP	480,492.00	480,492.00	480,492.00
3	UPHA 263/12 + HBC 333	33 HP	521,726.00	521,726.00	521,726.00
4	UPHA 263/14 + HBC 413	41 HP	603,950.00	603,950.00	603,950.00
W	KSB or equivalent Submersible water pump set without Panel for 200mm (8") Bore well NRV Size = 75 mm				
1	UPHA 293/5A + HBC 253	25 HP	385,412.00	385,412.00	385,412.00
2	UPHA 293/6A + HBC 253	25 HP	403,604.00	403,604.00	403,604.00
3	UPHA 293/6A + HBC 303	30 HP	439,501.00	439,501.00	439,501.00
4	UPHA 293/7 + HBC 303	30 HP	456,237.00	456,237.00	456,237.00
5	UPHA 293/7 + HBC 333	33 HP	482,918.00	482,918.00	482,918.00
6	UPHA 293/8 + HBC 333	33 HP	524,879.00	524,879.00	524,879.00

लक्ष्मी प्रसाद पौडेल
 प्रमुख जिल्ला अधिकारी

Rate of SUBMERSIBLE PUMP

S.N.	Description	Power	आ.व २०८१/८२ (मू.अ.क. बाहेक)	आ.व २०८२/८३ (मू.अ.क. बाहेक)	आ.व २०८३/८४ (मू.अ.क. बाहेक)
7	UPHA 293/8 + HBC 413	41 HP	645,845.00	645,845.00	645,845.00
8	UPHA 293/10 + HBC 523	52 HP	845,045.00	845,045.00	845,045.00
9	UPHA 293/11 + HBC 523	52 HP	859,598.00	859,598.00	859,598.00
X	KSB or equivalent Submersible water pump set without Panel for 200mm (8") Bore well NRV Size =100 mm				
1	BPHA 333/4F + HBC 253	25 HP	408,455.00	408,455.00	408,455.00
2	BPHA 333/4C + HBC 303	30 HP	433,922.00	433,922.00	433,922.00
3	BPHA 333/5F + HBC 303	30 HP	448,961.00	448,961.00	448,961.00
4	BPHA 333/5F + HBC 333	33 HP	465,211.00	465,211.00	465,211.00
5	BPHA 333/6F + HBC 333	33 HP	491,164.00	491,164.00	491,164.00
6	BPHA 333/6C + HBC 413	41 HP	614,865.00	614,865.00	614,865.00
7	BPHA 333/7F + HBC 413	41 HP	642,758.00	642,758.00	642,758.00
8	BPHA 333/7 + HBC 523	52 HP	797,990.00	797,990.00	797,990.00
9	BPHA 333/8 + HBC 603	60 HP	881,185.00	881,185.00	881,185.00
Y	KSB or equivalent Submersible water pump set without Panel for 200mm (8") Bore well NRV Size =125 mm				
1	BPHA 384/3G + HBC 253	25	390,749.00	390,749.00	390,749.00
2	BPHA 384/3D + HBC 303	30	417,186.00	417,186.00	417,186.00
3	BPHA 384/4J + HBC 333	33	474,671.00	474,671.00	474,671.00
4	BPHA 384/4D + HBC 413	41	572,176.00	572,176.00	572,176.00
5	BPHA 384/5J + HBC 413	41	613,652.00	613,652.00	613,652.00
Z	KSB or equivalent Submersible water pump set without Panel for 200mm (8") Bore well NRV Size =150 mm				
1	BPHA 373/2A + HBC 153	15 HP	291,788.00	291,788.00	291,788.00
2	BPHA 373/2B + HBC 203	20 HP	321,137.00	321,137.00	321,137.00
3	BPHA 373/3C + HBC 253	25 HP	387,838.00	387,838.00	387,838.00
4	BPHA 373/3D + HBC 333	33 HP	445,322.00	445,322.00	445,322.00
5	BPHA 373/4B + HBC 413	41 HP	575,329.00	575,329.00	575,329.00
AA	KSB or equivalent Submersible water pump set without Panel for 250mm (10") Bore well NRV Size =125mm				
1	BPN 394/03 + NB 623	62 HP	922,903.00	922,903.00	922,903.00
2	BPN 374/7 + NB 1003	100 HP	1,726,471.00	1,726,471.00	1,726,471.00
AB	KRTU				
1	KRTUP E 65/115 - 12	1.5 HP	244,248.00	244,248.00	244,248.00
2	KRTU PF 100/215 - 44	7.5 HP	369,889.00	369,889.00	369,889.00
3	KRTU PF 100/210 - 34	12.5 HP	362,613.00	362,613.00	362,613.00
AC	AMAPORTER				
1	AMAPORTER 501 SE	1.5	182,156.00	182,156.00	182,156.00
2	AMAPORTER 503 ND	2	259,772.00	259,772.00	259,772.00
3	AMAPORTER 503 SE	1.5	229,938.00	229,938.00	229,938.00
AD	AMAREX				
1	AMAREX NF 50 - 170/022 ULG - Ø140 (P)	4 HP	305,371.00	305,371.00	305,371.00
2	AMAREX NS 50 - 222/042 ULG - Ø190 (P)	6 HP	359,460.00	359,460.00	359,460.00

लक्ष्मी प्रसाद चौडै
प्रमुख जिल्ला अधिकारी

Rate of SUBMERSIBLE PUMP

S.N.	Description	Power	आ.व २०८१/८२ (मू.अ.क. बाहेक)	आ.व २०८२/८३ (मू.अ.क. बाहेक)	आ.व २०८३/८४ (मू.अ.क. बाहेक)
3 Core Flat submersible Flexible copper cable					
SN	Size				
1	1.5 sq.mm.		331.00	331.00	331.00
2	2.5 sq.mm.		441.00	441.00	441.00
3	4 sq.mm.		662.00	662.00	662.00
4	6 sq.mm.		882.00	882.00	882.00
5	10 sq.mm.		1,323.00	1,323.00	1,323.00
6	16 sq.mm.		1,709.00	1,709.00	1,709.00
7	25 sq.mm.		2,371.00	2,371.00	2,371.00
Panel Boards					
SN	Model				
1	1 HP single phase panel- Capacitor Star and Run		22,602.00	22,602.00	22,602.00
2	1 HP single phase panel- Capacitor Star and Run		27,012.00	27,012.00	27,012.00
3	1 HP single phase panel- Capacitor Star and Run		31,422.00	31,422.00	31,422.00
4	1 HP single phase panel- Capacitor Star and Run		35,832.00	35,832.00	35,832.00
5	3-5 HP Direction On Line (DOL) Control Panel		48,920.00	48,920.00	48,920.00
6	6-7.5HP Direction On Line (DOL) Control Panel		68,907.00	68,907.00	68,907.00
7	10-15 HP Star/Delta (S/D) Control Panel		97,847.00	97,847.00	97,847.00
8	17.5 HP Star/Delta (S/D) Control Panel		106,392.00	106,392.00	106,392.00
9	20 HP Star/Delta (S/D) Control Panel		113,448.00	113,448.00	113,448.00
10	25 HP Star/Delta (S/D) Control Panel		131,088.00	131,088.00	131,088.00
11	30-35 HP Star/Delta (S/D) Control Panel		149,389.00	149,389.00	149,389.00
12	40-41 HP Star/Delta (S/D) Control Panel		187,977.00	187,977.00	187,977.00



About concrete

District Rate List FY 2082-83 parbat		FY 2082-83 (Excluding VAT)		FY 2083-84 (Excluding VAT)	
S.No	Description of Items	MRP Per Pcs (Ex VAT)	MRP Per Cubic Meter (Ex VAT)	MRP Per Pcs (Ex VAT)	MRP Per Cubic Meter (Ex VAT)
1	Bricks Grey Color with compressive strength M10 or above. (Specification: Thickness: 70mm, Dimension:230*110*70, Tolerance/others:Machine Made Precast Concrete Bricks)	26.00	14,680.98	27.00	15245.63
	Bricks Single Color with compressive strength M10 or above. (Specification: Thickness: 70mm, Dimension:230*110*70, Tolerance/others:Machine Made Precast Concrete Bricks)	28.00	15,810.28	29.00	16374.94
2	Bricks Grey Color with compressive strength M10 or above. (Specification: Thickness: 55mm, Dimension:230*110*55, Tolerance/others:Machine Made Precast Concrete Bricks)	22.00	15,810.28	23.00	16528.93
	Bricks Single Color with compressive strength M10 or above. (Specification: Thickness: 55mm, Dimension:230*110*55, Tolerance/others:Machine Made Precast Concrete Bricks)	24.00	17,247.58	25.00	17966.23
3	Hollocon Grey Color with compressive strength M7 or above. (Specification: Thickness: 200mm, Dimension:390*200*190, Tolerance/others:Machine Made)	170.00	2,294.15	177.00	2388.62
	Hollocon Single Color with compressive strength M7 or above. (Specification: Thickness: 200mm, Dimension:390*200*190, Tolerance/others:Machine Made)	190.00	2,564.05	198.00	2672.01
4	Hollocon Grey Color with compressive strength M7 or above. (Specification: Thickness: 150mm, Dimension:390*150*190, Tolerance/others:Machine Made)	132.00	1,781.34	137.00	1848.82
	Hollocon Single Color with compressive strength M7 or above. (Specification: Thickness: 150mm, Dimension:390*150*190, Tolerance/others:Machine Made)	150.00	2,024.25	156.00	2105.22
5	Hollocon Grey Color with compressive strength M7 or above. (Specification: Thickness: 100mm, Dimension:390*100*190, Tolerance/others:Machine Made)	111.00	1,497.95	115.00	1551.93
	Hollocon Single Color with compressive strength M7 or above. (Specification: Thickness: 100mm, Dimension:390*100*190, Tolerance/others:Machine Made)	125.00	1,686.88	130.00	1754.35
6	Hexagon Interlock Pavers Grey Color with compressive strength M30 or above. Thickness: 50mm, Dimension: 226*200*50 (NS Standard)	43.00	1,277.00	45.00	1336.39
	Hexagon Interlock Pavers Single Color with compressive strength M30 or above. Thickness: 50mm, Dimension: 226*200*50 (NS Standard)	50.00	1,484.88	52.00	1544.28
	Hexagon Interlock Pavers Blended Color with compressive strength M30 or above. Thickness: 50mm, Dimension: 226*200*50 (NS Standard)	53.00	1,573.97	55.00	1633.37
7	Hexagon Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension: 226*200*60 (NS Standard)	51.00	1,514.58	53.00	1573.97
	Hexagon Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension: 226*200*60 (NS Standard)	58.00	1,722.46	60.00	1781.86
	Hexagon Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension: 226*200*60 (NS Standard)	61.00	1,811.55	63.00	1870.95
8	Hexagon Interlock Pavers Grey Color with compressive strength M40 or above. Thickness: 70mm, Dimension: 226*200*70 (NS Standard)	63.60	1,888.77	66.00	1960.04
	Hexagon Interlock Pavers Single Color with compressive strength M40 or above. Thickness: 70mm, Dimension: 226*200*70 (NS Standard)	67.00	1,989.74	70.00	2078.83
	Hexagon Interlock Pavers Blended Color with compressive strength M40 or above. Thickness: 70mm, Dimension: 226*200*70 (NS Standard)	70.00	2,078.83	73.00	2167.92




[Handwritten signatures and initials at the top of the page]

S.No	Description of Items	MRP Per Pcs (Ex VAT)	MRP Per Cubic Meter (Ex VAT)	MRP Per Pcs (Ex VAT)	MRP Per Cubic Meter (Ex VAT)
9	Hexagon Interlock Pavers Grey Color with compressive strength M40 or above. Thickness: 80mm, Dimension: 226*200*80 (NS Standard)	72.00	2,138.23	75.00	2227.32
	Hexagon Interlock Pavers Single Color with compressive strength M40 or above. Thickness: 80mm, Dimension: 226*200*80 (NS Standard)	79.00	2,346.11	82.00	2435.20
	Hexagon Interlock Pavers Blended Color with compressive strength M40 or above. Thickness: 80mm, Dimension: 226*200*80 (NS Standard)	82.00	2,435.20	85.00	2524.30
10	Rectangular Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension: 200*100*60 (NS Standard)	42.00	2,101.43	44.00	2201.50
	Rectangular Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension: 200*100*60 (NS Standard)	51.00	2,551.73	53.00	2651.80
	Rectangular Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension: 200*100*60 (NS Standard)	59.00	2,952.01	61.00	3052.07
11	Rectangular Interlock Pavers Grey Color with compressive strength M50 or above. Thickness: 100mm, Dimension: 200*100*100 (NS Standard)	88.00	4,402.99	92.00	4603.13
	Rectangular Interlock Pavers Single Color with compressive strength M50 or above. Thickness: 100mm, Dimension: 200*100*100 (NS Standard)	96.00	4,803.26	100.00	5003.40
	Rectangular Interlock Pavers Blended Color with compressive strength M50 or above. Thickness: 100mm, Dimension: 200*100*100 (NS Standard)	99.00	4,953.37	103.00	5153.50
12	Behaton Interlock I Pavers Grey Color with compressive strength M35 or above. Thickness: 50mm, Dimension: 200*165*50 (NS Standard)	42.00	1,546.02	44.00	1619.64
	Behaton Interlock I Pavers Single Color with compressive strength M35 or above. Thickness: 50mm, Dimension: 200*165*50 (NS Standard)	52.00	1,914.12	54.00	1987.74
	Behaton Interlock I Pavers Blended Color with compressive strength M35 or above. Thickness: 50mm, Dimension: 200*165*50 (NS Standard)	60.00	2,208.60	62.00	2282.22
13	Behaton Interlock I Pavers Grey Color with compressive strength M40 or above. Thickness: 80mm, Dimension: 200*165*80 (NS Standard)	65.00	2,392.65	68.00	2503.08
	Behaton Interlock I Pavers Single Color with compressive strength M40 or above. Thickness: 80mm, Dimension: 200*165*80 (NS Standard)	76.00	2,797.56	79.00	2907.99
	Behaton Interlock I Pavers Blended Color with compressive strength M40 or above. Thickness: 80mm, Dimension: 200*165*80 (NS Standard)	90.00	3,312.90	94.00	3460.14
14	Uni Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension: 240*120*60 (NS Standard)	51.00	1,767.01	53.00	1836.30
	Uni Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension: 240*120*60 (NS Standard)	63.00	2,182.77	66.00	2286.72
	Uni Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension: 240*120*60 (NS Standard)	72.00	2,494.60	75.00	2598.54
15	Zigzag Interlock Pavers Grey Color with compressive strength M40 or above. Thickness: 80mm, Dimension: 225*112.5*80 (NS Standard)	64.00	2,528.00	67.00	2646.50
	Zigzag Interlock Pavers Single Color with compressive strength M40 or above. Thickness: 80mm, Dimension: 225*112.5*80 (NS Standard)	78.00	3,081.00	81.00	3199.50
	Zigzag Interlock Pavers Blended Color with compressive strength M40 or above. Thickness: 80mm, Dimension: 225*112.5*80 (NS Standard)	88.00	3,476.00	92.00	3634.00

[Handwritten signatures and initials at the bottom left]

[Handwritten signature and stamp at the bottom right]
 लक्ष्मी प्रसाद पौडेल
 प्रमुख जिल्ला अधिकारी



[Handwritten signatures and initials]

[Handwritten signatures and initials]

S.No	Description of Items	MRP Per Pcs (Ex VAT)	MRP Per Cubic Meter (Ex VAT)	MRP Per Pcs (Ex VAT)	MRP Per Cubic Meter (Ex VAT)
16	Zigzag Interlock Pavers Grey Color with compressive strength M50 or above. Thickness: 100mm, Dimension:225*112.5*100 (NS Standard)	110.00	4,345.00	114.00	4503.00
	Zigzag Interlock Pavers Single Color with compressive strength M50 or above. Thickness: 100mm, Dimension:225*112.5*100 (NS Standard)	119.00	4,700.50	124.00	4898.00
	Zigzag Interlock Pavers Blended Color with compressive strength M50 or above. Thickness: 100mm, Dimension:225*112.5*100 (NS Standard)	122.00	4,819.00	127.00	5016.49
17	Zigzag Interlock Pavers Grey Color with compressive strength M55 or above. Thickness: 120mm, Dimension:225*112.5*120 (NS Standard)	133.00	5,253.49	138.00	5450.99
	Zigzag Interlock Pavers Single Color with compressive strength M55 or above. Thickness: 120mm, Dimension:225*112.5*120 (NS Standard)	143.00	5,648.49	149.00	5885.49
	Zigzag Interlock Pavers Blended Color with compressive strength M55 or above. Thickness: 120mm, Dimension:225*112.5*120 (NS Standard)	148.00	5,845.99	154.00	6082.99
18	Romba 3D interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*173*60 (NS Standard)	62.00	1,829.91	64.00	1888.94
	Romba 3D interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*173*60 (NS Standard)	73.00	2,154.57	76.00	2243.12
	Romba 3D interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*173*60 (NS Standard)	82.00	2,420.20	85.00	2508.75
19	Square Interlock Pavers Grey Color with compressive strength M30 or above. Thickness: 50mm, Dimension:200*200*50 (NS Standard)	70.00	1,749.68	73.00	1824.67
	Square Interlock Pavers Single Color with compressive strength M30 or above. Thickness: 50mm, Dimension:200*200*50 (NS Standard)	84.00	2,099.62	87.00	2174.61
	Square Interlock Pavers Blended Color with compressive strength M30 or above. Thickness: 50mm, Dimension:200*200*50 (NS Standard)	98.00	2,449.56	102.00	2549.54
20	Square Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60 (NS Standard)	80.00	1,999.64	83.00	2074.62
	Square Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60 (NS Standard)	97.00	2,424.56	101.00	2524.54
	Square Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60 (NS Standard)	115.00	2,874.48	120.00	2999.46
21	Cobble Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension:100*100*60 (NS Standard)	20.00	2,000.07	21.00	2100.07
	Cobble Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension:100*100*60 (NS Standard)	24.00	2,400.08	25.00	2500.09
	Cobble Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension:100*100*60 (NS Standard)	28.00	2,800.10	29.00	2900.10
22	Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60 (NS Standard)	76.00	2,026.41	79.00	2106.40
	Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60 (NS Standard)	89.00	2,373.03	93.00	2479.69
	Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60 (NS Standard)	97.00	2,586.34	101.00	2692.99

[Handwritten signatures and initials]

[Handwritten signatures and initials]
लक्ष्मी प्रसाद पांडे
प्रमुख जिला अधिकारी

S.No	Description of Items	MRP Per Pcs (Ex VAT)	MRP Per Cubic Meter (Ex VAT)	MRP Per Pcs (Ex VAT)	MRP Per Cubic Meter (Ex VAT)
23	Interlock With Cobble Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60 (NS Standard)	85.00	2,124.62	88.00	2199.60
	Interlock With Cobble Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60 (NS Standard)	96.00	2,399.57	100.00	2499.55
	Interlock With Cobble Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60 (NS Standard)	105.00	2,624.53	109.00	2724.51
24	Matrix Slab / Tiles Grey Color with compressive strength M35 or above. (Specification: Thickness: 40mm, Dimension:400*400*40, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	287.00	1,794.20	298.00	1862.96
	Matrix Slab / Tiles Single Color with compressive strength M35 or above. (Specification: Thickness: 40mm, Dimension:400*400*40, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	315.00	1,969.24	328.00	2050.51
	Matrix Slab / Tiles Blended Color with compressive strength M35 or above. (Specification: Thickness: 40mm, Dimension:400*400*40, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	350.00	2,188.05	364.00	2275.57
25	Matrix Slab / Tiles Grey Color with compressive strength M35 or above. (Specification: Thickness: 60mm, Dimension:400*400*60, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	431.00	2,694.42	448.00	2800.70
	Matrix Slab / Tiles Single Color with compressive strength M35 or above. (Specification: Thickness: 60mm, Dimension:400*400*60, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	473.00	2,956.99	492.00	3075.77
	Matrix Slab / Tiles Blended Color with compressive strength M35 or above. (Specification: Thickness: 60mm, Dimension:400*400*60, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	526.00	3,288.32	547.00	3419.60
26	Mixed Fusion Slab / Tiles Grey Color with compressive strength M35 or above. (Specification: Thickness: 40mm, Dimension:1200*800*40, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	1,997.00	2,084.31	2077.00	2167.81
	Mixed Fusion Slab / Tiles Single Color with compressive strength M35 or above. (Specification: Thickness: 40mm, Dimension:1200*800*40, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	2,180.00	2,275.31	2267.00	2366.11
	Mixed Fusion Slab / Tiles Blended Color with compressive strength M35 or above. (Specification: Thickness: 40mm, Dimension:1200*800*40, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	2,467.00	2,574.86	2566.00	2678.19
27	Nostalgic Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension:1140x960x60mm/ Pallet (NS Standard)	3,311.00	3,170.75	3443.00	3297.15
	Nostalgic Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension:1140x960x60mm/ Pallet (NS Standard)	3,555.00	3,404.41	3697.00	3540.40
	Nostalgic Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension:1140x960x60mm/ Pallet (NS Standard)	3,706.00	3,549.01	3854.00	3690.74
28	Grass Interlock Pavers Grey Color with compressive strength M40 or above. Thickness: 80mm, Dimension:400x600x80mm (NS Standard)	550.00	2,290.27	572.00	2381.88

S.No	Description of Items	MRP Per Pcs (Ex VAT)	MRP Per Cubic Meter (Ex VAT)	MRP Per Pcs (Ex VAT)	MRP Per Cubic Meter (Ex VAT)
29	Half batterd Kerbstone Grey Color with compressive strength M20. Thickness: 200mm, Dimension:300*200*350 (LxBxH) (NS Standard)	435.00	1,448.55	452.00	1505.16
	Half batterd Kerbstone Grey Color with compressive strength M25. Thickness: 200mm, Dimension:300*200*350 (LxBxH) (NS Standard)	470.00	1,565.10	489.00	1628.37
30	Half batterd Kerbstone Grey Color with compressive strength M20. Thickness/ Breadth: 165mm, Dimension:300*165*325 (LxBxH) (NS Standard)	355.00	1,182.15	369.00	1228.77
	Half batterd Kerbstone Grey Color with compressive strength M25. Thickness/ Breadth: 165mm, Dimension:300*165*325 (LxBxH) (NS Standard)	387.00	1,288.71	402.00	1338.66
31	Half batterd Kerbstone Grey Color with compressive strength M20. Thickness: 200mm, Dimension: 250*200*380 (LxBxH) (NS Standard)	425.00	1,700.00	442.00	1768.00
	Half batterd Kerbstone Grey Color with compressive strength M25. Thickness: 200mm, Dimension: 250*200*380 (LxBxH) (NS Standard)	460.00	1,840.00	478.00	1912.00
32	Bullnose Kerbstone Grey Color with compressive strength M20. Thickness: 200mm, Dimension:300*200*350 (LxBxH) (NS Standard)	495.00	1,648.35	515.00	1714.95
	Bullnose Kerbstone Grey Color with compressive strength M25. Thickness: 200mm, Dimension:300*200*350 (LxBxH) (NS Standard)	520.00	1,731.60	541.00	1801.53
33	V Shape Drain Male & Female set with compressive strength M35. Thickness: 70mm, Dimension: 300x75x499.5 (LxBxH)	655.00	2,181.15	681.00	2267.73

लेखनी प्रसाद चौडेल
प्रमुख जिल्ला अधिकारी

Rate of GI PIPE, GI FITTINGS, BRASS FITTINGS AND TOOLS Excluding VAT (FY2083/84)
(ISI, NS, ISO BRAND)

S. N.	Name of Fittings	Unit	Size												
			1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"	5"	6"	8"	10"
			15 mm	20 mm	25 mm	32 mm	40 mm	50 mm	65 mm	80 mm	100 mm	125mm	150mm		
1	G.I.Pipe : Light	r.m.	203	279	393	504	629	795	1104	1297	1870	3125	3402	5366	
2	G.I.Pipe : Medium	r.m.	242	307	470	512	747	1038	1240	1571	2248	3125	3760	6090	
3	G.I.Pipe : Heavy	r.m.	286	360	547	701	858	1240	1516	1799	2729	3425	3953	6474	
4	Elbow	no.	60	90	156	257	364	548	952	1480	2550	5742	6910		
5	Tee	no.	91	144	210	350	483	790	1245	1683	3060	7996	8918		
6	Union	no.	176	244	362	565	702	1044	2137	2879	5795	7696	9311		
7	Socket	no.	53	83	111	180	243	360	653	965	1672	3799	5107		
8	R-Socket	no.	-	92	118	198	266	397	711	1016	1834	4768	5606		
9	R-Tee	no.	-	158	228	324	532	870	1370	1852	3387	8473	9810		
10	R-Elbow	no.	-	98	172	286	403	604	1043	1610	2855	-	-		
11	C.I Plug	no.	29	43	52	98	121	145	213	436	847	-	-		
12	G.I Nipple 2"	no.	25	32	49	61	70	102	130	164	243	-	-		
13	G.I. Nipple 4"	no.	50	64	98	122	140	204	260	328	487	2295	3630		
14	G.I.Nipple 6"	no.	75	97	146	183	209	306	391	493	730	2740	4820		
15	Brass union	no.	171	341	427	596	853	1364	4525	6767	7633	-	-		
16	Gate Valve	no.	742	1066	1619	2416	3091	5090	9996	15222	23716	-	-		
17	Glove Valve	no.	663	1066	1600	3103	3975	5623	11360	15450	22491	-	-		
18	CI+GI Flang set	no.	495	621	844	1044	1269	1474	1897	2187	2982	7415	7972		
19	GI+HDP Flange set	no.	553	720	864	1092	1317	1955	2107	2396	3461	7691	8968		
20	HDP+HDP Flange set	no.	619	814	967	1172	1464	2239	2539	2867	3693	7861	9390		
21	GI bend	no.	136	213	326	630	954	1400	3600	5592	7910	8970	9965		
22	Flow regulating valve	no.	957	-	-	-	-	-	-	-	-	-	-		
23	Regulating key	no.	295	-	-	-	-	-	-	-	-	-	-		
24	Float value	no.	825	965	1975	2330	3925	5240	-	-	-	-	-		

Rate of GI PIPE, GI FITTINGS, BRASS FITTINGS AND TOOLS Excluding VAT (FY2083/84)
(ISI, NS, ISO BRAND)



१२

S. N.	Name of Fittings	Unit	Size													
			1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"	5"	6"	8"	10"	
			15 mm	20 mm	25 mm	32 mm	40 mm	50 mm	65 mm	80 mm	100 mm	125mm	150mm			
25	Float Valve (BPT Type)	no.	2262	2747	3636	7756	10398	16070	-	-	-	-	-			
26	Check Valve	no.	400	629	1373	2327	3490	5236	9114	12545	16270	-	-			
27	Ferrule cock	no.	695	1240	2140	3650	4860	5680	7040	-	-	-	-			
28	Brass bib cock 400grm.	no.	469	-	-	-	-	-	-	-	-	-	-			
29	Brass Shadle Clamp	no.	-	-	-	-	-	853	1653	1653	1705	-	-			
30	Sulace valve	no.	-	-	-	-	6000	8000	10000	12000	16000	20000	24000	32000	40000	
31	CI air valve	no.	3570	4890	5730	7710	9895	13312	14587	21840	26520	-	-			
32	GI Stinner	no.	346	454	603	949	1452	1948	2252	3290	5874	-	-			
33	End Cap	no.	79	144	179	292	402	589	920	1240	2515	3540	4230			
34	Drill Bit	no.	3050	3691	3850	-	-	-	-	-	-	-	-			
35	C. I. M C	no.	-	-	-	-	-	-	-	3146	4708	5917	8052			
36	Tail Piece	no.	-	-	-	-	-	-	-	3146	4708	5917	8052			
37	Die Gutkha	no.	3267	3486	5450	6006	6418	6713	-	-	-	-	-			
38	Round Gasket	no.	-	-	-	-	-	-	-	230	240	360	540			
3	Cast Steel Seamless Pipe Sch 40				4.21	CI Double Flanged Non Return Valve				4.22	CI Sluice Valve					
3.10	1.5" SCH 40	m	2300			4.21.1	2" Φ	no	5236			4.22.1	1 1/2" Φ	no	6000	
3.20	2" SCH 40	m	3500			4.21.2	2 1/2" Φ	no	9114			4.22.2	2" Φ	no	8000	
3.30	2.5" SCH 40	m	4500			4.21.3	3" Φ	no	12545			4.22.3	2 1/2" Φ	no	10000	
3.40	3" SCH 40	m	6000			4.21.4	4" Φ	no	16270			4.22.4	3" Φ	no	12000	
3.50	4" SCH 40	m	8000									4.22.5	4" Φ	no	16000	
3.60	5" SCH 40	m	10500									4.22.6	5" Φ	no	20000	
													4.22.7	6" Φ	no	24000

लक्ष्मी प्रसाद पौडेल
प्रमुख जिल्ला अधिकारी

Handwritten signature and initials at the top left.

District Rate List FY 2083-84 (Excluding VAT)

HDPE R-TEE HDPE R Socket

HDPE R Socket

Size		Tee			Elbow			Y/Cross T			CAP		
MM	"	PN 16	PN 10	PN 6	PN 16	PN 10	PN 6	PN 16	PN 10	PN 6	PN 16	PN 10	PN 6
16		60.00	45.00	*	*	*	*	*	*	*	*	*	*
20	1/2"	80.00	55.00	*	60.00	45.00	*	85.00	60.00	*	48.00	35.00	*
25	3/4"	90.00	60.00	*	80.00	55.00	*	100.00	75.00	*	56.00	40.00	*
32	1"	140.00	95.00	75.00	120.00	90.00	70.00	160.00	100.00	80.00	80.00	60.00	40.00
40	1.3/4"	215.00	170.00	110.00	180.00	140.00	105.00	275.00	215.00	140.00	160.00	100.00	80.00
50	1.1/2"	305.00	215.00	180.00	240.00	160.00	130.00	410.00	320.00	190.00	250.00	180.00	150.00
63	2"	590.00	450.00	360.00	390.00	310.00	280.00	610.00	505.00	415.00	340.00	295.00	235.00
75	2.1/2"	900.00	740.00	640.00	620.00	545.00	490.00	930.00	780.00	530.00	520.00	490.00	435.00
90	3"	1445.00	1250.00	1100.00	1020.00	905.00	800.00	1580.00	1440.00	1320.00	840.00	635.00	590.00
110	4"	1990.00	1710.00	1500.00	1445.00	1250.00	1100.00	2430.00	2150.00	1920.00	960.00	860.00	710.00
125	4.1/2"	2520.00	1980.00	1720.00	1905.00	1810.00	1700.00	3670.00	3150.00	2900.00	1400.00	1210.00	1090.00
140	5"	3500.00	3220.00	3000.00	2550.00	2420.00	2300.00	4960.00	4720.00	4600.00	1840.00	1620.00	1490.00
160	6"	4437.00	3850.00	3200.00	3850.00	3210.00	2990.00	6630.00	5840.00	5100.00	2250.00	1840.00	1500.00
180	7"	6749.00	6200.00	5780.00	4850.00	4610.00	4400.00	9280.00	8930.00	8700.00	2600.00	2300.00	2050.00
200	8"	8825.00	8055.00	7850.00	5950.00	5710.00	5400.00	12138.00	11320.00	10000.00	3050.00	2800.00	2635.00
225	9"	12820.00	11580.00	10400.00	9350.00	8950.00	8400.00	15980.00	15220.00	14535.00	3780.00	3550.00	3320.00
250	10"	18360.00	17900.00	16100.00	10500.00	9350.00	8700.00	21890.00	20560.00	19680.00	4680.00	4450.00	4200.00
280	11"	27780.00	26530.00	24920.00	17890.00	16230.00	15000.00	29000.00	27780.00	26530.00	5890.00	5620.00	5360.00
315	12"	36720.00	35000.00	34100.00	21560.00	20360.00	19560.00				7200.00	6950.00	6690.00

Handwritten signatures and initials at the bottom.

लक्ष्मी प्रसाद पौडेल
प्रमुख जिल्ला अधिकारी



२८

District Rate List FY 2083-84 (Excluding VAT)

HDPE R Socket

Adopter			Brass			Filter		
PN 16	PN 10	PN 6	PN 16	PN 10	PN 6	PN 16	PN 10	PN 6
*	*	*	*	*	*	*	*	*
*	*	*	30.00	20.00	*	170.00	110.00	*
*	*	*	35.00	25.00	*	260.00	200.00	*
50.00	45.00	40.00	45.00	35.00	30.00	416.00	320.00	270.00
110.00	75.00	55.00	85.00	60.00	50.00	470.00	350.00	290.00
95.00	80.00	70.00	90.00	75.00	65.00	785.00	580.00	490.00
150.00	90.00	80.00	130.00	85.00	65.00	950.00	710.00	590.00
280.00	160.00	110.00	340.00	265.00	200.00	1550.00	1280.00	1130.00
380.00	310.00	265.00	350.00	300.00	250.00	1790.00	1520.00	1300.00
545.00	410.00	320.00	460.00	350.00	300.00	2520.00	2050.00	1820.00
710.00	605.00	545.00	*	*	*	2990.00	2780.00	2620.00
1005.00	890.00	720.00	*	*	*	3995.00	3780.00	3590.00
1290.00	1110.00	930.00	*	*	*	5350.00	4970.00	4700.00
1680.00	1350.00	1180.00	*	*	*	5780.00	5400.00	5120.00
2190.00	1980.00	1690.00	*	*	*	6720.00	6440.00	6180.00
3050.00	2865.00	2600.00	*	*	*	8500.00	8100.00	7700.00
4165.00	3980.00	3750.00	*	*	*			
5610.00	5400.00	5160.00	*	*	*			
7000.00	6600.00	6100.00	*	*	*			



District rate of Double Wall Corrugated (SN8) pipes for Sewage and Rain water Non-Pressure pipes (6m Length)

S.N.	Size in ID	एकाई	आ.व. २०८१/०८२ (मू.अ.क. बाहेक)	आ.व. २०८२/०८३ (मू.अ.क. बाहेक)	आ.व. २०८३/८४ (मू.अ.क. बाहेक)
1	100mm	गोटा	556	556	556
2	150mm	गोटा	1112	1112	1112
3	200mm	गोटा	1668	1668	1668
4	250mm	गोटा	2113	2113	2113
5	300mm	गोटा	3515	3515	3515
6	400mm	गोटा	4527	4527	4527
7	500mm	गोटा	5406	5406	5406
8	600mm	गोटा	9310	9310	9310
9	800mm	गोटा	14985	14985	14985
10	1000mm	गोटा	22572	22572	22572

हाईडेनिस्टी पोलिथिन पाईप (HDPE) हरुको नाप परिमाणहरु

कच्चा पदार्थ पि.ई.-१०० को लागि

PE PIPE NS-40:2079 अनुसारको

पाईपको व्यास मि.मि.मा		पाईपको तौल प्रति मिटर के. जी.मा														
		पि एन ६			पि एन १०			पि एन १२.५			पि एन १६			पि एन २०		
न्यू.	अ.	न्यू.	अ.	औ.	न्यू.	अ.	औ.	न्यू.	अ.	औ.	न्यू.	अ.	औ.	न्यू.	अ.	औ.
20.00	20.30										0.120	0.136	0.128	0.138	0.157	0.148
25.00	25.30							0.154	0.174	0.164	0.184	0.209	0.196	0.217	0.241	0.229
32.00	32.30				0.210	0.236	0.223	0.249	0.283	0.266	0.302	0.341	0.322	0.359	0.396	0.378
40.00	40.40	0.214	0.248	0.231	0.328	0.371	0.350	0.397	0.449	0.423	0.472	0.532	0.502	0.552	0.610	0.581
50.00	50.40	0.337	0.380	0.359	0.506	0.573	0.539	0.617	0.694	0.655	0.734	0.820	0.778	0.868	0.961	0.914
63.00	63.40	0.532	0.602	0.567	0.809	0.909	0.859	0.980	1.092	1.036	1.158	1.281	1.219	1.382	1.525	1.454
75.00	75.50	0.759	0.864	0.812	1.148	1.287	1.218	1.388	1.542	1.465	1.652	1.818	1.735	1.952	2.142	2.048
90.00	90.60	1.088	1.216	1.152	1.648	1.841	1.744	1.981	2.190	2.086	2.362	2.606	2.485	2.803	3.074	2.939
110.00	110.70	1.639	1.855	1.747	2.437	2.703	2.570	2.953	3.265	3.109	3.549	3.900	3.725	4.185	4.590	4.388
125.00	125.80	2.109	2.356	2.232	3.146	3.482	3.314	3.824	4.242	4.034	4.560	5.021	4.791	5.395	5.914	5.656
140.00	140.90	2.637	2.955	2.796	3.945	4.360	4.153	4.808	5.313	5.061	5.731	6.315	6.024	6.789	7.436	7.114
160.00	161.00	3.463	3.870	3.667	5.164	5.722	5.443	6.269	6.927	6.599	7.475	8.220	7.849	8.863	9.710	9.288
180.00	181.10	4.353	4.862	4.607	6.547	7.224	6.886	7.923	8.713	8.319	9.450	10.377	9.915	11.212	12.249	11.733
200.00	201.20	5.398	6.019	5.709	8.044	8.900	8.473	9.771	10.750	10.261	11.702	12.829	12.268	13.837	15.125	14.484
225.00	226.40	6.832	7.598	7.214	10.216	11.302	10.760	12.380	13.655	13.019	14.765	16.203	15.487	17.518	19.177	18.352
250.00	251.50	8.434	9.356	8.895	12.584	13.860	13.223	15.298	16.841	16.071	18.242	20.018	19.133	21.580	23.594	22.592
280.00	281.70	10.550	11.665	11.107	15.780	17.432	16.607	19.165	21.111	20.140	22.924	25.122	24.026	27.096	29.613	28.361
315.00	316.90	13.289	14.721	14.005	19.992	22.022	21.008	24.265	26.698	25.484	28.940	31.723	30.336	34.268	37.461	35.873

नोट: न्यू.=न्यूनतम, अ.=अधिकतम, औ.=औसत

लक्ष्मी प्रसाद पौडेल
प्रमुख जिल्ला अधिकारी

क. माथी उल्लिखित दरमा नपरेका निर्माण सामग्री मध्ये वाटर सप्लाई, स्यानीटेसन, विद्युतीकरण तथा अन्य विभिन्न महलमा छुट भएका सामानहरूको दर सम्बन्धमा नेपाल सरकारबाट निर्धारित दर वा उत्पादक अधिकृत विक्रेताहरू मध्येको आधिकारिक न्यूनतम दरलाई आधार मानी कायम गर्ने ।

ख. नविकरणीय उर्जा सम्बन्धी बायोग्यास सोलार लघु जलविधुत बायु उर्जा सुधारिएको चुलो निर्माण कार्यका लागि बैकल्पिक उर्जा प्रवर्द्धन केन्द्र वा सो कार्यसग सम्बन्धित उत्पादक अधिकृत विक्रेता कम्पनीको दररेटलाई नै दररेट कायम गरी कार्य गर्ने ।

ग. विशेष क्षेत्रको निर्माण कार्यको प्रयोग हुने सामग्री Admixture हकमा उत्पादक अधिकृत विक्रेताबाट प्राप्त हुने तत्कालीन बजार मूल्यको आधारमा दररेट कायम गरी कार्य गर्ने ।

घ. माथि उल्लिखित निर्माण सामग्रीहरूको दर कुश्मा बजार देखि १ कि मी वरपर सम्म लागु हुने गरी र सो भन्दा टाढाको दुरीमा ढुवानी थप गर्नुपर्नेछ ।

ङ. माथि उल्लिखित दररेटमा निर्धारण नभएका निर्माण सामग्रीहरूको हकमा छिमेकी जिल्लाको चालु आ व को स्वीकृत जिल्ला दररेटमा ढुवानी जोडी दररेट कायम गर्ने । छिमेकी जिल्लाको जिल्ला दररेटमा नभएका आइटमहरू काठमाडौंको जिल्ला दररेटलाई पनि लिन सकिने छ

च. झोलुङ्गे पुलको लागि आवश्यक पर्ने सम्पूर्ण निर्माण सामग्रीको दररेट नेपाल सरकार स्थानीय विकास मन्त्रालय अन्तर्गत सस्पेन्सन बृज डिभिजनले तोके बमोजिम हुनेछ ।

छ. ढुङ्गा, गिटी, बालुवाको हकमा सम्बन्धित उत्पादित स्थानलाई आधार मानी ढुवानी जोडिने छ ।

यस जिल्ला दररेटमा उल्लेख भएका निर्माण सामग्रीहरू अन्य जिल्लामा गइ खरिद गरेमा ढुवानी जोड्न सकिने तर खरिद र ढुवानीको गरी यस जिल्लाको दररेट भन्दा बढि हुन नहुने ।

लक्ष्मी प्रसाद पौडेल
प्रमुख जिल्ला अधिकारी